

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.23.2019

Fonic Wash pH Plus

Page 1 of 14

SECTION 1: Identification

Product identifier Product name: Fonic Wash pH Plus Product code: PR-180

Recommended use of the product and restriction on use Relevant identified uses: Presoak, High pH Detergent Uses advised against: NA

Reasons why uses advised against: Not determined or not applicable.

Manufacturer or supplier details Manufacturer: United States

JBS Industries 2550 Henkle Drive Lebanon, Ohio 45036 513-228-2800 SBAETEN@JBSINDUSTRIES.COM

Emergency telephone number:

North America CHEMTREC 800-424-9300 (24 hours)

SECTION 2: Hazard(s) identification

GHS classification:

Skin corrosion, category 1A Serious eye damage, category 1 Carcinogenicity, category 2 Specific target organ toxicity - repeated exposure, category 2

Label elements

Hazard pictograms:



Signal word: Danger

Hazard statements:

H314 Causes severe skin burns and eye damage

H318 Causes serious eye damage

H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.23.2019

Fonic Wash pH Plus

Precautionary statements:

P260 Do not breathe dust/fume/gas/mist/vapors/spray P280 Wear protective gloves/protective clothing/eye protection/face protection P202 Do not handle until all safety precautions have been read and understood P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower P363 Wash contaminated clothing before reuse P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P314 Get medical advice/attention if you feel unwell P405 Store locked up

Hazards not otherwise classified: None

SECTION 3: Composition/information on ingredients

| Identification | Name | Weight % |
|---------------------------|--|----------|
| CAS number: 1310-58-3 | Potassium hydroxide | <20 |
| CAS number: 1310-73-2 | Sodium hydroxide | <20 |
| CAS number: 527-07-1 | Sodium gluconate | <20 |
| CAS number: 68515-73-1 | D-Glucopyranose, oligomers, decyl octyl glycosides | <20 |
| CAS number: 7758-29-4 | Pentasodium triphosphate | <20 |
| CAS number: 111-76-2 | 2-Butoxyethanol | <20 |
| CAS number: 9004-82-4 | 2-dodecoxyethyl hydrogen sulfate | <15 |
| CAS number: 68131-39-5 | Alcohols, C12-15, ethoxylated | <10 |
| CAS number: 64-02-8 | Tetrasodium ethylenediamine tetraacetate | <15 |
| CAS number: 61789-40-0 | 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts | <20 |
| CAS number: 1300-72-7 | Sodium xylenesulfonate | <10 |
| CAS number: 68131-40-8 | Alcohols, secondary C11-15, ethoxylated | <10 |
| CAS number: 84133-50-6 | Alcohols, C12-14-secondary, ethoxylated | <10 |

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.23.2019

Fonic Wash pH Plus

Additional Information: None

SECTION 4: First aid measures

Description of first aid measures

General notes:

Show this Safety Data Sheet to attending Medical Professional

After inhalation:

If inhaled, move to fresh air. Get medical attention if symptoms persist

After skin contact:

Wash off immediately with soap and plenty of water while removing contaminated clothing and shoes. Continue rinsing for at least 15 minutes. See a physician if irritation persists

After eye contact:

Immediately flush eyes, under eyelids with water for 15 minutes. Remove contact lenses, if present to do so. Protect unexposed eye. Continue rinsing on the way to hospital

After swallowing:

If Swallowed, DO NOT induce vomiting unless directed otherwise by a medical professional. Rinse mouth with water. Never give anything to an unconscious person. Seek medical attention

Most important symptoms and effects, both acute and delayed

Acute symptoms and effects:

Symptoms may include blistering, irritation, burns and pain. Effects are dependent on exposure (dose, concentration, contact time)

Symptoms of overexposure may include disorientation, dizziness and confusion. May progress to unconsciousness, paralysis and convulsions. Effects are dependent on exposure (dose, concentration, contact time)

Delayed symptoms and effects:

Symptoms of poisoning may appear several hours later

Immediate medical attention and special treatment

Specific treatment:

None known

Notes for the doctor:

Treat symptomatically

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media:

Alcohol- resistant foam, Dry chemical or Carbon dioxide

Unsuitable extinguishing media:

None known

Specific hazards during fire-fighting:

Evacuate all personnel to a predetermined safe location, no less than 2,500 feet in all directions. Can explode or detonate under fire conditions. Burning material may produce toxic vapors

Special protective equipment for firefighters:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA)

Special precautions:

Avoid inhaling gases, fumes, mist, dust, vapor or aerosols. Avoid contact with eyes, skin, hair or clothing

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.23.2019

Fonic Wash pH Plus

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS

Environmental precautions:

Avoid release to the environment. Prevent soil and water pollution. Prevent spreading in sewers. Notify authorities if product enters sewers or public waters

Avoid discharge into drains, water courses or onto the ground. Prevent further leakage if safe to do so. Inform authorities if spill cannot be contained

Keep material out of lakes, streams, ponds, and sewer drains

Methods and material for containment and cleaning up:

Carefully sweep material into a designated PLASTIC waste container. Collect in plastic containers only Clean and neutralize spill area, tools and equipment by washing with water and soap. Absorb reinstate and add to the collected waste. Waste must be classified and labeled prior to recycling or disposal. Dispose of waste as indicated in Section 13

Reference to other sections:

For further information refer to section 7 and section 13 For personal protection see section 8

SECTION 7: Handling and storage

Precautions for safe handling:

Avoid breathing dust/ fume/ gas/mist/vapors/spray. Keep away from all sources of ignition. Avoid contact with skin and eyes.

Wear gloves and eye protection when handling, moving or using this product. Do not contaminate water, food, or feed by storage or disposal.

Avoid contact with skin, eyes, and clothing. Follow good hygiene procedures when handling chemical materials. Refer to Section 8. Follow proper dispsoal methods. Refer to Section 13. Do not eat, drink, smoke, or use personal products when handling chemical substances.

Conditions for safe storage, including any incompatibilities:

Store in cool and dry location and out of direct sunlight. Store away from sources of heat or ignition. Store away from incompatible materials described in Section 10. Keep containers closed when not in use. Keep away from food and beverages. Protect from freezing and physical damage.

SECTION 8: Exposure controls/personal protection

Only those substances with limit values have been included below.

Occupational Exposure limit values:

| Country (Legal Basis) | Substance | Identifier | Permissible concentration |
|-----------------------|---------------------|------------|--|
| ACGIH | Potassium hydroxide | 1310-58-3 | TWA: 2 mg/m ³ |
| | Sodium hydroxide | 1310-73-2 | Ceiling Limit: 2 mg/m ³ |
| | 2-Butoxyethanol | 111-76-2 | TWA: 20 ppm |
| NIOSH | Potassium hydroxide | 1310-58-3 | REL: 2 mg/m ³ |
| | Sodium hydroxide | 1310-73-2 | Ceiling Limit: 2 mg/m ³ (REL) |
| | Sodium hydroxide | 1310-73-2 | IDLH: 10 mg/m ³ |
| | 2-Butoxyethanol | 111-76-2 | IDLH: 700 ppm |

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.23.2019

Fonic Wash pH Plus

| Country (Legal Basis) | Substance | Identifier | Permissible concentration |
|-----------------------|------------------|------------|-------------------------------------|
| | 2-Butoxyethanol | 111-76-2 | TWA: 5 ppm |
| OSHA | Sodium hydroxide | 1310-73-2 | 8-Hour TWA-PEL: 2 mg/m ³ |
| | 2-Butoxyethanol | 111-76-2 | TWA: 50 ppm |
| | 2-Butoxyethanol | 111-76-2 | TWA: 240 mg/m³ |

Biological limit values:

No biological exposure limits noted for the ingredient(s).

Information on monitoring procedures:

Not determined or not applicable.

Appropriate engineering controls:

Effective ventilation in all processing areas.

Personal protection equipment

Eye and face protection:

Safety goggles or safety glasses with side shields

Skin and body protection:

Chemical resistant clothing and gloves

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory protection

General hygienic measures:

Handle in accordance with good industrial hygiene and safety measures. Wash hands and face after handling chemical products. Wash hands before eating, drinking and smoking. Wash hands at the end of the workday. Appropriate techniques should be applied to remove contaminated clothing and shoes. Wash contaminated clothing before reuse.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

| Appearance | Liquid |
|------------------------------------|----------------------------------|
| Odor | Std. |
| Odor threshold | Not determined or not available. |
| рН | 14 |
| Melting point/freezing point | Not determined or not available. |
| Initial boiling point/range | Not determined or not available. |
| Flash point (closed cup) | Not determined or not available. |
| Evaporation rate | Not determined or not available. |
| Flammability (solid, gas) | Not determined or not available. |
| Upper flammability/explosive limit | Not determined or not available. |
| Lower flammability/explosive limit | Not determined or not available. |
| Vapor pressure | Not determined or not available. |
| Vapor density | Not determined or not available. |
| Density | Not determined or not available. |
| Relative density | Not determined or not available. |
| Solubilities | Not determined or not available. |

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.23.2019

Fonic Wash pH Plus

Page 6 of 14

| Partition coefficient (n-octanol/water) | Not determined or not available. |
|---|----------------------------------|
| Auto/Self-ignition temperature | Not determined or not available. |
| Decomposition temperature | Not determined or not available. |
| Dynamic viscosity | Not determined or not available. |
| Kinematic viscosity | Not determined or not available. |
| Explosive properties | Not determined or not available. |
| Oxidizing properties | Not determined or not available. |

Other information

SECTION 10: Stability and reactivity

Reactivity:

Does not react under normal conditions of use and storage.

Chemical stability:

Stable under normal storage and handling conditions.

Possibility of hazardous reactions:

Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid:

Incompatible materials.

Incompatible materials:

Strong oxidizing agents.

Hazardous decomposition products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

Acute toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

| Name | Route | Result |
|---|------------|-------------------------|
| Potassium hydroxide | oral | LD50 Rat: 333 mg/kg |
| 2-Butoxyethanol | oral | LD50 Rat: 470 mg/kg |
| | dermal | LD50 Rabbit: 220 mg/kg |
| | inhalation | LC50 Rat: 450 ppmV (4H) |
| Tetrasodium ethylenediamine tetraacetate | oral | LD50 mouse: 1210 mg/kg |

Skin corrosion/irritation

Assessment:

Causes severe skin burns and eye damage.

Product data:

No data available.

Substance data:

| Name | Result |
|---------------------|---------------------------|
| Potassium hydroxide | Causes severe skin burns. |

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.23.2019

Fonic Wash pH Plus

| Name | Result |
|--|-------------------------|
| Sodium hydroxide | Corrosive to the skin. |
| Pentasodium triphosphate | Causes skin irritation. |
| 2-Butoxyethanol | Causes skin irritation |
| 2-dodecoxyethyl hydrogen sulfate | Causes skin irritation. |
| 1-Propanaminium, 3-amino-N- (carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts | |
| Sodium xylenesulfonate | Causes skin irritation. |
| Alcohols, C12-14-secondary, ethoxylated | Causes skin irritation. |

Serious eye damage/irritation

Assessment:

Causes serious eye damage.

Product data:

No data available.

Substance data:

| Name | Result |
|--|--------------------------------|
| Sodium hydroxide | Corrosive effect on the eyes. |
| D-Glucopyranose, oligomers, decyl octyl glycosides | Causes serious eye damage. |
| Pentasodium triphosphate | Causes serious eye irritation. |
| 2-Butoxyethanol | Causes eye irritation |
| 2-dodecoxyethyl hydrogen sulfate | Causes serious eye irritation. |
| Tetrasodium ethylenediamine tetraacetate | Causes serious eye damage. |
| 1-Propanaminium, 3-amino-N- (carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts | |
| Sodium xylenesulfonate | Causes serious eye irritation. |
| Alcohols, C12-14-secondary, ethoxylated | Causes serious eye damage. |

Respiratory or skin sensitization

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data:

| Name | Result |
|-----------------|------------------------|
| 2-Butoxyethanol | Eye irritation - 24 h |
| | Skin irritation - 20 h |

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.23.2019

Fonic Wash pH Plus

| Name | Result |
|----------------------------------|--------------------------------------|
| 1-Propanaminium, 3-amino-N- | May cause an allergic skin reaction. |
| (carboxymethyl)-N,N-dimethyl-, | |
| N-coco acyl derivs., hydroxides, | |
| inner salts | |

Carcinogenicity

Assessment:

Suspected of causing cancer.

Product data: No data available.

Substance data: No data available.

International Agency for Research on Cancer (IARC):

| Name | Classification |
|-----------------|----------------|
| 2-Butoxyethanol | Group 3 |

National Toxicology Program (NTP): None of the ingredients are listed.

Germ cell mutagenicity

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Reproductive toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data:

| Name | Result |
|-----------------|---|
| 2-Butoxyethanol | Overexposure may cause reproductive disorder(s) based on tests with laboratory animals. |

Specific target organ toxicity (single exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data:

| Name | Result |
|--------------------------|-----------------------------------|
| Pentasodium triphosphate | May cause respiratory irritation. |
| Sodium xylenesulfonate | May cause respiratory irritation. |

Specific target organ toxicity (repeated exposure)

Assessment:

May cause damage to organs through prolonged or repeated exposure.

Product data:

No data available.

Substance data: No data available.

Aspiration toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data:

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.23.2019

Fonic Wash pH Plus

| No data available. |
|---|
| Substance data: No data available. |
| Information on likely routes of exposure: |
| No data available. |
| Symptoms related to the physical, chemical and toxicological characteristics: |
| No data available. |
| Other information: |
| No data available. |
| |

SECTION 12: Ecological information

Acute (short-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

| Name | Result |
|-----------------|--|
| 2-Butoxyethanol | EC50 Daphnia magna (Water flea): 1,550 mg/L (48 h) |

Chronic (long-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

| Name | Result |
|--|--|
| Alcohols, C12-15, ethoxylated | NOEC Fathead minnow: 0.16 mg/L (10 days) |
| 1-Propanaminium, 3-amino-N- (carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts | |

Persistence and degradability

Product data: No data available.

Substance data:

| Name | Result |
|--|---|
| D-Glucopyranose, oligomers, decyl octyl glycosides | Readily biodegradable. |
| Alcohols, C12-15, ethoxylated | Readily biodegradable. |
| Tetrasodium ethylenediamine tetraacetate | Biodegradable, but not ready biodegradable. |
| 1-Propanaminium, 3-amino-N- (carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts | |

Bioaccumulative potential

Product data: No data available.

Substance data:

| Name | Result |
|------------------|--|
| Sodium hydroxide | The substance has a low potential for bioaccumulation. |
| tetraacetate | The projected equilibrium BCF values were similar to those observed in the plateau test and, again, serve to emphasize the extremely low bioconcentration potential of EDTA. |

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.23.2019

Fonic Wash pH Plus

| Name | Result |
|--|--------|
| 1-Propanaminium, 3-amino-N- (carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts | |

Mobility in soil

Product data: No data available.

Substance data:

| Name | Result |
|--|--|
| | The extent of absorption of EDTA on container walls and humic acid, silica, kaolin, river sediment and humus solids was measured and was found to be negligible. |
| 1-Propanaminium, 3-amino-N- (carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts | |

Other adverse effects: No data available.

SECTION 13: Disposal considerations

Disposal methods:

It is the responsibility of the waste generator to characterize all waste materials according to applicable regulatory entities

Contaminated packages: Not determined or not applicable.

SECTION 14: Transport information

United States Transportation of dangerous goods (49 CFR DOT)

| UN number | 1824 |
|-------------------------------|----------------------------|
| UN proper shipping name | Sodium Hydroxide, Solution |
| UN transport hazard class(es) | 8 |
| Packing group | II |
| Environmental hazards | None |
| Special precautions for user | None |

International Maritime Dangerous Goods (IMDG)

| UN number | Not regulated |
|-------------------------------|---------------|
| UN proper shipping name | Not regulated |
| UN transport hazard class(es) | None |
| Packing group | None |
| Environmental hazards | None |
| Special precautions for user | None |

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

| Not regulated |
|---------------|
| |

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.23.2019

Fonic Wash pH Plus

| UN proper shipping name | Not regulated |
|-------------------------------|---------------|
| UN transport hazard class(es) | None |
| Packing group | None |
| Environmental hazards | None |
| Special precautions for user | None |

SECTION 15: Regulatory information

United States regulations

Inventory listing (TSCA):

| chicory histing (| i Ser Ji | |
|-------------------|---|--------|
| 1310-58-3 | Potassium hydroxide | Listed |
| 1310-73-2 | Sodium hydroxide | Listed |
| 527-07-1 | Sodium gluconate | Listed |
| 68515-73-1 | D-Glucopyranose, oligomers, decyl octyl glycosides | Listed |
| 7758-29-4 | Pentasodium triphosphate | Listed |
| 111-76-2 | 2-Butoxyethanol | Listed |
| 9004-82-4 | 2-dodecoxyethyl hydrogen sulfate | Listed |
| 64-02-8 | Tetrasodium ethylenediamine tetraacetate | Listed |
| 61789-40-0 | 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts | Listed |
| 1300-72-7 | Sodium xylenesulfonate | Listed |
| 68131-40-8 | Alcohols, secondary C11-15, ethoxylated | Listed |
| 84133-50-6 | Alcohols, C12-14-secondary, ethoxylated | Listed |
| | | • |

Significant New Use Rule (TSCA Section 5):

2-Butoxyethanol Listed

Export notification under TSCA Section 12(b): Not determined.

SARA Section 302 extremely hazardous substances: Not determined.

SARA Section 313 toxic chemicals:

111-76-2

| 1310-58-3 | Potassium hydroxide | Not Listed |
|------------|--|---------------|
| 1310-73-2 | Sodium hydroxide | Not Listed |
| 527-07-1 | Sodium gluconate | Not Listed |
| 68515-73-1 | D-Glucopyranose, oligomers, decyl octyl glycosides | Not Listed |
| 7758-29-4 | Pentasodium triphosphate | Not Listed |
| 111-76-2 | 2-Butoxyethanol | Not Listed |
| 9004-82-4 | 2-dodecoxyethyl hydrogen sulfate | Not Listed |
| 64-02-8 | Tetrasodium ethylenediamine tetraacetate | Not Listed |

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.23.2019

Fonic Wash pH Plus

| 61789-40-0 | 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts | Not Listed |
|------------|---|---------------|
| 1300-72-7 | Sodium xylenesulfonate | Not Listed |
| | Alcohols, secondary C11-15, ethoxylated | Not Listed |
| 84133-50-6 | Alcohols, C12-14-secondary, ethoxylated | Not Listed |

CERCLA:

| 1310-58-3 | Potassium hydroxide | Listed | 1000 lb |
|-----------|---------------------|--------|----------|
| 1310-73-2 | Sodium hydroxide | Listed | 1000 lbs |

RCRA: Not determined.

Section 112(r) of the Clean Air Act (CAA): Not determined.

Massachusetts Right to Know:

| boatinabetto iti | | |
|------------------|---|---------------|
| 1310-58-3 | Potassium hydroxide | Listed |
| 1310-73-2 | Sodium hydroxide | Listed |
| 527-07-1 | Sodium gluconate | Not Listed |
| 68515-73-1 | D-Glucopyranose, oligomers, decyl octyl glycosides | Not Listed |
| 7758-29-4 | Pentasodium triphosphate | Listed |
| 111-76-2 | 2-Butoxyethanol | Listed |
| 9004-82-4 | 2-dodecoxyethyl hydrogen sulfate | Not Listed |
| 64-02-8 | Tetrasodium ethylenediamine tetraacetate | Not Listed |
| 61789-40-0 | 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts | Not Listed |
| 1300-72-7 | Sodium xylenesulfonate | Not Listed |
| | Alcohols, secondary C11-15, ethoxylated | Not Listed |
| 84133-50-6 | Alcohols, C12-14-secondary, ethoxylated | Not Listed |

New Jersey Right to Know:

| 1310-58-3 | Potassium hydroxide | Listed |
|------------|--|---------------|
| 1310-73-2 | Sodium hydroxide | Listed |
| 527-07-1 | Sodium gluconate | Not Listed |
| 68515-73-1 | D-Glucopyranose, oligomers, decyl octyl glycosides | Not Listed |
| 7758-29-4 | Pentasodium triphosphate | Not Listed |
| 111-76-2 | 2-Butoxyethanol | Listed |
| 9004-82-4 | 2-dodecoxyethyl hydrogen sulfate | Not Listed |

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.23.2019

Fonic Wash pH Plus

| 64-02-8 | Tetrasodium ethylenediamine tetraacetate | Not Listed |
|------------|---|---------------|
| 61789-40-0 | 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts | Not Listed |
| 1300-72-7 | Sodium xylenesulfonate | Not Listed |
| | Alcohols, secondary C11-15, ethoxylated | Not Listed |
| 84133-50-6 | Alcohols, C12-14-secondary, ethoxylated | Not Listed |

New York Right to Know:

| 1310-58-3 | Potassium hydroxide | Listed |
|------------|---|---------------|
| 1310-73-2 | Sodium hydroxide | Listed |
| 527-07-1 | Sodium gluconate | Not Listed |
| 68515-73-1 | D-Glucopyranose, oligomers, decyl octyl glycosides | Not Listed |
| 7758-29-4 | Pentasodium triphosphate | Listed |
| 111-76-2 | 2-Butoxyethanol | Listed |
| 9004-82-4 | 2-dodecoxyethyl hydrogen sulfate | Not Listed |
| 64-02-8 | Tetrasodium ethylenediamine tetraacetate | Not Listed |
| 61789-40-0 | 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts | Not Listed |
| 1300-72-7 | Sodium xylenesulfonate | Not Listed |
| | Alcohols, secondary C11-15, ethoxylated | Not Listed |
| 84133-50-6 | Alcohols, C12-14-secondary, ethoxylated | Not Listed |

Pennsylvania Right to Know:

| illisyivallia kiyilt u | S RIGW. | |
|------------------------|---|---------------|
| 1310-58-3 | Potassium hydroxide | Listed |
| 1310-73-2 | Sodium hydroxide | Listed |
| 527-07-1 | Sodium gluconate | Not Listed |
| 68515-73-1 | D-Glucopyranose, oligomers, decyl octyl glycosides | Not Listed |
| 7758-29-4 | Pentasodium triphosphate | Listed |
| 111-76-2 | 2-Butoxyethanol | Listed |
| 9004-82-4 | 2-dodecoxyethyl hydrogen sulfate | Not Listed |
| 64-02-8 | Tetrasodium ethylenediamine tetraacetate | Not Listed |
| 61789-40-0 | 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts | Not Listed |

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.23.2019

Fonic Wash pH Plus

| 1300-72-7 | Sodium xylenesulfonate | Not Listed |
|------------|---|---------------|
| | Alcohols, secondary C11-15, ethoxylated | Not Listed |
| 84133-50-6 | Alcohols, C12-14-secondary, ethoxylated | Not Listed |

California Proposition 65: None of the ingredients are listed.

SECTION 16: Other information

Abbreviations and Acronyms: None

Disclaimer:

This product has been classified in accordance with OSHA HCS 2012 guidelines. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

NFPA: 0-0-0 **HMIS:** 0-0-0

Initial preparation date: 05.23.2019

End of Safety Data Sheet