



## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.23.2019

Page 1 of 12

**Storm Hyper**

### SECTION 1: Identification

#### Product identifier

**Product name:** Storm Hyper

**Product code:** PR-105

#### Recommended use of the product and restriction on use

**Relevant identified uses:** High pH Presoak

**Uses advised against:** NA

**Reasons why uses advised against:** Not determined or not applicable.

#### Manufacturer or supplier details

**Manufacturer:**

**United States**

JBS Industries

2550 Henkle Drive

Lebanon, Ohio 45036

513-228-2800

SBAETEN@JBSINDUSTRIES.COM

#### Emergency telephone number:

**North America**

CHEMTREC

800-424-9300 (24 hours)

### SECTION 2: Hazard(s) identification

#### GHS classification:

Skin corrosion, category 1A

Serious eye damage, category 1

Carcinogenicity, category 2

Specific target organ toxicity - repeated exposure, category 2

#### Label elements

##### Hazard pictograms:



**Signal word:** Danger

#### Hazard statements:

H314 Causes severe skin burns and eye damage

H318 Causes serious eye damage

H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure.

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.23.2019

Page 2 of 12

## Storm Hyper

### Precautionary statements:

- P260 Do not breathe dust/fume/gas/mist/vapors/spray
- P280 Wear protective gloves/protective clothing/eye protection/face protection
- P202 Do not handle until all safety precautions have been read and understood
- P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting
- P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower
- P363 Wash contaminated clothing before reuse
- P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- P314 Get medical advice/attention if you feel unwell
- P405 Store locked up

**Hazards not otherwise classified:** None

## SECTION 3: Composition/information on ingredients

| Identification             | Name   | Weight % |
|----------------------------|--|----------|
| CAS number:<br>527-07-1    | Sodium gluconate   | <20      |
| CAS number:<br>1310-58-3   | Potassium hydroxide  | <20      |
| CAS number:<br>Proprietary | Cationic/Nonionic Surfactant Blend   | <20      |
| CAS number:<br>68515-73-1  | D-Glucopyranose, oligomers, decyl octyl glycosides   | <20      |
| CAS number:<br>7758-29-4   | Pentasodium triphosphate   | <20      |
| CAS number:<br>61789-40-0  | 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts | <10      |
| CAS number:<br>64-02-8     | Tetrasodium ethylenediamine tetraacetate   | <10      |
| CAS number:<br>111-76-2    | 2-Butoxyethanol  | <10      |

**Additional Information:** None

## SECTION 4: First aid measures

### Description of first aid measures

#### General notes:

Show this Safety Data Sheet to attending Medical Professional

#### After inhalation:

If inhaled, move to fresh air. Get medical attention if symptoms persist

#### After skin contact:

Wash off immediately with soap and plenty of water while removing contaminated clothing and shoes.  
See a physician if irritation persists

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.23.2019

Page 3 of 12

## Storm Hyper

### After eye contact:

Rinse cautiously with water for several minutes. Remove contact lenses, if present to do so. Protect unexposed eye. Continue rinsing. Get medical attention if irritation develops or persists

### After swallowing:

If Swallowed, DO NOT induce vomiting unless directed otherwise by a medical professional. Rinse mouth with water. Never give anything to an unconscious person. Seek medical attention

### Most important symptoms and effects, both acute and delayed

#### Acute symptoms and effects:

Symptoms may include blistering, irritation, burns and pain. Effects are dependent on exposure (dose, concentration, contact time)

Symptoms of overexposure may include disorientation, dizziness and confusion. May progress to unconsciousness, paralysis and convulsions. Effects are dependent on exposure (dose, concentration, contact time)

#### Delayed symptoms and effects:

Symptoms of poisoning may appear several hours later

### Immediate medical attention and special treatment

#### Specific treatment:

None known

#### Notes for the doctor:

Treat symptomatically

## SECTION 5: Firefighting measures

### Extinguishing media

#### Suitable extinguishing media:

Alcohol- resistant foam, Dry chemical or Carbon dioxide

#### Unsuitable extinguishing media:

None known

### Specific hazards during fire-fighting:

Evacuate all personnel to a predetermined safe location, no less than 2,500 feet in all directions. Can explode or detonate under fire conditions. Burning material may produce toxic vapors

### Special protective equipment for firefighters:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA)

### Special precautions:

Avoid inhaling gases, fumes, mist, dust, vapor or aerosols. Avoid contact with eyes, skin, hair or clothing

## SECTION 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures:

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS

### Environmental precautions:

Avoid release to the environment. Prevent soil and water pollution. Prevent spreading in sewers. Notify authorities if product enters sewers or public waters

Avoid discharge into drains, water courses or onto the ground. Prevent further leakage if safe to do so.

Inform authorities if spill cannot be contained

Keep material out of lakes, streams, ponds, and sewer drains

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.23.2019

Page 4 of 12

## Storm Hyper

### Methods and material for containment and cleaning up:

Vaccum or sweep up material and place into a suitable disposal container. Wear a self-contained breathing apparatus and appropriate personal protection. Provide ventilation

Clean and neutralize spill area, tools and equipment by washing with water and soap. Absorb, restate and add to the collected waste. Waste must be classified and labeled prior to recycling or disposal. Dispose of waste as indicated in Section 13

### Reference to other sections:

For further information refer to section 7 and section 13

For personal protection see section 8

## SECTION 7: Handling and storage

### Precautions for safe handling:

Avoid breathing dust/ fume/ gas/mist/vapors/spray. Keep away from all sources of ignition. Avoid contact with skin and eyes.

Avoid contact with skin, eyes, and clothing. Follow good hygiene procedures when handling chemical materials. Refer to Section 8. Follow proper disposal methods. Refer to Section 13. Do not eat, drink, smoke, or use personal products when handling chemical substances.

### Conditions for safe storage, including any incompatibilities:

Store in cool and dry location and out of direct sunlight. Store away from sources of heat or ignition. Store away from incompatible materials described in Section 10. Keep containers closed when not in use. Keep away from food and beverages. Protect from freezing and physical damage.

## SECTION 8: Exposure controls/personal protection

Only those substances with limit values have been included below.

### Occupational Exposure limit values:

| Country (Legal Basis) | Substance                          | Identifier  | Permissible concentration           |
|-----------------------|------------------------------------|-------------|-------------------------------------|
| ACGIH                 | Potassium hydroxide                | 1310-58-3   | TWA: 2 mg/m <sup>3</sup>            |
|                       | 2-Butoxyethanol                    | 111-76-2    | TWA: 20 ppm                         |
| NIOSH                 | Potassium hydroxide                | 1310-58-3   | REL: 2 mg/m <sup>3</sup>            |
|                       | 2-Butoxyethanol                    | 111-76-2    | IDLH: 700 ppm                       |
|                       | 2-Butoxyethanol                    | 111-76-2    | TWA: 5 ppm                          |
| WEEL                  | Cationic/Nonionic Surfactant Blend | Proprietary | TWA: 10 mg/m <sup>3</sup> (Aerosol) |
| OSHA                  | 2-Butoxyethanol                    | 111-76-2    | TWA: 50 ppm                         |
|                       | 2-Butoxyethanol                    | 111-76-2    | TWA: 240 mg/m <sup>3</sup>          |

### Biological limit values:

No biological exposure limits noted for the ingredient(s).

### Information on monitoring procedures:

Not determined or not applicable.

### Appropriate engineering controls:

Effective ventilation in all processing areas.

### Personal protection equipment

#### Eye and face protection:

Safety goggles or safety glasses with side shields

#### Skin and body protection:

Chemical resistant clothing and gloves

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.23.2019

Page 5 of 12

## Storm Hyper

### Respiratory protection:

Not determined or not applicable.

### General hygienic measures:

Handle in accordance with good industrial hygiene and safety measures. Wash hands and face after handling chemical products. Wash hands before eating, drinking and smoking. Wash hands at the end of the workday. Appropriate techniques should be applied to remove contaminated clothing and shoes. Wash contaminated clothing before reuse.

## SECTION 9: Physical and chemical properties

### Information on basic physical and chemical properties

|   |                                  |
|---|----------------------------------|
| Appearance                              | Liquid                           |
| Odor                                    | Std.                             |
| Odor threshold                          | Not determined or not available. |
| pH                                      | 14                               |
| Melting point/freezing point            | Not determined or not available. |
| Initial boiling point/range             | Not determined or not available. |
| Flash point (closed cup)                | Not determined or not available. |
| Evaporation rate                        | Not determined or not available. |
| Flammability (solid, gas)               | Not determined or not available. |
| Upper flammability/explosive limit      | Not determined or not available. |
| Lower flammability/explosive limit      | Not determined or not available. |
| Vapor pressure                          | Not determined or not available. |
| Vapor density                           | Not determined or not available. |
| Density                                 | Not determined or not available. |
| Relative density                        | Not determined or not available. |
| Solubilities                            | Not determined or not available. |
| Partition coefficient (n-octanol/water) | Not determined or not available. |
| Auto/Self-ignition temperature          | Not determined or not available. |
| Decomposition temperature               | Not determined or not available. |
| Dynamic viscosity                       | Not determined or not available. |
| Kinematic viscosity                     | Not determined or not available. |
| Explosive properties                    | Not determined or not available. |
| Oxidizing properties                    | Not determined or not available. |

### Other information

## SECTION 10: Stability and reactivity

### Reactivity:

Does not react under normal conditions of use and storage.

### Chemical stability:

Stable under normal storage and handling conditions.

### Possibility of hazardous reactions:

Under normal conditions of storage and use, hazardous reactions will not occur.

### Conditions to avoid:

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.23.2019

Page 6 of 12

## Storm Hyper

Incompatible materials.

### Incompatible materials:

Strong oxidizing agents.

### Hazardous decomposition products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### Acute toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

#### Substance data:

| Name                                     | Route      | Result                  |
|--|------------|-------------------------|
| Potassium hydroxide                      | oral       | LD50 Rat: 333 mg/kg     |
| Tetrasodium ethylenediamine tetraacetate | oral       | LD50 mouse: 1210 mg/kg  |
| 2-Butoxyethanol                          | oral       | LD50 Rat: 470 mg/kg     |
|  | dermal     | LD50 Rabbit: 220 mg/kg  |
|  | inhalation | LC50 Rat: 450 ppmV (4H) |

### Skin corrosion/irritation

#### Assessment:

Causes severe skin burns and eye damage.

#### Product data:

No data available.

#### Substance data:

| Name   | Result                    |
|--|---------------------------|
| Potassium hydroxide  | Causes severe skin burns. |
| Pentasodium triphosphate   | Causes skin irritation.   |
| 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts | Causes skin irritation.   |
| 2-Butoxyethanol  | Causes skin irritation    |

### Serious eye damage/irritation

#### Assessment:

Causes serious eye damage.

#### Product data:

No data available.

#### Substance data:

| Name   | Result                         |
|--|--------------------------------|
| D-Glucopyranose, oligomers, decyl octyl glycosides | Causes serious eye damage.     |
| Pentasodium triphosphate                           | Causes serious eye irritation. |

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.23.2019

Page 7 of 12

## Storm Hyper

| Name   | Result                         |
|--|--------------------------------|
| 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts | Causes serious eye irritation. |
| Tetrasodium ethylenediamine tetraacetate   | Causes serious eye damage.     |
| 2-Butoxyethanol  | Causes eye irritation          |

### Respiratory or skin sensitization

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:**

No data available.

**Substance data:**

| Name   | Result                               |
|--|--------------------------------------|
| 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts | May cause an allergic skin reaction. |
| 2-Butoxyethanol  | Eye irritation - 24 h                |
|  | Skin irritation - 20 h               |

### Carcinogenicity

**Assessment:**

Suspected of causing cancer.

**Product data:** No data available.

**Substance data:** No data available.

**International Agency for Research on Cancer (IARC):**

| Name            | Classification |
|-----------------|----------------|
| 2-Butoxyethanol | Group 3        |

**National Toxicology Program (NTP):** None of the ingredients are listed.

### Germ cell mutagenicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:**

No data available.

**Substance data:** No data available.

### Reproductive toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:**

No data available.

**Substance data:**

| Name            | Result  |
|-----------------|---|
| 2-Butoxyethanol | Overexposure may cause reproductive disorder(s) based on tests with laboratory animals. |

### Specific target organ toxicity (single exposure)

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:**

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.23.2019

Page 8 of 12

## Storm Hyper

No data available.

### Substance data:

| Name                     | Result                            |
|--------------------------|-----------------------------------|
| Pentasodium triphosphate | May cause respiratory irritation. |

### Specific target organ toxicity (repeated exposure)

#### Assessment:

May cause damage to organs through prolonged or repeated exposure.

#### Product data:

No data available.

**Substance data:** No data available.

### Aspiration toxicity

**Assessment:** Based on available data, the classification criteria are not met.

#### Product data:

No data available.

**Substance data:** No data available.

### Information on likely routes of exposure:

No data available.

### Symptoms related to the physical, chemical and toxicological characteristics:

No data available.

### Other information:

No data available.

## SECTION 12: Ecological information

### Acute (short-term) toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

#### Substance data:

| Name            | Result   |
|-----------------|--|
| 2-Butoxyethanol | EC50 Daphnia magna (Water flea): 1,550 mg/L (48 h) |

### Chronic (long-term) toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

#### Substance data:

| Name   | Result  |
|--|---|
| 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts | NOEC Oncorhynchus mykiss: 0.16 mg/L (28 days) |

### Persistence and degradability

**Product data:** No data available.

#### Substance data:

| Name   | Result                 |
|--|------------------------|
| D-Glucopyranose, oligomers, decyl octyl glycosides | Readily biodegradable. |



# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.23.2019

Page 9 of 12

## Storm Hyper

| Name   | Result                                      |
|--|---|
| 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts | Readily biodegradable.                      |
| Tetrasodium ethylenediamine tetraacetate   | Biodegradable, but not ready biodegradable. |

### Bioaccumulative potential

**Product data:** No data available.

**Substance data:**

| Name   | Result   |
|--|--|
| 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts | Not expected to bioaccumulate.   |
| Tetrasodium ethylenediamine tetraacetate   | The projected equilibrium BCF values were similar to those observed in the plateau test and, again, serve to emphasize the extremely low bioconcentration potential of EDTA. |

### Mobility in soil

**Product data:** No data available.

**Substance data:**

| Name   | Result   |
|--|--|
| 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts | Moderate to slow migration potential to ground water.  |
| Tetrasodium ethylenediamine tetraacetate   | The extent of absorption of EDTA on container walls and humic acid, silica, kaolin, river sediment and humus solids was measured and was found to be negligible. |

**Other adverse effects:** No data available.

## SECTION 13: Disposal considerations


### Disposal methods:

It is the responsibility of the waste generator to characterize all waste materials according to applicable regulatory entities

**Contaminated packages:** Not determined or not applicable.

## SECTION 14: Transport information

### United States Transportation of dangerous goods (49 CFR DOT)

|                               |   |
|-------------------------------|---|
| UN number                     | 1814  |
| UN proper shipping name       | Potassium Hydroxide Solution  |
| UN transport hazard class(es) | 8  |
| Packing group                 | II  |
| Environmental hazards         | None  |
| Special precautions for user  | None  |

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.23.2019

Page 10 of 12

## Storm Hyper

### International Maritime Dangerous Goods (IMDG)

|                               |               |
|-------------------------------|---------------|
| UN number                     | Not regulated |
| UN proper shipping name       | Not regulated |
| UN transport hazard class(es) | None          |
| Packing group                 | None          |
| Environmental hazards         | None          |
| Special precautions for user  | None          |

### International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

|                               |               |
|-------------------------------|---------------|
| UN number                     | Not regulated |
| UN proper shipping name       | Not regulated |
| UN transport hazard class(es) | None          |
| Packing group                 | None          |
| Environmental hazards         | None          |
| Special precautions for user  | None          |

## SECTION 15: Regulatory information

### United States regulations

#### Inventory listing (TSCA):

|            |  |        |
|------------|--|--------|
| 527-07-1   | Sodium gluconate   | Listed |
| 1310-58-3  | Potassium hydroxide  | Listed |
| 68515-73-1 | D-Glucopyranose, oligomers, decyl octyl glycosides   | Listed |
| 7758-29-4  | Pentasodium triphosphate   | Listed |
| 61789-40-0 | 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts | Listed |
| 64-02-8    | Tetrasodium ethylenediamine tetraacetate   | Listed |
| 111-76-2   | 2-Butoxyethanol  | Listed |

#### Significant New Use Rule (TSCA Section 5):

|          |                 |        |
|----------|-----------------|--------|
| 111-76-2 | 2-Butoxyethanol | Listed |
|----------|-----------------|--------|

Export notification under TSCA Section 12(b): Not determined.

SARA Section 302 extremely hazardous substances: Not determined.

#### SARA Section 313 toxic chemicals:

|            |  |            |
|------------|--|------------|
| 527-07-1   | Sodium gluconate   | Not Listed |
| 1310-58-3  | Potassium hydroxide  | Not Listed |
| 68515-73-1 | D-Glucopyranose, oligomers, decyl octyl glycosides   | Not Listed |
| 7758-29-4  | Pentasodium triphosphate   | Not Listed |
| 61789-40-0 | 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts | Not Listed |

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.23.2019

Page 11 of 12

## Storm Hyper

|          |  |            |
|----------|--|------------|
| 64-02-8  | Tetrasodium ethylenediamine tetraacetate | Not Listed |
| 111-76-2 | 2-Butoxyethanol                          | Not Listed |

### CERCLA:

|           |                     |        |         |
|-----------|---------------------|--------|---------|
| 1310-58-3 | Potassium hydroxide | Listed | 1000 lb |
|-----------|---------------------|--------|---------|

RCRA: Not determined.

Section 112(r) of the Clean Air Act (CAA): Not determined.

### Massachusetts Right to Know:

|            |  |            |
|------------|--|------------|
| 527-07-1   | Sodium gluconate   | Not Listed |
| 1310-58-3  | Potassium hydroxide  | Listed     |
| 68515-73-1 | D-Glucopyranose, oligomers, decyl octyl glycosides   | Not Listed |
| 7758-29-4  | Pentasodium triphosphate   | Listed     |
| 61789-40-0 | 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts | Not Listed |
| 64-02-8    | Tetrasodium ethylenediamine tetraacetate   | Not Listed |
| 111-76-2   | 2-Butoxyethanol  | Listed     |

### New Jersey Right to Know:

|            |  |            |
|------------|--|------------|
| 527-07-1   | Sodium gluconate   | Not Listed |
| 1310-58-3  | Potassium hydroxide  | Listed     |
| 68515-73-1 | D-Glucopyranose, oligomers, decyl octyl glycosides   | Not Listed |
| 7758-29-4  | Pentasodium triphosphate   | Not Listed |
| 61789-40-0 | 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts | Not Listed |
| 64-02-8    | Tetrasodium ethylenediamine tetraacetate   | Not Listed |
| 111-76-2   | 2-Butoxyethanol  | Listed     |

### New York Right to Know:

|            |  |            |
|------------|--|------------|
| 527-07-1   | Sodium gluconate   | Not Listed |
| 1310-58-3  | Potassium hydroxide  | Listed     |
| 68515-73-1 | D-Glucopyranose, oligomers, decyl octyl glycosides   | Not Listed |
| 7758-29-4  | Pentasodium triphosphate   | Listed     |
| 61789-40-0 | 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts | Not Listed |
| 64-02-8    | Tetrasodium ethylenediamine tetraacetate   | Not Listed |
| 111-76-2   | 2-Butoxyethanol  | Listed     |

### Pennsylvania Right to Know:

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.23.2019

Page 12 of 12

## Storm Hyper

|            |  |            |
|------------|--|------------|
| 527-07-1   | Sodium gluconate   | Not Listed |
| 1310-58-3  | Potassium hydroxide  | Listed     |
| 68515-73-1 | D-Glucopyranose, oligomers, decyl octyl glycosides   | Not Listed |
| 7758-29-4  | Pentasodium triphosphate   | Listed     |
| 61789-40-0 | 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts | Not Listed |
| 64-02-8    | Tetrasodium ethylenediamine tetraacetate   | Not Listed |
| 111-76-2   | 2-Butoxyethanol  | Listed     |

**California Proposition 65:** None of the ingredients are listed.

## SECTION 16: Other information

**Abbreviations and Acronyms:** None

**Disclaimer:**

This product has been classified in accordance with OSHA HCS 2012 guidelines. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

**NFPA:** 0-0-0

**HMIS:** 0-0-0

**Initial preparation date:** 05.23.2019

**End of Safety Data Sheet**