



Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.23.2019

Page 1 of 11

Glow Foam Polish HPC

SECTION 1: Identification

Product identifier

Product name: Glow Foam Polish HPC

Product code: CPS-700

Recommended use of the product and restriction on use

Relevant identified uses: Foaming Detergent

Uses advised against: NA

Reasons why uses advised against: Not determined or not applicable.

Manufacturer or supplier details

Manufacturer:

United States

JBS Industries

2550 Henkle Drive

Lebanon, Ohio 45036

513-228-2800

SBAETEN@JBSINDUSTRIES.COM

Emergency telephone number:

North America

CHEMTREC

800-424-9300 (24 hours)

SECTION 2: Hazard(s) identification

GHS classification:

Skin irritation, category 2

Eye irritation, category 2A

Carcinogenicity, category 1A

Label elements

Hazard pictograms:



Signal word: Danger

Hazard statements:

H315 Causes skin irritation

H319 Causes serious eye irritation

H350 May cause cancer.

Precautionary statements:

P264 Wash contaminated area thoroughly after handling.

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.23.2019

Page 2 of 11

Glow Foam Polish HPC

P280 Wear protective gloves/protective clothing/eye protection/face protection
P202 Do not handle until all safety precautions have been read and understood
P302+P352 IF ON SKIN: Wash with plenty of water and soap.
P332+P313 If skin irritation occurs: Get medical advice/attention
P362 Take off contaminated clothing and wash it before reuse
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P337+P313 If eye irritation persists: Get medical advice/attention
P308+P313 IF exposed or concerned: Get medical advice/attention
P405 Store locked up
P501 It is the responsibility of the waste generator to characterize all waste material according to regulatory entities.

Hazards not otherwise classified: None

SECTION 3: Composition/information on ingredients

| Identification | Name | Weight % |
|---------------------------|--|----------|
| CAS number: 1310-73-2 | Sodium hydroxide | 1-15 |
| CAS number: 57-55-6 | Propane-1,2-diol | 1-20 |
| CAS number: 111-76-2 | 2-Butoxyethanol | 1-24.875 |
| CAS number: 1300-72-7 | Sodium xylenesulfonate | 0.4-12.5 |
| CAS number: 68584-22-5 | Benzenesulfonic acid, C10-16-alkyl derivatives | 0.9-20 |

Additional Information: None

SECTION 4: First aid measures

Description of first aid measures

General notes:

Show this Safety Data Sheet to the doctor in attendance

After inhalation:

If inhaled, remove person to fresh air and place in a position comfortable for breathing. Keep person at rest. If breathing is difficult, administer oxygen. If breathing has stopped, provide artificial respiration. If experiencing respiratory symptoms, seek medical advice/attention

If inhaled, remove person to fresh air and place in a position comfortable for breathing. Keep person at rest. If breathing is difficult, administer oxygen. If breathing has stopped, provide artificial respiration. If experiencing respiratory symptoms, seek medical advice/attention

If inhaled, remove person to fresh air and place in a position comfortable for breathing. Keep person at rest. If breathing is difficult, administer oxygen. If breathing has stopped, provide artificial respiration. If symptoms develop or persist, seek medical advice/attention

After skin contact:

Remove contaminated clothing and shoes. Rinse skin with copious amounts of water [shower] for several minutes. Launder contaminated clothing before reuse. If symptoms develop or persist, seek medical

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.23.2019

Page 3 of 11

Glow Foam Polish HPC

advice/attention

Remove contaminated clothing and shoes. Rinse skin with copious amounts of water [shower] for several minutes. Launder contaminated clothing before reuse. If symptoms develop or persist, seek medical advice/attention

Remove contaminated clothing and shoes. Rinse skin with copious amounts of water [shower] for several minutes. Launder contaminated clothing before reuse. If symptoms develop or persist, seek medical advice/attention

After eye contact:

Rinse eyes with plenty of water for several minutes. Remove contact lenses if present and easy to do so. Protect unexposed eye. If symptoms develop or persist, seek medical advice/attention

Rinse eyes with plenty of gently flowing lukewarm water for 15 minutes. Remove contact lenses if present and easy to do so. Protect unexposed eye. If symptoms develop or persist, seek medical advice/attention

Rinse eyes with plenty of water for several minutes. Remove contact lenses if present and easy to do so. Protect unexposed eye. If symptoms develop or persist, seek medical advice/attention

After swallowing:

If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. If symptoms develop or persist, seek medical advice/attention

If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. If symptoms develop or persist, seek medical advice/attention

If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. If symptoms develop or persist, seek medical advice/attention

Most important symptoms and effects, both acute and delayed

Acute symptoms and effects:

Symptoms may include redness, pain, burning and inflammation

Symptoms may include irritation, redness, pain, inflammation, itching, burning and tearing

Delayed symptoms and effects:

Effects are dependent on exposure (dose, concentration, contact time)

Effects are dependent on exposure (dose, concentration, contact time)

Exposure may cause cancer. Effects are dependent on exposure (dose, concentration, contact time)

Immediate medical attention and special treatment

Specific treatment:

Not determined or not applicable.

Notes for the doctor:

Treat symptomatically

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media:

Alcohol- resistant foam, Dry chemical or Carbon dioxide

Unsuitable extinguishing media:

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.23.2019

Page 4 of 11

Glow Foam Polish HPC

Do not use water jet as an extinguisher

Specific hazards during fire-fighting:

Evacuate all personnel to a predetermined safe location, no less than 2,500 feet in all directions. Can explode or detonate under fire conditions. Burning material may produce toxic vapors

Special protective equipment for firefighters:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA)

Special precautions:

Avoid inhaling gases, fumes, mist, dust, vapor or aerosols. Avoid contact with eyes, skin, hair or clothing

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Avoid contact with eyes, skin and clothing. Eliminate all sources of ignition

Ensure adequate ventilation

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS
Respiratory protection may be necessary for spills greater than 5 gallons. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. For personal protection see section 8

Environmental precautions:

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided

Avoid discharge into drains, water courses or onto the ground. Prevent further leakage if safe to do so. Inform authorities if spill cannot be contained

Methods and material for containment and cleaning up:

Carefully sweep material into a designated PLASTIC waste container. Collect in plastic containers only
Vacuum or sweep up material and place into a suitable disposal container. Wear a self-contained breathing apparatus and appropriate personal protection. Provide ventilation

Reference to other sections:

For disposal see section 13

SECTION 7: Handling and storage

Precautions for safe handling:

Avoid contact with skin, eyes, and clothing. Follow good hygiene procedures when handling chemical materials. Refer to Section 8. Follow proper disposal methods. Refer to Section 13. Do not eat, drink, smoke, or use personal products when handling chemical substances.

Conditions for safe storage, including any incompatibilities:

Store in cool location. Keep away from food and beverages. Protect from freezing and physical damage. Provide ventilation for containers. Keep container tightly sealed. Store away from incompatible materials.

SECTION 8: Exposure controls/personal protection

Only those substances with limit values have been included below.

Occupational Exposure limit values:

| Country (Legal Basis) | Substance | Identifier | Permissible concentration |
|-----------------------|------------------|------------|------------------------------------|
| ACGIH | Sodium hydroxide | 1310-73-2 | Ceiling Limit: 2 mg/m ³ |
| | 2-Butoxyethanol | 111-76-2 | TWA: 20 ppm |

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.23.2019

Page 5 of 11

Glow Foam Polish HPC

| Country (Legal Basis) | Substance | Identifier | Permissible concentration |
|-----------------------|------------------|------------|--|
| OSHA | Sodium hydroxide | 1310-73-2 | 8-Hour TWA-PEL: 2 mg/m ³ |
| | 2-Butoxyethanol | 111-76-2 | TWA: 50 ppm |
| | 2-Butoxyethanol | 111-76-2 | TWA: 240 mg/m ³ |
| NIOSH | Sodium hydroxide | 1310-73-2 | Ceiling Limit: 2 mg/m ³ (REL) |
| | Sodium hydroxide | 1310-73-2 | IDLH: 10 mg/m ³ |
| | 2-Butoxyethanol | 111-76-2 | IDLH: 700 ppm |
| | 2-Butoxyethanol | 111-76-2 | TWA: 5 ppm |
| WEEL | Propane-1,2-diol | 57-55-6 | 8-Hour TWA: 10 mg/m ³ |

Biological limit values:

No biological exposure limits noted for the ingredient(s).

Information on monitoring procedures:

Not determined or not applicable.

Appropriate engineering controls:

Effective ventilation in all processing areas.

Personal protection equipment

Eye and face protection:

Safety goggles

Skin and body protection:

Impervious clothing, Chemical resistant gloves

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory protection

General hygienic measures:

Handle in accordance with good industrial hygiene and safety measures. Wash hands and face after handling chemical products. Wash hands before eating, drinking and smoking. Wash hands at the end of the workday.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

| | |
|------------------------------------|----------------------------------|
| Appearance | Liquid |
| Odor | Std. |
| Odor threshold | Not determined or not available. |
| pH | 7-8.5 |
| Melting point/freezing point | Not determined or not available. |
| Initial boiling point/range | Not determined or not available. |
| Flash point (closed cup) | Not determined or not available. |
| Evaporation rate | Not determined or not available. |
| Flammability (solid, gas) | Not determined or not available. |
| Upper flammability/explosive limit | Not determined or not available. |
| Lower flammability/explosive limit | Not determined or not available. |
| Vapor pressure | Not determined or not available. |
| Vapor density | Not determined or not available. |

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.23.2019

Page 6 of 11

Glow Foam Polish HPC

| | |
|---|----------------------------------|
| Density | Not determined or not available. |
| Relative density | Not determined or not available. |
| Solubilities | Not determined or not available. |
| Partition coefficient (n-octanol/water) | Not determined or not available. |
| Auto/Self-ignition temperature | Not determined or not available. |
| Decomposition temperature | Not determined or not available. |
| Dynamic viscosity | Not determined or not available. |
| Kinematic viscosity | Not determined or not available. |
| Explosive properties | Not determined or not available. |
| Oxidizing properties | Not determined or not available. |

Other information

SECTION 10: Stability and reactivity

Reactivity:

Stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability:

Stable under normal storage and handling conditions.

Possibility of hazardous reactions:

Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid:

Incompatible materials.

Incompatible materials:

Strong oxidizing agents.

Hazardous decomposition products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced

SECTION 11: Toxicological information

Acute toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

| Name | Route | Result |
|--|------------|---------------------------------|
| Propane-1,2-diol | oral | LD50 Rat: 21,000 - 33,700 mg/kg |
| 2-Butoxyethanol | oral | LD50 Rat: 470 mg/kg |
| | dermal | LD50 Rabbit: 220 mg/kg |
| | inhalation | LC50 Rat: 450 ppmV (4H) |
| Benzenesulfonic acid, C10-16-alkyl derivatives | inhalation | LC50 Rat: 1.9 mg/L (4 Hr) |
| | dermal | LD50 Rabbit: 5000 mg/kg |

Skin corrosion/irritation

Assessment:

Causes skin irritation.

Product data:

No data available.

Substance data:

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.23.2019

Page 7 of 11

Glow Foam Polish HPC

| Name | Result |
|--|---|
| Sodium hydroxide | Corrosive to the skin. |
| 2-Butoxyethanol | Causes skin irritation |
| Sodium xylenesulfonate | Causes skin irritation. |
| Benzenesulfonic acid, C10-16-alkyl derivatives | Causes severe skins burns and eye damage. |

Serious eye damage/irritation

Assessment:

Causes serious eye irritation.

Product data:

No data available.

Substance data:

| Name | Result |
|--|--------------------------------|
| Sodium hydroxide | Corrosive effect on the eyes. |
| 2-Butoxyethanol | Causes eye irritation |
| Sodium xylenesulfonate | Causes serious eye irritation. |
| Benzenesulfonic acid, C10-16-alkyl derivatives | Causes serious eye damage. |

Respiratory or skin sensitization

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data:

| Name | Result |
|-----------------|------------------------|
| 2-Butoxyethanol | Eye irritation - 24 h |
| | Skin irritation - 20 h |

Carcinogenicity

Assessment:

May cause cancer.

Product data: No data available.

Substance data: No data available.

International Agency for Research on Cancer (IARC):

| Name | Classification |
|-----------------|----------------|
| 2-Butoxyethanol | Group 3 |

National Toxicology Program (NTP): None of the ingredients are listed.

Germ cell mutagenicity

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Reproductive toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data:

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.23.2019

Page 8 of 11

Glow Foam Polish HPC

No data available.

Substance data:

| Name | Result |
|-----------------|---|
| 2-Butoxyethanol | Overexposure may cause reproductive disorder(s) based on tests with laboratory animals. |

Specific target organ toxicity (single exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data:

| Name | Result |
|------------------------|-----------------------------------|
| Sodium xylenesulfonate | May cause respiratory irritation. |

Specific target organ toxicity (repeated exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Aspiration toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Information on likely routes of exposure:

No data available.

Symptoms related to the physical, chemical and toxicological characteristics:

No data available.

Other information:

No data available.

SECTION 12: Ecological information

Acute (short-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

| Name | Result |
|------------------|--|
| Propane-1,2-diol | EC50 Daphnia magna: 43,500 mg/L (48 hr) |
| 2-Butoxyethanol | EC50 Daphnia magna (Water flea): 1,550 mg/L (48 h) |

Chronic (long-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

| Name | Result |
|------------------|---|
| Propane-1,2-diol | EC50 Selenastrum capricornutum: 18,100 mg/L (14 days) |

Persistence and degradability

Product data: No data available.

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.23.2019

Page 9 of 11

Glow Foam Polish HPC

Substance data:

| Name | Result |
|--|---|
| Benzenesulfonic acid, C10-16-alkyl derivatives | Under test conditions no biodegradation observed. |

Bioaccumulative potential

Product data: No data available.

Substance data:

| Name | Result |
|------------------|--|
| Sodium hydroxide | The substance has a low potential for bioaccumulation. |

Mobility in soil

Product data: No data available.

Substance data: No data available.

Other adverse effects: No data available.

SECTION 13: Disposal considerations

Disposal methods:

It is the responsibility of the waste generator to characterize all waste material according to regulatory entities

Contaminated packages: Not determined or not applicable.

SECTION 14: Transport information

United States Transportation of dangerous goods (49 CFR DOT)

| | |
|-------------------------------|---------------|
| UN number | Not regulated |
| UN proper shipping name | Not regulated |
| UN transport hazard class(es) | None |
| Packing group | None |
| Environmental hazards | None |
| Special precautions for user | None |

International Maritime Dangerous Goods (IMDG)

| | |
|-------------------------------|---------------|
| UN number | Not regulated |
| UN proper shipping name | Not regulated |
| UN transport hazard class(es) | None |
| Packing group | None |
| Environmental hazards | None |
| Special precautions for user | None |

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

| | |
|-------------------------------|---------------|
| UN number | Not regulated |
| UN proper shipping name | Not regulated |
| UN transport hazard class(es) | None |
| Packing group | None |
| Environmental hazards | None |

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.23.2019

Page 10 of 11

Glow Foam Polish HPC

| | |
|------------------------------|------|
| Special precautions for user | None |
|------------------------------|------|

SECTION 15: Regulatory information

United States regulations

Inventory listing (TSCA):

| | | |
|------------|--|--------|
| 1310-73-2 | Sodium hydroxide | Listed |
| 57-55-6 | Propane-1,2-diol | Listed |
| 111-76-2 | 2-Butoxyethanol | Listed |
| 1300-72-7 | Sodium xylenesulfonate | Listed |
| 68584-22-5 | Benzenesulfonic acid, C10-16-alkyl derivatives | Listed |

Significant New Use Rule (TSCA Section 5):

| | | |
|----------|-----------------|--------|
| 111-76-2 | 2-Butoxyethanol | Listed |
|----------|-----------------|--------|

Export notification under TSCA Section 12(b): Not determined.

SARA Section 302 extremely hazardous substances: Not determined.

SARA Section 313 toxic chemicals:

| | | |
|------------|--|------------|
| 1310-73-2 | Sodium hydroxide | Not Listed |
| 57-55-6 | Propane-1,2-diol | Not Listed |
| 111-76-2 | 2-Butoxyethanol | Not Listed |
| 1300-72-7 | Sodium xylenesulfonate | Not Listed |
| 68584-22-5 | Benzenesulfonic acid, C10-16-alkyl derivatives | Not Listed |

CERCLA:

| | | | |
|-----------|------------------|--------|----------|
| 1310-73-2 | Sodium hydroxide | Listed | 1000 lbs |
|-----------|------------------|--------|----------|

RCRA: Not determined.

Section 112(r) of the Clean Air Act (CAA): Not determined.

Massachusetts Right to Know:

| | | |
|------------|--|------------|
| 1310-73-2 | Sodium hydroxide | Listed |
| 57-55-6 | Propane-1,2-diol | Not Listed |
| 111-76-2 | 2-Butoxyethanol | Listed |
| 1300-72-7 | Sodium xylenesulfonate | Not Listed |
| 68584-22-5 | Benzenesulfonic acid, C10-16-alkyl derivatives | Not Listed |

New Jersey Right to Know:

| | | |
|-----------|------------------------|------------|
| 1310-73-2 | Sodium hydroxide | Listed |
| 57-55-6 | Propane-1,2-diol | Listed |
| 111-76-2 | 2-Butoxyethanol | Listed |
| 1300-72-7 | Sodium xylenesulfonate | Not Listed |

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.23.2019

Page 11 of 11

Glow Foam Polish HPC

| | | |
|------------|--|------------|
| 68584-22-5 | Benzenesulfonic acid, C10-16-alkyl derivatives | Not Listed |
|------------|--|------------|

New York Right to Know:

| | | |
|------------|--|------------|
| 1310-73-2 | Sodium hydroxide | Listed |
| 57-55-6 | Propane-1,2-diol | Not Listed |
| 111-76-2 | 2-Butoxyethanol | Listed |
| 1300-72-7 | Sodium xylenesulfonate | Not Listed |
| 68584-22-5 | Benzenesulfonic acid, C10-16-alkyl derivatives | Not Listed |

Pennsylvania Right to Know:

| | | |
|------------|--|------------|
| 1310-73-2 | Sodium hydroxide | Listed |
| 57-55-6 | Propane-1,2-diol | Listed |
| 111-76-2 | 2-Butoxyethanol | Listed |
| 1300-72-7 | Sodium xylenesulfonate | Not Listed |
| 68584-22-5 | Benzenesulfonic acid, C10-16-alkyl derivatives | Not Listed |

California Proposition 65: None of the ingredients are listed.

SECTION 16: Other information

Abbreviations and Acronyms: None

Disclaimer:

This product has been classified in accordance with OSHA HCS 2012 guidelines. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

NFPA: 0-0-0

HMIS: 0-0-0

Initial preparation date: 05.23.2019

End of Safety Data Sheet