



## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

**Initial Preparation Date:** 05.19.2022

Page 1 of 23

**Revision date:** 05.19.2022

### Venom Extreme Presoak

#### SECTION 1: Identification

##### Product Identifier

**Product Name:** Venom Extreme Presoak

**Product code:** PR-115

##### Recommended Use of the Product and Restriction on Use

**Relevant Identified Uses:** For commercial car wash use only

**Uses Advised Against:** Do not use in handwashing applications

**Reasons Why Uses Advised Against:** This product is corrosive and causes severe eye damage.

##### Manufacturer or Supplier Details

###### Manufacturer:

###### United States

JBS Industries

2550 Henkle Drive

Lebanon, Ohio 45036

513-228-2800

SBAETEN@JBSINDUSTRIES.COM

##### Emergency Telephone Number:

###### North America

CHEMTREC

800-424-9300 (24 hours)

#### SECTION 2: Hazard(s) Identification

##### GHS Classification:

Skin corrosion, category 1A

Serious eye damage, category 1

Skin sensitization, category 1

##### Label elements

###### Hazard Pictograms:



**Signal Word:** Danger

##### Hazard statements:

H314 Causes severe skin burns and eye damage

H318 Causes serious eye damage

H317 May cause an allergic skin reaction

##### Precautionary Statements:

P260 Do not breathe dust/fume/gas/mist/vapors/spray

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 05.19.2022

Page 2 of 23

Revision date: 05.19.2022

## Venom Extreme Presoak

P264 Wash hands thoroughly after handling  
P280 Wear protective gloves/protective clothing/eye protection/face protection  
P261 Avoid breathing dust/fume/gas/mist/vapors/spray  
P272 Contaminated work clothing must not be allowed out of the workplace  
P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting  
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower  
P363 Wash contaminated clothing before reuse  
P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing  
P310 Immediately call a POISON CENTER/doctor/...  
P321 Specific treatment (see ... on this label)  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P302+P352 IF ON SKIN: Wash with plenty of water/ ...  
P333+P313 If skin irritation or rash occurs: Get medical advice/attention  
P405 Store locked up  
P501 Dispose of contents/container to...

**Hazards Not Otherwise Classified:** None

## SECTION 3: Composition/Information on Ingredients

Identification	Name	Weight %
CAS Number: 5989-27-5	d-Limonene	<10
CAS Number: 7732-18-5	Water	<100
CAS Number: 1310-58-3	Potassium hydroxide	<43.4
CAS Number: 527-07-1	Sodium gluconate	<40
CAS Number: Proprietary	Ammonium Methyl Sulfate	<22.5
CAS Number: Proprietary	Fatty Alcohol Ethoxylate	<22.5
CAS Number: Proprietary	Nonionic Diluent	<22.5
CAS Number: 68515-73-1	D-Glucopyranose, oligomers, decyl octyl glycosides	<21
CAS Number: 61789-40-0	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	<15.5
CAS Number: 111-76-2	2-Butoxyethanol	<7.959992
CAS Number: 1300-72-7	Sodium Xylenesulfonate	<5

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 05.19.2022

Page 3 of 23

Revision date: 05.19.2022

## Venom Extreme Presoak

CAS Number: 56-81-5	Glycerol	<1.5
CAS Number: 7757-82-6	Sodium sulphate	<0.3
CAS Number: 1310-73-2	Sodium hydroxide	<0.1
CAS Number: 2836-32-0	Sodium glycollate	<0.1
CAS Number: 50-00-0	Formaldehyde	<0.054
CAS Number: 79-43-6	Dichloroacetic acid	<0.045
CAS Number: 5064-31-3	Trisodium nitrilotriacetate	<0.01
CAS Number: 67-56-1	Methanol	<0.009
CAS Number: 7664-41-7	Ammonia, anhydrous	<0.009
CAS Number: 75-07-0	Acetaldehyde	<0.009
CAS Number: 143-33-9	Sodium cyanide	<0.009
CAS Number: 107-21-1	Ethane-1,2-diol	<0.0072

**Additional Information:** None

## SECTION 4: First Aid Measures

### Description of First Aid Measures

#### General Notes:

Show this Safety Data Sheet to the doctor in attendance.

#### After Inhalation:

If inhaled, remove person to fresh air and place in a position comfortable for breathing. Keep person at rest. If breathing is difficult, administer oxygen. If breathing has stopped, provide artificial respiration. If experiencing respiratory symptoms, seek medical advice/attention.

#### After Skin Contact:

Treatment is urgent. Seek emergency medical treatment. Remove contaminated clothing and shoes. Rinse skin with copious amounts of water [shower] for several minutes. Launder contaminated clothing before reuse.

Remove contaminated clothing and shoes. Rinse skin with copious amounts of water [shower] for several minutes. Launder contaminated clothing before reuse. If symptoms develop or persist, seek medical advice/attention.

#### After Eye Contact:

Immediately rinse eyes with plenty of gently flowing lukewarm water for 15 minutes. Remove contact

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 05.19.2022

Page 4 of 23

Revision date: 05.19.2022

## Venom Extreme Presoak

lenses if present and easy to do so. Protect unexposed eye. Seek immediate medical attention, preferably from an ophthalmologist.

Rinse eyes with plenty of water for several minutes. Remove contact lenses if present and easy to do so. Protect unexposed eye. If symptoms develop or persist, seek medical advice/attention.

### After Swallowing:

If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. Seek immediate medical attention.

If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. If symptoms develop or persist, seek medical advice/attention.

### Most Important Symptoms and Effects, Both Acute and Delayed

#### Acute Symptoms and Effects:

Exposure to skin may result in redness, pain, burning, inflammation and tissue damage. Exposure to eyes may result in irritation, redness, pain, inflammation, itching, burning, tearing, corneal damage and loss of vision. Exposure via inhalation may result in cough, sore throat, burning sensation and shortness of breath. Exposure via ingestion may result in burns of the mouth and throat, abdominal pain, burning sensation in the throat and chest, nausea, vomiting, shock or collapse.

Eye contact may result in irritation, redness, pain, inflammation, itching, burning, tearing, corneal damage and loss of vision.

Dermal exposure may cause an allergic skin reaction. Symptoms may include irritation, redness, pain, rash, inflammation, itching, burning and dermatitis.

#### Delayed Symptoms and Effects:

Effects are dependent on exposure (dose, concentration, contact time).

### Immediate Medical Attention and Special Treatment

#### Specific Treatment:

In case of eye contact, seek prompt medical attention while rinsing is continued.

In case of skin contact, seek prompt medical attention while rinsing is continued.

In case of ingestion, seek prompt medical attention.

#### Notes for the Doctor:

Treat symptomatically.

## SECTION 5: Firefighting Measures

### Extinguishing Media

#### Suitable Extinguishing Media:

Water mist/fog, carbon dioxide, dry chemical or alcohol resistant foam.

#### Unsuitable Extinguishing Media:

Do not use water jet.

### Specific Hazards During Fire-Fighting:

Thermal decomposition may produce irritating/toxic fumes/gases.

### Special Protective Equipment for Firefighters:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full-face piece operated in positive pressure mode.

### Special precautions:

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 05.19.2022

Page 5 of 23

Revision date: 05.19.2022

## Venom Extreme Presoak

Avoid contact with skin, eyes, hair and clothing. Do not breathe fumes/gas/mists/aerosols/vapors/dusts. Move containers from fire area if safe to do so. Use water spray/fog for cooling fire exposed containers. Avoid unnecessary run-off of extinguishing media which may cause pollution.

## SECTION 6: Accidental Release Measures

### Personal Precautions, Protective Equipment, and Emergency Procedures:

Evacuate unnecessary personnel. Ventilate area. Extinguish any sources of ignition. Wear recommended personal protective equipment (see Section 8). Avoid contact with skin, eyes and clothing. Avoid breathing mist, vapor, dust, fume and spray. Do not walk through spilled material. Wash thoroughly after handling.

### Environmental Precautions:

Prevent further leakage or spillage if safe to do so. Prevent from reaching drains, sewers and waterways. Discharge into the environment must be avoided.

### Methods and Material for Containment and Cleaning Up:

Do not touch damaged containers or spilled material unless wearing appropriate personal protective clothing. Stop leak if you can do it without risk. Contain and collect spillage and place in suitable container for future disposal. Dispose of in accordance with all applicable regulations (see Section 13).

### Reference to Other Sections:

For personal protective equipment see Section 8. For disposal see Section 13.

## SECTION 7: Handling and Storage

### Precautions for Safe Handling:

Use appropriate personal protective equipment (see Section 8). Prevent skin contact. Do not get in eyes. Use only with adequate ventilation. Do not add water to the corrosive product. If it is necessary to mix a corrosive product with water, do so slowly adding the corrosive to cold water, in small amounts, and stir frequently. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use. Keep only in original packaging. Use appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Avoid contact with skin, eyes and clothing. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use.

### Conditions for Safe Storage, Including Any Incompatibilities:

Store in cool, dry, well-ventilated location out of direct sunlight and away from exit paths. Store in a corrosion-resistant container with a resistant inner liner. Inspect containers and storage area regularly for signs of leak and damage. Store containers at a convenient height for handling, below eye level if possible. High shelving increases the risk of dropping containers, personal injury and exposure. Ensure that appropriate fire fighting and spill-clean up equipment is readily available. Keep away from food and beverages. Protect from freezing and physical damage. Store away from heat, open flames and other sources of ignition. Store separately. Keep container tightly sealed. Store away from incompatible materials (See Section 10).

## SECTION 8: Exposure Controls/Personal Protection

Only those substances with limit values have been included below.

### Occupational Exposure Limit Values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
ACGIH	Potassium hydroxide	1310-58-3	Ceiling Limit: 2 mg/m <sup>3</sup>

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 05.19.2022

Page 6 of 23

Revision date: 05.19.2022

### Venom Extreme Presoak

Country (Legal Basis)	Substance	Identifier	Permissible concentration
	Formaldehyde	50-00-0	15-Minute STEL: 0.3 ppm
	Formaldehyde	50-00-0	8-Hour TWA: 0.1 ppm
	Dichloroacetic acid	79-43-6	8-Hour TWA: 0.5 ppm
	Methanol	67-56-1	8-Hour TWA: 200 ppm
	Methanol	67-56-1	15-Minute STEL: 250 ppm
	Sodium hydroxide	1310-73-2	Ceiling Limit: 2 mg/m <sup>3</sup>
	Ammonia, anhydrous	7664-41-7	8-Hour TWA: 25 ppm
	Ammonia, anhydrous	7664-41-7	15-Minute STEL: 35 ppm
	Acetaldehyde	75-07-0	Ceiling Limit: 25 ppm
	Ethane-1,2-diol	107-21-1	8-Hour TWA: 25 ppm (vapor fraction)
	Ethane-1,2-diol	107-21-1	15-Minute STEL: 50 ppm (vapor fraction)
	Ethane-1,2-diol	107-21-1	15-Minute STEL: 10 mg/m <sup>3</sup> (aerosol only, inhalable fraction)
	2-Butoxyethanol	111-76-2	8-Hour TWA-PEL: 20 ppm
NIOSH	Potassium hydroxide	1310-58-3	Ceiling Limit: 2 mg/m <sup>3</sup>
	Formaldehyde	50-00-0	REL-TWA: 0.016 ppm (up to 10 hr)
	Formaldehyde	50-00-0	Ceiling Limit: 0.1 ppm (15 min)
	Formaldehyde	50-00-0	IDLH: 20 ppm
	Methanol	67-56-1	REL-TWA: 260 mg/m <sup>3</sup> (200 ppm [for up to a 10-hour workday during a 40-hour workweek])
	Methanol	67-56-1	15-Minute STEL: 325 mg/m <sup>3</sup> (250 ppm)
	Methanol	67-56-1	IDLH: 6000 ppm
	Sodium hydroxide	1310-73-2	IDLH: 10 mg/m <sup>3</sup>
	Sodium hydroxide	1310-73-2	Ceiling Limit: 2 mg/m <sup>3</sup>
	Ammonia, anhydrous	7664-41-7	REL-TWA: 18 mg/m <sup>3</sup> (25 ppm [up to 10-hours])
	Ammonia, anhydrous	7664-41-7	15-Minute STEL: 27 mg/m <sup>3</sup> (35 ppm)
	Ammonia, anhydrous	7664-41-7	IDLH: 300 ppm
	Acetaldehyde	75-07-0	IDLH: 2000 ppm
	Sodium cyanide	143-33-9	Ceiling Limit: 5 mg/m <sup>3</sup> (4.7 ppm [10-min])
	2-Butoxyethanol	111-76-2	IDLH: 700 ppm
2-Butoxyethanol	111-76-2	REL-TWA: 24 mg/m <sup>3</sup> (5 ppm [up to 10 hr])	
OSHA	Potassium hydroxide	1310-58-3	Ceiling Limit: 2 mg/m <sup>3</sup>
	Formaldehyde	50-00-0	8-Hour TWA-PEL: 0.75 ppm
	Formaldehyde	50-00-0	15-Minute STEL: 2 ppm
	Formaldehyde	50-00-0	8-Hour TWA-PEL: 0.5 ppm (Action level)
	Methanol	67-56-1	8-Hour TWA-PEL: 260 mg/m <sup>3</sup> (200 ppm)
	Methanol	67-56-1	15-Minute STEL: 325 mg/m <sup>3</sup> (250 ppm)
	Sodium hydroxide	1310-73-2	8-Hour TWA-PEL: 2 mg/m <sup>3</sup>

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 05.19.2022

Page 7 of 23

Revision date: 05.19.2022

### Venom Extreme Presoak

Country (Legal Basis)	Substance	Identifier	Permissible concentration
	Ammonia, anhydrous	7664-41-7	8-Hour TWA-PEL: 35 mg/m <sup>3</sup> (50 ppm)
	Acetaldehyde	75-07-0	8-Hour TWA-PEL: 200 ppm
	Acetaldehyde	75-07-0	8-Hour TWA-PEL: 360 mg/m <sup>3</sup>
	Acetaldehyde	75-07-0	TWA: 50 ppm
	Acetaldehyde	75-07-0	TWA: 240 mg/m <sup>3</sup>
	Acetaldehyde	75-07-0	STEL: 100 ppm
	Acetaldehyde	75-07-0	STEL: 485 mg/m <sup>3</sup>
	Ethane-1,2-diol	107-21-1	Ceiling Limit: 125 mg/m <sup>3</sup> (50 ppm)
	2-Butoxyethanol	111-76-2	8-Hour TWA-PEL: 240 mg/m <sup>3</sup> (50 ppm [Table Z-1])
	2-Butoxyethanol	111-76-2	8-Hour TWA: 120 mg/m <sup>3</sup> (25 ppm [Table Z-1-A])
United States(California)	Potassium hydroxide	1310-58-3	Ceiling Limit: 2 mg/m <sup>3</sup>
	Formaldehyde	50-00-0	15-Minute STEL: 2 ppm
	Formaldehyde	50-00-0	8-Hour TWA-PEL: 0.75 ppm
	Formaldehyde	50-00-0	8-Hour TWA: 0.5 ppm (Action level)
	Methanol	67-56-1	15-Minute STEL: 325 mg/m <sup>3</sup> (250 ppm)
	Methanol	67-56-1	PEL Ceiling: 1000 ppm
	Methanol	67-56-1	8-Hour TWA: 260 mg/m <sup>3</sup> (200 ppm)
	Sodium hydroxide	1310-73-2	Ceiling Limit: 2 mg/m <sup>3</sup>
	Sodium hydroxide	1310-73-2	REL: 8 ug/m <sup>3</sup> (Acute Inhalation)
	Ammonia, anhydrous	7664-41-7	15-Minute STEL: 27 mg/m <sup>3</sup> (35 PPM)
	Ammonia, anhydrous	7664-41-7	8-Hour TWA-PEL: 17 mg/m <sup>3</sup> (25 ppm)
	Acetaldehyde	75-07-0	Ceiling Limit: 45 mg/m <sup>3</sup> (25 ppm)
	Ethane-1,2-diol	107-21-1	Ceiling Limit: 100 mg/m <sup>3</sup> (40 ppm)
	2-Butoxyethanol	111-76-2	8-Hour TWA-PEL: 97 mg/m <sup>3</sup> (20 ppm)
	2-Butoxyethanol	111-76-2	REL: 4700 ug/m <sup>3</sup> (Acute inhalation)
	2-Butoxyethanol	111-76-2	REL: 164 ug/m <sup>3</sup> (8-hour Inhalation)
2-Butoxyethanol	111-76-2	REL: 82 ug/m <sup>3</sup> (Chronic inhalation)	
WEEL	d-Limonene	5989-27-5	8-Hour TWA: 30 ppm

### Biological Limit Values:

Country (Legal Basis)	Substance	Identifier	Determinant	Specimen	Sampling time	Permissible limits
ACGIH	Methanol	67-56-1	Methanol	Urine	End of Shift	15 mg/L
	Methanol	67-56-1	Methanol	Urine	End of shift.	15 mg/L
	2-Butoxyethanol	111-76-2	Butoxyacetic acid (with hydrolysis)	Creatinine in Urine	End of shift	200 mg/g

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 05.19.2022

Page 8 of 23

Revision date: 05.19.2022

## Venom Extreme Presoak

Country (Legal Basis)	Substance	Identifier	Determinant	Specimen	Sampling time	Permissible limits
WEEL	Nonionic Diluent	Proprietary	Aerosol		TWA	10 mg/m3

### Information on Monitoring Procedures:

Not determined or not applicable.

### Appropriate Engineering Controls:

Emergency eye wash stations and safety showers should be available in the immediate vicinity of use or handling. Provide adequate ventilation to maintain the airborne concentrations of vapor, mists, and/or dusts below the applicable workplace exposure limits, while observing recognized national standards (or equivalent).

### Personal Protection Equipment

#### Eye and Face Protection:

Use safety glasses with side shields or goggles. Consider the use of a face shield for splash protection. Use eye protection equipment that has been tested and approved by recognized national standards (or equivalent).  
Safety glasses or goggles. Use eye protection equipment that has been tested and approved by recognized national standards (or equivalent).

#### Skin and Body Protection:

Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected prior to use. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. Full body protection should be worn. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).  
Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected prior to use. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).

#### Respiratory Protection:

If engineering controls do not maintain airborne concentrations below the applicable workplace exposure limits, or to an acceptable level (if exposure limits have not been established), a respirator approved by recognized national standards (or equivalent) must be worn.

### General Hygienic Measures:

When handling chemical products, do not eat, drink or smoke. Wash hands after handling, before breaks, and at the end of the workday. Avoid contact with skin, eyes and clothing. Wash contaminated clothing before reuse. Perform routine housekeeping.

## SECTION 9: Physical and Chemical Properties

### Information on Basic Physical and Chemical Properties

Appearance	Not determined or not available.
------------	----------------------------------



## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 05.19.2022

Page 9 of 23

Revision date: 05.19.2022

### Venom Extreme Presoak

Odor	Not determined or not available.
Odor threshold	Not determined or not available.
pH	Not determined or not available.
Melting point/freezing point	Not determined or not available.
Initial boiling point/range	Not determined or not available.
Flash point (closed cup)	Not determined or not available.
Evaporation rate	Not determined or not available.
Flammability (solid, gas)	Not determined or not available.
Upper flammability/explosive limit	Not determined or not available.
Lower flammability/explosive limit	Not determined or not available.
Vapor pressure	Not determined or not available.
Vapor density	Not determined or not available.
Density	Not determined or not available.
Relative density	Not determined or not available.
Solubilities	Not determined or not available.
Partition coefficient (n-octanol/water)	Not determined or not available.
Auto/Self-ignition temperature	Not determined or not available.
Decomposition temperature	Not determined or not available.
Dynamic viscosity	Not determined or not available.
Kinematic viscosity	Not determined or not available.
Explosive properties	Not determined or not available.
Oxidizing properties	Not determined or not available.

### SECTION 10: Stability and Reactivity

#### Reactivity:

Not reactive under recommended handling and storage conditions.

#### Chemical Stability:

Stable under recommended handling and storage conditions.

#### Possibility of Hazardous Reactions:

Hazardous reactions are not anticipated under recommended conditions of handling and storage.

#### Conditions to Avoid:

Avoid generation of aerosols and mists, extreme heat, open flames, hot surfaces, sparks, ignition sources and incompatible materials.

Extreme heat, open flames, hot surfaces, sparks, ignition sources and incompatible materials.

#### Incompatible Materials:

Do not mix with strong acids.

#### Hazardous Decomposition Products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### SECTION 11: Toxicological Information

#### Acute Toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:** No data available.

**Substance Data:**

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 05.19.2022

Page 10 of 23

Revision date: 05.19.2022

### Venom Extreme Presoak

Name	Route	Result
Potassium hydroxide	oral	LD50 Rat: 273 mg/kg
d-Limonene	oral	LD50 Rat: >2000 mg/kg
	dermal	LD50 Rabbit: > 5000 mg/kg
Glycerol	oral	LD50 Mouse: 4090 mg/kg
	dermal	LD50 Rabbit: >10000 mg/kg
	inhalation	LC50 Rat: >2.75 mg/L (4 hr [Vapor])
Formaldehyde	oral	LD50 Rat: 100 mg/kg
	inhalation	LC50 Rat: <463 ppmV (4 hr (vapor))
	dermal	LD50 Rabbit: 270 mg/kg
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	oral	LD50 Rat: 4900 mg/kg
	dermal	LD50 Rat: > 2000 mg/kg
Dichloroacetic acid	dermal	LD50 Rabbit: 797 mg/kg
	oral	LD50 Rat: 2820 mg/kg
D-Glucopyranose, oligomers, decyl octyl glycosides	oral	LD50 Rat: > 2000 mg/kg
	dermal	LD50 Rabbit: > 2000 mg/kg
Methanol	Oral ATE	LD50 Rat: 100 mg/kg
	Dermal ATE	LD50 Rabbit: 300 mg/kg
	Inhalation ATE	LC50 Rat: 3 mg/L (4 hr [vapor])
Sodium hydroxide	oral	LD50 Rat: 140-340 mg/kg
	dermal	LD50 Rabbit: 1350 mg/kg
Ammonia, anhydrous	inhalation	LC50 Rat: 2000 ppmV (4 hr - Gas)
	oral	LD50 Rat: 350 mg/kg
Sodium glycollate	oral	LD50 Rat: 7110 mg/kg
Trisodium nitrilotriacetate	oral	LD50 Rat: 1100 mg/kg
	dermal	LD50 Rabbit: >2000 mg/kg
	inhalation	LC50 Rat: >5 mg/L (4 hr - Aerosol)
Sodium cyanide	oral	LD50 Rat: 5.09 mg/kg
	dermal	LD50 Rabbit: 7.35 mg/kg
	inhalation	LC50 Rat: 31.5 ppmV (4 h (Gas))
Sodium sulphate	oral	LD50 Rat: > 2000 mg/kg
	inhalation	LC50 Rat: > 2.4 mg/L (4 hr - Dust)
Sodium Xylenesulfonate	dermal	LD50 Rabbit: >= 2000 mg/kg
	oral	LD50 Rat: >= 3346 mg/kg
Ethane-1,2-diol	dermal	LD50 Mouse: > 3500 mg/kg
	Oral ATE	LD50 Rat: 500 mg/kg (Converted acute toxicity point estimate)
2-Butoxyethanol	dermal	LD50 Rabbit: 220 mg/kg
	inhalation	LC50 Rat: 450 ppmV (4 hr - Vapor)
	Oral ATE	LD50 Rat: 1200 mg/kg (Annex VI to the CLP)
	oral	LD50 Rat: 470 mg/kg

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 05.19.2022

Page 11 of 23

Revision date: 05.19.2022

## Venom Extreme Presoak

### Skin Corrosion/Irritation

#### Assessment:

Causes severe skin burns and eye damage.

#### Product Data:

No data available.

#### Substance Data:

Name	Result
Potassium hydroxide	Causes severe skin burns.
d-Limonene	Causes skin irritation.
Formaldehyde	Causes severe skin burns.
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	Causes skin irritation.
Dichloroacetic acid	Causes severe skin burns.
Sodium hydroxide	Causes severe skin burns.
Ammonia, anhydrous	Causes severe skin burns.
Sodium glycollate	Causes skin irritation.
2-Butoxyethanol	Causes skin irritation.

### Serious Eye Damage/Irritation

#### Assessment:

Causes serious eye damage.

#### Product Data:

No data available.

#### Substance Data:

Name	Result
Potassium hydroxide	Causes serious eye damage.
Formaldehyde	Causes serious eye damage.
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	Causes serious eye irritation.
Dichloroacetic acid	Causes serious eye damage.
D-Glucopyranose, oligomers, decyl octyl glycosides	Causes serious eye damage.
Sodium hydroxide	Causes serious eye damage.
Ammonia, anhydrous	Causes serious eye damage.
Sodium glycollate	Causes serious eye damage.
Trisodium nitrilotriacetate	Causes serious eye irritation.
Acetaldehyde	Causes serious eye irritation.
Sodium Xylenesulfonate	Causes serious eye irritation.
2-Butoxyethanol	Causes serious eye irritation.

### Respiratory or Skin Sensitization

#### Assessment:

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 05.19.2022

Page 12 of 23

Revision date: 05.19.2022

### Venom Extreme Presoak

May cause an allergic skin reaction.

#### Product Data:

No data available.

#### Substance Data:

Name	Result
d-Limonene	May cause an allergic skin reaction.
Formaldehyde	May cause an allergic skin reaction.

#### Carcinogenicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:** No data available.

#### Substance Data:

Name	Species	Result
Formaldehyde		May cause cancer.
Acetaldehyde	Rat	The IARC has concluded that there is inadequate evidence in humans for the carcinogenicity of Acetaldehyde and that there is sufficient evidence in experimental animals for the carcinogenicity of Acetaldehyde. The overall conclusion was that Acetaldehyde is possibly carcinogenic to humans (Group 2B).
Trisodium nitrilotriacetate		Suspected of causing cancer.

#### International Agency for Research on Cancer (IARC):

Name	Classification
Potassium hydroxide	Not Applicable
Sodium gluconate	Not Applicable
d-Limonene	Group 3
Water	Not Applicable
Glycerol	Not Applicable
Formaldehyde	Group 1
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	Not Applicable
Dichloroacetic acid	Group 2B
D-Glucopyranose, oligomers, decyl octyl glycosides	Not Applicable
Methanol	Not Applicable
Sodium hydroxide	Not Applicable
Ammonia, anhydrous	Not Applicable
Sodium glycollate	Not Applicable
Trisodium nitrilotriacetate	Group 2B
Acetaldehyde	Group 2B
Sodium cyanide	Not Applicable
Sodium sulphate	Not Applicable
Sodium Xylenesulfonate	Not Applicable

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 05.19.2022

Page 13 of 23

Revision date: 05.19.2022

### Venom Extreme Presoak

Name	Classification
Ethane-1,2-diol	Not Applicable
2-Butoxyethanol	Group 3

#### National Toxicology Program (NTP):

Name	Classification
Potassium hydroxide	Not Applicable
Sodium gluconate	Not Applicable
d-Limonene	Not Applicable
Water	Not Applicable
Glycerol	Not Applicable
Formaldehyde	Known to be human carcinogens
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	Not Applicable
Dichloroacetic acid	Reasonably anticipated to be human carcinogens
D-Glucopyranose, oligomers, decyl octyl glycosides	Not Applicable
Methanol	Not Applicable
Sodium hydroxide	Not Applicable
Ammonia, anhydrous	Not Applicable
Sodium glycollate	Not Applicable
Trisodium nitrilotriacetate	Not Applicable
Acetaldehyde	Reasonably anticipated to be human carcinogens
Sodium cyanide	Not Applicable
Sodium sulphate	Not Applicable
Sodium Xylenesulfonate	Not Applicable
Ethane-1,2-diol	Not Applicable
2-Butoxyethanol	Not Applicable

#### OSHA Carcinogens:

Ingredient Name	CAS	OSHA Carcinogens Status
Formaldehyde	50-00-0	Yes

#### Germ Cell Mutagenicity

**Assessment:** Based on available data, the classification criteria are not met.

#### Product Data:

No data available.

#### Substance Data:

Name	Result
Formaldehyde	Suspected of causing genetic defects.
Acetaldehyde	Suspected of causing genetic defects.

#### Reproductive Toxicity

**Assessment:** Based on available data, the classification criteria are not met.

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 05.19.2022

Page 14 of 23

Revision date: 05.19.2022

## Venom Extreme Presoak

### Product Data:

No data available.

**Substance Data:** No data available.

### Specific Target Organ Toxicity (Single Exposure)

**Assessment:** Based on available data, the classification criteria are not met.

### Product Data:

No data available.

### Substance Data:

Name	Result
Formaldehyde	May cause respiratory irritation.
Methanol	Causes damage to Optic nerve (nervus opticus), central nervous system.
Acetaldehyde	May cause respiratory irritation.

### Specific Target Organ Toxicity (Repeated Exposure)

**Assessment:** Based on available data, the classification criteria are not met.

### Product Data:

No data available.

### Substance Data:

Name	Result
Sodium cyanide	Causes damage to the thyroid gland through prolonged or repeated exposure.
Ethane-1,2-diol	May cause damage to Kidneys through prolonged or repeated Oral exposure.

### Aspiration toxicity

**Assessment:** Based on available data, the classification criteria are not met.

### Product Data:

No data available.

**Substance Data:** No data available.

### Information on Likely Routes of Exposure:

No data available.

### Symptoms Related to the Physical, Chemical, and Toxicological Characteristics:

No data available.

### Other Information:

No data available.

## SECTION 12: Ecological Information

### Acute (Short-Term) Toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:** No data available.

### Substance Data:

Name	Result
d-Limonene	Fish LC50 Pimephales promelas: 0.72 mg/L (96 Hr)
	Aquatic Invertebrates EC50 Daphnia magna: 0.307 mg/L (48 Hr)
	Aquatic Plants EC50 Pseudokirchneriella subcapitata: 0.32 mg/L (72 Hr)
Glycerol	Fish LC50 Pimephales promelas: 885 mg/L (96 H)
	Aquatic Invertebrates EC50 Daphnia magna: 1955 mg/L (48 H)

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 05.19.2022

Page 15 of 23

Revision date: 05.19.2022

### Venom Extreme Presoak

Name	Result
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	Fish LC50 Danio rerio: 2 mg/L (96 hr)
	Aquatic Invertebrates EC50 Daphnia magna: 6.4 mg/L (48 hr)
Dichloroacetic acid	Aquatic Invertebrates EC50 Daphnia magna: 106 mg/L (24 hr)
	Fish LC50 Marine water fish: >2000 mg/L (96 hr)
	Aquatic Plants EC50 Marine water algae: 148.2 mg/L (72 hr)
D-Glucopyranose, oligomers, decyl octyl glycosides	Fish LC50 Danio rerio: 100.81 mg/L (96 hr)
	Aquatic Invertebrates EC50 Acartia tonsa: 31.62 mg/L (48 hr)
	Aquatic Plants EC50 Desmodesmus subspicatus: 27.22 mg/L (72 hr)
Sodium hydroxide	Fish LC50 Gambusia affinis: 125 mg/L (96 hr)
	Aquatic Invertebrates EC50 Ceriodaphnia sp.: 40.4 mg/L (48 hr)
Ammonia, anhydrous	Fish LC50 Oncorhynchus gorbuschka: 0.068 mg/L (96 hr)
	Aquatic Invertebrates LC50 Daphnia magna: 2.9 mg/L (48 hr)
Trisodium nitrilotriacetate	Fish LC50 Pimephales promelas: 103 mg/L (96 hr)
	Aquatic Plants EC50 Desmodesmus subspicatus: >100 mg/L (72 hr)
Sodium cyanide	Fish LC50 Various: 0.0158 mg/L
	Aquatic Invertebrates EC50 Various: 0.0158 mg/L
	Aquatic Plants EC50 Various: 0.0158 mg/L
	Bacteria EC50 Activated Sludge: 4.9 mg/L (72 h)
Ethane-1,2-diol	Aquatic Plants EC50 Green Algae: 479 mg/L (72 h)
	Aquatic Invertebrates EC50 Daphnia magna: 13,900 mg/L (48 h)
	Fish LC50 Pimephales promelas: 72,860 mg/L (96 h)
2-Butoxyethanol	Aquatic Invertebrates EC50 Daphnia magna: 1,550 mg/L (48 hr)
	Fish LC50 Oncorhynchus mykiss: 1,474 mg/L (96 hr)
Sodium sulphate	Fish LC50 Lepomis macrochirus: 4380 mg/L (96 hr)
	Aquatic Invertebrates LC50 Americamysis bahia: 1.85 - 2.66 mg/L (48 hr)

### Chronic (Long-Term) Toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:** No data available.

#### Substance Data:

Name	Result
d-Limonene	Fish EC10 Pimephales promelas: 0.37 mg/L (8 days)
	Aquatic Invertebrates NOEC Daphnia magna: 0.080 mg/L (21 days)
Glycerol	Bacteria NOEC Pseudomonas putida: >10000 mg/L (16 H)
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	Aquatic Invertebrates NOEC Daphnia magna: 0.9 mg/L (21 d)
D-Glucopyranose, oligomers, decyl octyl glycosides	Fish NOEC Danio rerio: 1 mg/L (28 d [read-across])
	Aquatic Invertebrates NOEC Daphnia magna: 1 mg/L (21 d [read-across])
Ammonia, anhydrous	Fish LC50 Cyprinus carpio: 0.5 mg/L (28 d)
Trisodium nitrilotriacetate	Fish NOEC Pimephales promelas: >54 mg/L (32 weeks)

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 05.19.2022

Page 16 of 23

Revision date: 05.19.2022

### Venom Extreme Presoak

Name	Result
Sodium cyanide	Fish NOEC Various: 0.001 mg/L
	Aquatic Invertebrates NOEC Various: 0.001 mg/L
	Aquatic Plants NOEC Various: 0.001 mg/L
	Bacteria NOEC Activated Sludge: 0.007 mg/L
Ethane-1,2-diol	Fish NOEC Pimephales promelas: 2629 mg/L (7 d)
	Aquatic Invertebrates EC50 Daphnia magna: 690 mg/L (16 d)
2-Butoxyethanol	Fish NOEC Danio rerio: > 100 mg/L (21 d)
	Aquatic Invertebrates NOEC Daphnia magna: 100 mg/L (21 d)
Sodium sulphate	Aquatic Invertebrates EC50 Ceriodaphnia dubia: 1698 mg/L (7 d [reproduction])

### Persistence and Degradability

**Product Data:** No data available.

#### Substance Data:

Name	Result
Potassium hydroxide	The study on degradability does not need to be conducted as the substance is inorganic.
d-Limonene	Readily biodegradable in water (71.4% degradation in 28 days).
Glycerol	Readily biodegradable (94% degradation after 24 hours).
Formaldehyde	Readily biodegradable (99% degradation after 28 days).
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	Readily biodegradable in water (50% degradation after 1 day; >90% degradation after 5 days).
Dichloroacetic acid	This substance is readily biodegradable.
D-Glucopyranose, oligomers, decyl octyl glycosides	Readily biodegradable in water (100% degradation [DOC removal] after 28 days).
Methanol	Readily biodegradable (97% degradation after 20 days).
Sodium hydroxide	A biodegradation study does not need to be conducted as the substance is inorganic.
Ammonia, anhydrous	Ammonia is readily biodegrades in water and sediment under aerobic conditions.
Acetaldehyde	This substance is readily biodegradable (80% degradation [BOD] after 14 days).
Sodium cyanide	Inherently biodegradable.
Ethane-1,2-diol	Readily biodegradable (90-100% degradation after 10 days).
2-Butoxyethanol	Readily biodegradable (90.4% degradation after 28 days).
Trisodium nitrilotriacetate	Substance is readily biodegradable. >95% degradation in water, measured by DOC removal, after 28 days.

### Bioaccumulative Potential

**Product Data:** No data available.

#### Substance Data:

Name	Result
Potassium hydroxide	Not expected to bioaccumulate, as it completely dissociates in water.
d-Limonene	The calculated Bioaccumulation Factor (BCF) is 864.8 L/kg wet/wet.



## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 05.19.2022

Page 17 of 23

Revision date: 05.19.2022

### Venom Extreme Presoak

Name	Result
Glycerol	The substance is not expected to bioaccumulate (log Kow = -1.76).
Formaldehyde	Accumulation in aquatic organisms is not to be expected.
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	Substance is not expected to bioaccumulate significantly (estimated BCF: 70.79 L/kg).
Dichloroacetic acid	This substance has low potential for bioaccumulation.
Methanol	This substance does not significantly bioaccumulate in fish. Experimental BCFs of < 10 in fish species.
Sodium hydroxide	The substance has a low potential for bioaccumulation.
Ammonia, anhydrous	Ammonia does not bioaccumulate and is a product of normal metabolism.
Trisodium nitrilotriacetate	Not expected to bioaccumulate (log Kow = -10.08).
Sodium cyanide	Not considered to be bioaccumulative (log Kow = <1).
Ethane-1,2-diol	Bioaccumulation in organisms is not to be expected (log Kow: -1.36).
2-Butoxyethanol	Not expected to bioaccumulate (log Kow = 0.83).
Sodium sulphate	This substance is not expected to bioaccumulate. It dissociates in water and the sulfate ion is easily reduced in the sulfur cycle.

#### Mobility in Soil

**Product Data:** No data available.

#### Substance Data:

Name	Result
Potassium hydroxide	Low potential for adsorption. If emitted to surface water, sorption to sediment will be negligible.
d-Limonene	Slightly Mobile (the Koc of d-limonene predicted from log Kow is 6324 L/kg).
Glycerol	Given that this substance is a common biochemical present in most if not all species, there is no reason to believe that it wouldn't be rapidly degraded in soil.
Formaldehyde	Adsorption to solid soil phase is possible.
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	Substance is mobile to moderately mobile (experimental log Koc: 1.812 dimensionless; calculated Koc: 648 L/kg); therefore, moderate adsorption to soil can be expected.
Dichloroacetic acid	This substance will not adsorb at all to soils or sediments should these environmental compartments be exposed to it.
D-Glucopyranose, oligomers, decyl octyl glycosides	Substance is expected to be mobile (log Koc: 1.7); therefore, adsorption to soil is not expected.
Methanol	Highly mobile (Koc: 0.13 - 0.61 dimensionless).
Sodium hydroxide	The substance has a high water solubility. As the dilution of the substance increases, its speed of movement through soil increases. During movement through soil, some ion exchange will occur.
Ammonia, anhydrous	Ammonia is strongly adsorbed on soil, sediment particles and colloids in water.
Trisodium nitrilotriacetate	Trisodium nitrilotriacetate (Na <sub>3</sub> N <sub>3</sub> T <sub>3</sub> A) is a highly water-soluble organic substance.
Sodium cyanide	Adsorption to sediments is unlikely to be significant.

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 05.19.2022

Page 18 of 23

Revision date: 05.19.2022

## Venom Extreme Presoak

Name	Result
Ethane-1,2-diol	Highly mobile (Koc: 1 L/kg).
Sodium sulphate	This substance is not expected to adsorb onto soil or sediment. It dissociates in water and the sulfate ion is easily reduced in the sulfur cycle.

### Results of PBT and vPvB assessment

#### Product Data:

**PBT assessment:** This product does not contain any substances that are assessed to be a PBT.

**vPvB assessment:** This product does not contain any substances that are assessed to be a vPvB.

#### Substance Data:

##### PBT assessment:

Potassium hydroxide	The substance is not PBT.
d-Limonene	This substance is not PBT.
Glycerol	The substance is not PBT.
Formaldehyde	Not a PBT substance.
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	Substance is not PBT.
Dichloroacetic acid	This substance is not PBT.
D-Glucopyranose, oligomers, decyl octyl glycosides	Substance is not PBT.
Methanol	This substance is not PBT.
Sodium hydroxide	A PBT assessment is not required, as the substance is inorganic.
Ammonia, anhydrous	Substance is not PBT.
Trisodium nitrilotriacetate	This substance is not PBT.
Acetaldehyde	This substance is not PBT.
Sodium cyanide	The substance is not PBT.
Sodium sulphate	PBT assessment does not apply to inorganic substances.
Ethane-1,2-diol	The substance is not PBT.
2-Butoxyethanol	This substance is not PBT.

##### vPvB assessment:

Potassium hydroxide	The substance is not vPvB.
d-Limonene	This substance is not vPvB.
Glycerol	The substance is not vPvB.
Formaldehyde	Not a vPvB substance.
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	Substance is not vPvB.
Dichloroacetic acid	This substance is not vPvB.
D-Glucopyranose, oligomers, decyl octyl glycosides	Substance is not vPvB.
Methanol	This substance is not vPvB.
Sodium hydroxide	A vPvB assessment is not required as the substance is inorganic.

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 05.19.2022

Page 19 of 23

Revision date: 05.19.2022

## Venom Extreme Presoak

Ammonia, anhydrous	Substance is not vPvB.
Trisodium nitrilotriacetate	This substance is not vPvB.
Acetaldehyde	This substance is not vPvB.
Sodium cyanide	The substance is not vPvB.
Sodium sulphate	vPvB assessment does not apply to inorganic substances.
Ethane-1,2-diol	The substance is not vPvB.
2-Butoxyethanol	This substance is not vPvB.

**Other Adverse Effects:** No data available.

## SECTION 13: Disposal Considerations

### Disposal Methods:


It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities

### Contaminated packages:


Not determined or not applicable.

## SECTION 14: Transport Information

### United States Transportation of Dangerous Goods (49 CFR DOT)

UN Number	UN1814
UN Proper Shipping Name	Potassium Hydroxide Solutions, 8, UN1814, PGII
UN Transport Hazard Class(es)	8 
Packing Group	II
Environmental Hazards	None
Special Precautions for User	None

### International Maritime Dangerous Goods (IMDG)

UN Number	UN1814
UN Proper Shipping Name	Potassium Hydroxide Solutions, 8, UN1814, PGII
UN Transport Hazard Class(es)	8 
Packing Group	II
Environmental Hazards	None
Special Precautions for User	None

### International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN Number	Not regulated
UN Proper Shipping Name	Not regulated
UN Transport Hazard Class(es)	None
Packing Group	None
Environmental Hazards	None

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 05.19.2022

Page 20 of 23

Revision date: 05.19.2022

## Venom Extreme Presoak

Special Precautions for User	None
------------------------------	------

### SECTION 15: Regulatory Information

#### United States Regulations

**Inventory Listing (TSCA):** All ingredients are listed-active or exempt.

**Significant New Use Rule (TSCA Section 5):** None of the ingredients are listed.

**Export Notification under TSCA Section 12(b):**

1310-58-3	Potassium hydroxide	Not Listed
527-07-1	Sodium gluconate	Not Listed
5989-27-5	d-Limonene	Not Listed
7732-18-5	Water	Not Listed
56-81-5	Glycerol	Not Listed
50-00-0	Formaldehyde	Not Listed
61789-40-0	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	Not Listed
79-43-6	Dichloroacetic acid	Not Listed
68515-73-1	D-Glucopyranose, oligomers, decyl octyl glycosides	Not Listed
67-56-1	Methanol	Not Listed
1310-73-2	Sodium hydroxide	Not Listed
7664-41-7	Ammonia, anhydrous	Not Listed
2836-32-0	Sodium glycollate	Not Listed
5064-31-3	Trisodium nitrilotriacetate	Not Listed
75-07-0	Acetaldehyde	Listed
143-33-9	Sodium cyanide	Not Listed
7757-82-6	Sodium sulphate	Not Listed
1300-72-7	Sodium Xylenesulfonate	Not Listed
107-21-1	Ethane-1,2-diol	Not Listed
111-76-2	2-Butoxyethanol	Not Listed

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 05.19.2022

Page 21 of 23

Revision date: 05.19.2022

## Venom Extreme Presoak

### SARA Section 302 Extremely Hazardous Substances:

50-00-0	Formaldehyde	Listed
7664-41-7	Ammonia, anhydrous	Listed
143-33-9	Sodium cyanide	Listed

### SARA Section 313 Toxic Chemicals:

50-00-0	Formaldehyde	Listed
67-56-1	Methanol	Listed
7664-41-7	Ammonia, anhydrous	Listed
75-07-0	Acetaldehyde	Listed
143-33-9	Sodium cyanide	Listed
107-21-1	Ethane-1,2-diol	Listed
111-76-2	2-Butoxyethanol	Listed

### CERCLA:

1310-58-3	Potassium hydroxide	Listed	1000 lb
50-00-0	Formaldehyde	Listed	100 lb
67-56-1	Methanol	Listed	5000 lbs
1310-73-2	Sodium hydroxide	Listed	1000 lb
7664-41-7	Ammonia, anhydrous	Listed	100 lb
75-07-0	Acetaldehyde	Listed	1,000
143-33-9	Sodium cyanide	Listed	10 lb
107-21-1	Ethane-1,2-diol	Listed	5000 lb
111-76-2	2-Butoxyethanol	Listed	N/A

### RCRA:

50-00-0	Formaldehyde	Listed	U122
67-56-1	Methanol	Listed	U154
75-07-0	Acetaldehyde	Listed	U001
143-33-9	Sodium cyanide	Listed	P106

### Section 112(r) of the Clean Air Act (CAA):

50-00-0	Formaldehyde	Listed
7664-41-7	Ammonia, anhydrous	Listed

### Massachusetts Right to Know:

1310-58-3	Potassium hydroxide	Listed
56-81-5	Glycerol	Listed
50-00-0	Formaldehyde	Listed
67-56-1	Methanol	Listed
1310-73-2	Sodium hydroxide	Listed
7664-41-7	Ammonia, anhydrous	Listed
5064-31-3	Trisodium nitrilotriacetate	Listed
75-07-0	Acetaldehyde	Listed
143-33-9	Sodium cyanide	Listed
7757-82-6	Sodium sulphate	Listed
107-21-1	Ethane-1,2-diol	Listed

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 05.19.2022

Page 22 of 23

Revision date: 05.19.2022

## Venom Extreme Presoak

111-76-2	2-Butoxyethanol	Listed
----------	-----------------	--------

### New Jersey Right to Know:

1310-58-3	Potassium hydroxide	Listed
5989-27-5	d-Limonene	Listed
56-81-5	Glycerol	Listed
50-00-0	Formaldehyde	Listed
79-43-6	Dichloroacetic acid	Listed
67-56-1	Methanol	Listed
1310-73-2	Sodium hydroxide	Listed
7664-41-7	Ammonia, anhydrous	Listed
75-07-0	Acetaldehyde	Listed
143-33-9	Sodium cyanide	Listed
107-21-1	Ethane-1,2-diol	Listed
111-76-2	2-Butoxyethanol	Listed

### New York Right to Know:

1310-58-3	Potassium hydroxide	Listed
5989-27-5	d-Limonene	Listed
50-00-0	Formaldehyde	Listed
79-43-6	Dichloroacetic acid	Listed
67-56-1	Methanol	Listed
1310-73-2	Sodium hydroxide	Listed
7664-41-7	Ammonia, anhydrous	Listed
75-07-0	Acetaldehyde	Listed
143-33-9	Sodium cyanide	Listed
7757-82-6	Sodium sulphate	Listed
107-21-1	Ethane-1,2-diol	Listed
111-76-2	2-Butoxyethanol	Listed

### Pennsylvania Right to Know:

1310-58-3	Potassium hydroxide	Listed
56-81-5	Glycerol	Listed
50-00-0	Formaldehyde	Listed
67-56-1	Methanol	Listed
1310-73-2	Sodium hydroxide	Listed
7664-41-7	Ammonia, anhydrous	Listed
75-07-0	Acetaldehyde	Listed
143-33-9	Sodium cyanide	Listed
7757-82-6	Sodium sulphate	Listed
107-21-1	Ethane-1,2-diol	Listed
111-76-2	2-Butoxyethanol	Listed

### California Proposition 65:

**⚠️WARNING:** This product can expose you to chemicals including Formaldehyde, Acetaldehyde and Nitrilotriacetic acid, trisodium salt; which are known to the State of California to cause cancer; and Methanol and Ethane-1,2-diol, which are known to the State of California to cause birth defects or other

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

**Initial Preparation Date:** 05.19.2022

Page 23 of 23

**Revision date:** 05.19.2022

### Venom Extreme Presoak

reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

**⚠️WARNING:** This product can expose you to Dichloroacetic acid; which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

**Additional information:** Not determined.

### SECTION 16: Other Information

**Abbreviations and Acronyms:** None

**Disclaimer:**

This product has been classified in accordance with OSHA HCS 2012 guidelines. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

**NFPA:** 0-0-0

**HMIS:** 0-0-0

**Initial Preparation Date:** 05.19.2022

**Revision date:** 05.19.2022

**End of Safety Data Sheet**