

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 01.24.2023

Bugsaw Bug Remover

SECTION 1: Identification

Product Identifier

Product Name: Bugsaw Bug Remover Product code: ST-200

Recommended Use of the Product and Restriction on Use

Relevant Identified Uses: General Purpose Cleaner, Liquid Foaming Detrgent Uses Advised Against: NA Reasons Why Uses Advised Against: Not determined or not applicable.

Manufacturer or Supplier Details

Manufacturer: United States JBS Industries 2726 Henkle Drive Lebanon, Ohio 45036 513-228-2800 SBAETEN@JBSINDUSTRIES.COM

Emergency Telephone Number:

North America CHEMTREC 800-424-9300 (24 hours)

SECTION 2: Hazard(s) Identification

GHS Classification:

Skin irritation, category 2 Eye irritation, category 2A Skin sensitization, category 1 Carcinogenicity, category 2 Specific target organ toxicity - repeated exposure, category 2

Label elements

Hazard Pictograms:



Signal Word: Warning

Hazard statements:

H315 Causes skin irritation

- H319 Causes serious eye irritation
- H317 May cause an allergic skin reaction
- H351 Suspected of causing cancer.

Page 1 of 13

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 01.24.2023

Bugsaw Bug Remover

H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary Statements:

P264 Wash contaminated area thoroughly after handling.

- P280 Wear protective gloves/protective clothing/eye protection/face protection
- P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P272 Contaminated work clothing must not be allowed out of the workplace

P202 Do not handle until all safety precautions have been read and understood

P302+P352 IF ON SKIN: Wash with plenty of water for 15 minutes.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337+P313 If eye irritation persists: Get medical advice/attention

P333+P313 If skin irritation or rash occurs: Get medical advice/attention P405 Store locked up

P501 It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities.

Hazards Not Otherwise Classified: None

SECTION 3: Composition/Information on Ingredients

Identification	Name	Weight %
CAS Number: 68515-73-1	D-Glucopyranose, oligomers, decyl octyl glycosides	1-70
CAS Number: 6834-92-0	Disodium metasilicate	1-30
CAS Number: 8028-48-6	Orange, sweet, ext.	1-10
CAS Number: 1300-72-7	Sodium Xylenesulfonate	1-5
CAS Number: 61789-40-0	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	1-6
CAS Number: 84133-50-6	Alcohols, C12-14-secondary, ethoxylated	1-5
CAS Number: 68131-40-8	Alcohols, secondary C11-15, ethoxylated	1-5
CAS Number: 68131-39-5	Alcohols, C12-15, ethoxylated	1-8

Additional Information: None

SECTION 4: First Aid Measures

Description of First Aid Measures

General Notes:

Not determined or not applicable.

After Inhalation:

If inhaled, remove person to fresh air and place in a position comfortable for breathing. Keep person at rest. If breathing is difficult, administer oxygen. If breathing has stopped, provide artificial respiration. If experiencing respiratory symptoms, seek medical advice/attention.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 01.24.2023

Bugsaw Bug Remover

After Skin Contact:

Remove contaminated clothing and shoes. Rinse skin with copious amounts of water [shower] for several minutes. Launder contaminated clothing before reuse. If symptoms develop or persist, seek medical advice/attention.

After Eye Contact:

Rinse eyes with plenty of water for several minutes. Remove contact lenses if present and easy to do so. Protect unexposed eye. If symptoms develop or persist, seek medical advice/attention.

After Swallowing:

If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. If symptoms develop or persist, seek medical advice/attention.

Most Important Symptoms and Effects, Both Acute and Delayed

Acute Symptoms and Effects:

Skin contact may result in redness, pain, burning and inflammation. Eye contact may result in irritation, redness, pain, inflammation, itching, burning and tearing.

Delayed Symptoms and Effects:

Effects are dependent on exposure (dose, concentration, contact time).

May cause damage to organs through prolonged or repeated exposure. Effects are dependent on exposure (dose, concentration, contact time).

Suspected of causing cancer. Effects are dependent on exposure (dose, concentration, contact time).

Immediate Medical Attention and Special Treatment

Specific Treatment:

Not determined or not applicable.

Notes for the Doctor:

Not determined or not applicable.

SECTION 5: Firefighting Measures

Extinguishing Media

Suitable Extinguishing Media:

Water mist/fog, carbon dioxide, dry chemical or alcohol resistant foam.

Unsuitable Extinguishing Media:

Do not use water jet.

Specific Hazards During Fire-Fighting:

Thermal decomposition may produce irritating/toxic fumes/gases.

Special Protective Equipment for Firefighters:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full-face piece operated in positive pressure mode.

Special precautions:

Avoid contact with skin, eyes, hair and clothing. Do not breathe fumes/gas/mists/aerosols/vapors/dusts. Move containers from fire area if safe to do so. Use water spray/fog for cooling fire exposed containers. Avoid unnecessary run-off of extinguishing media which may cause pollution.

SECTION 6: Accidental Release Measures

Personal Precautions, Protective Equipment, and Emergency Procedures:

Respiratory protection may be necessary for spills greater than 5 gallons. Avoid breathing vapours, mist or

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 01.24.2023

Bugsaw Bug Remover

gas. Ensure adequate ventilation. Evacuate personnel to safe areas. For personal protection see section 8.

Environmental Precautions:

Prevent further leakage or spillage if safe to do so. Prevent from reaching drains, sewers and waterways. Discharge into the environment must be avoided.

Methods and Material for Containment and Cleaning Up:

Do not touch damaged containers or spilled material unless wearing appropriate personal protective clothing. Stop leak if you can do it without risk. Contain and collect spillage and place in suitable container for future disposal. Dispose of in accordance with all applicable regulations (see Section 13).

Reference to Other Sections:

For personal protective equipment see Section 8. For disposal see Section 13.

SECTION 7: Handling and Storage

Precautions for Safe Handling:

Use appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Avoid contact with skin, eyes and clothing. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use.

Conditions for Safe Storage, Including Any Incompatibilities:

Store in cool, dry, well-ventilated location out of direct sunlight. Keep away from food and beverages. Protect from freezing and physical damage. Store away from heat, open flames and other sources of ignition. Keep container tightly sealed. Store away from incompatible materials (See Section 10).

SECTION 8: Exposure Controls/Personal Protection

Only those substances with limit values have been included below.

Occupational Exposure Limit Values:

No occupational exposure limits noted for the ingredient(s).

Biological Limit Values:

No biological exposure limits noted for the ingredient(s).

Information on Monitoring Procedures:

Not determined or not applicable.

Appropriate Engineering Controls:

Emergency eye wash stations and safety showers should be available in the immediate vicinity of use or handling. Provide adequate ventilation to maintain the airborne concentrations of vapor, mists, and/or dusts below the applicable workplace exposure limits, while observing recognized national standards (or equivalent).

Personal Protection Equipment

Eye and Face Protection:

Not determined or not applicable.

Skin and Body Protection:

Not determined or not applicable.

Respiratory Protection:

If engineering controls do not maintain airborne concentrations below the applicable workplace exposure limits, or to an acceptable level (if exposure limits have not been established), a respirator approved by recognized national standards (or equivalent) must be worn. Use a positive pressure air supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air purifying respirators may not provide adequate protection.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 01.24.2023

Bugsaw Bug Remover

General Hygienic Measures:

When handling chemical products, do not eat, drink or smoke. Wash hands after handling, before breaks, and at the end of the workday. Avoid contact with skin, eyes and clothing. Wash contaminated clothing before reuse. Perform routine housekeeping.

SECTION 9: Physical and Chemical Properties

Information on Basic Physical and Chemical Properties

Annoaranco	Liquid
Appearance	· ·
Odor	Std.
Odor threshold	Not determined or not available.
рН	10
Melting point/freezing point	Not determined or not available.
Initial boiling point/range	Not determined or not available.
Flash point (closed cup)	Not determined or not available.
Evaporation rate	Not determined or not available.
Flammability (solid, gas)	Not determined or not available.
Upper flammability/explosive limit	Not determined or not available.
Lower flammability/explosive limit	Not determined or not available.
Vapor pressure	Not determined or not available.
Vapor density	Not determined or not available.
Density	Not determined or not available.
Relative density	Not determined or not available.
Solubilities	Not determined or not available.
Partition coefficient (n-octanol/water)	Not determined or not available.
Auto/Self-ignition temperature	Not determined or not available.
Decomposition temperature	Not determined or not available.
Dynamic viscosity	Not determined or not available.
Kinematic viscosity	Not determined or not available.
Explosive properties	Not determined or not available.
Oxidizing properties	Not determined or not available.

SECTION 10: Stability and Reactivity

Reactivity:

Not reactive under recommended handling and storage conditions.

Chemical Stability:

Stable under recommended handling and storage conditions.

Possibility of Hazardous Reactions:

Hazardous reactions are not anticipated under recommended conditions of handling and storage.

Conditions to Avoid:

Extreme heat, open flames, hot surfaces, sparks, ignition sources and incompatible materials.

Incompatible Materials:

None known.

Hazardous Decomposition Products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 01.24.2023

Bugsaw Bug Remover

SECTION 11: Toxicological Information

Acute Toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available.

Substance Data:

Name	Route	Result
D-Glucopyranose, oligomers,	oral	LD50 Rat: > 2000 mg/kg
decyl octyl glycosides	dermal	LD50 Rabbit: > 2000 mg/kg
Disodium metasilicate	dermal	LD50 Rat: > 5000 mg/kg
	oral	LD50 Rat: 1153 mg/kg
	inhalation	LC50 Rat: > 2.06 mg/L (4 hr [vapor])
1-Propanaminium, 3-amino-N- (carboxymethyl)-N,N-dimethyl-,		LD50 Rat: 4900 mg/kg
N-coco acyl derivs., hydroxides, inner salts	dermal	LD50 Rat: > 2000 mg/kg
Alcohols, C12-15, ethoxylated	oral	LD50 Rat: > 5000 mg/kg
	dermal	LD50 Rat: > 2000 mg/kg
Orange, sweet, ext.	oral	LD50 Rat: >5000 mg/kg
	dermal	LD50 Rabbit: >5000 mg/kg
Sodium Xylenesulfonate	dermal	LD50 Rabbit: >= 2000 mg/kg
	oral	LD50 Rat: >= 3346 mg/kg
Alcohols, secondary C11-15,	oral	LD50 Rat: >= 2000 mg/kg
ethoxylated	dermal	LD50 Rat: >2000 mg/kg

Skin Corrosion/Irritation

Assessment:

Causes skin irritation.

Product Data:

No data available.

Substance Data:

Name	Result
Disodium metasilicate	Causes severe skin burns.
1-Propanaminium, 3-amino-N- (carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	
Orange, sweet, ext.	Causes skin irritation.
Alcohols, C12-14-secondary, ethoxylated	Causes skin irritation.
Alcohols, C12-15, ethoxylated	Causes skin irritation.
Alcohols, secondary C11-15, ethoxylated	Causes skin irritation.

Serious Eye Damage/Irritation

Assessment:

Causes serious eye irritation.

Product Data:

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 01.24.2023

Bugsaw Bug Remover

No data available.

Substance Data:

Name	Result
D-Glucopyranose, oligomers, decyl octyl glycosides	Causes serious eye damage.
Disodium metasilicate	Causes serious eye damage.
1-Propanaminium, 3-amino-N- (carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	
Sodium Xylenesulfonate	Causes serious eye irritation.
Alcohols, C12-14-secondary, ethoxylated	Causes serious eye damage.
Alcohols, C12-15, ethoxylated	Causes serious eye damage.
Alcohols, secondary C11-15, ethoxylated	Causes serious eye damage.

Respiratory or Skin Sensitization

Assessment:

May cause an allergic skin reaction.

Product Data:

No data available.

Substance Data:

Name	Result
Orange, sweet, ext.	May cause an allergic skin reaction.

Carcinogenicity

Assessment:

Suspected of causing cancer.

Product Data: No data available.

Substance Data: No data available.

International Agency for Research on Cancer (IARC):

Name	Classification
Disodium metasilicate	Not Applicable
Alcohols, C12-14-secondary, ethoxylated	Not Applicable
Alcohols, C12-15, ethoxylated	Not Applicable
Orange, sweet, ext.	Not Applicable
D-Glucopyranose, oligomers, decyl octyl glycosides	Not Applicable
Sodium Xylenesulfonate	Not Applicable
Alcohols, secondary C11-15, ethoxylated	Not Applicable
1-Propanaminium, 3-amino-N- (carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	

National Toxicology Program (NTP):

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 01.24.2023

Bugsaw Bug Remover

Name	Classification
Disodium metasilicate	Not Applicable
Alcohols, C12-14-secondary, ethoxylated	Not Applicable
Alcohols, C12-15, ethoxylated	Not Applicable
Orange, sweet, ext.	Not Applicable
D-Glucopyranose, oligomers, decyl octyl glycosides	Not Applicable
Sodium Xylenesulfonate	Not Applicable
Alcohols, secondary C11-15, ethoxylated	Not Applicable
1-Propanaminium, 3-amino-N- (carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	Not Applicable

OSHA Carcinogens: Not applicable

Germ Cell Mutagenicity

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data: No data available.

Reproductive Toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data: No data available.

Specific Target Organ Toxicity (Single Exposure)

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data:

Name	Result
Disodium metasilicate	May cause respiratory irritation.

Specific Target Organ Toxicity (Repeated Exposure)

Assessment:

May cause damage to organs through prolonged or repeated exposure.

Product Data:

No data available.

Substance Data: No data available.

Aspiration toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data:

Name	Result
Orange, sweet, ext.	Maybe fatal if swallowed and enters airways.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 01.24.2023

Bugsaw Bug Remover

Information on Likely Routes of Exposure: No data available. Symptoms Related to the Physical, Chemical, and Toxicological Characteristics: No data available. Other Information: No data available.

SECTION 12: Ecological Information

Acute (Short-Term) Toxicity

Assessment: Based on available data, the classification criteria are not met. **Product Data:** No data available.

Substance Data:

Name	Result
Alcohols, C12-15, ethoxylated	Aquatic Invertebrates EC50 Daphnia magna: 0.14 mg/L (48 hr)
	Aquatic Plants EC50 Pseudokirchneriella subcapitata: 0.75 mg/L (72 hr)
Orange, sweet, ext.	Aquatic Plants EC50 Desmodesmus subspicatus: 150 mg/L (72 hr [growth rate])
	Aquatic Invertebrates EC50 Daphnia magna: 8.5 mg/L (48 hr [mobility])
D-Glucopyranose, oligomers,	Fish LC50 Danio rerio: 100.81 mg/L (96 hr)
decyl octyl glycosides	Aquatic Invertebrates EC50 Acartia tonsa: 31.62 mg/L (48 hr)
	Aquatic Plants EC50 Desmodesmus subspicatus: 27.22 mg/L (72 hr)
Sodium Xylenesulfonate	Aquatic Plants EC50 Selenastrum capricornutum: >=758 mg/L (96 hr [growth rate; read-across])
	Fish LC50 Oncorhynchus mykiss: >=1580 mg/L (96 hr [read-across])
	Aquatic Invertebrates EC50 Daphnia magna: >1020 mg/L (48 hr [mobility; read-across])
Alcohols, secondary C11-15, ethoxylated	Aquatic Plants EC50 Pseudokirchneriella subcapitata: 2.01 mg/L (72 hr [growth rate])
	Fish LC50 Lepomis macrochirus: 3.2 mg/L (96 hr)
	Aquatic Invertebrates EC50 Daphnia magna: 5.66 mg/L (48 hr)
1-Propanaminium, 3-amino-N- (carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	
	Aquatic Invertebrates EC50 Daphnia magna: 6.4 mg/L (48 hr)

Chronic (Long-Term) Toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available.

Substance Data:

Name	Result
Alcohols, C12-15, ethoxylated	Fish NOEC Fathead minnow: 0.16 mg/L (10 days)
	Aquatic Invertebrates NOEC Daphnia magna: 0.77 mg/L (21 days)
D-Glucopyranose, oligomers,	Fish NOEC Danio rerio: 1 mg/L (28 d [read-across])
decyl octyl glycosides	Aquatic Invertebrates NOEC Daphnia magna: 1 mg/L (21 d [read-across])
Alcohols, secondary C11-15,	Fish EC10 Pimephales promelas: 0.87 mg/L (32 d [egg survival; QSAR])
ethoxylated	Aquatic Invertebrates NOEC Daphnia: 0.2 mg/L (21 d [mortality])

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 01.24.2023

Bugsaw Bug Remover

Name	Result
1-Propanaminium, 3-amino-N- (carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	

Persistence and Degradability

Product Data: No data available.

Substance Data:		
Name	Result	
D-Glucopyranose, oligomers, decyl octyl glycosides	Readily biodegradable in water (100% degradation [DOC removal] after 28 days).	
1-Propanaminium, 3-amino-N- (carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	Readily biodegradable in water (50% degradation after 1 day; >90% degradation after 5 days).	
Alcohols, C12-15, ethoxylated	Readily biodegradable (61% degradation after 28 days).	
Orange, sweet, ext.	The substance is readily biodegradable. 75% degradation, measured by O2 consumption, after 28 days.	
Sodium Xylenesulfonate	The substance is readily biodegradable. 83 - 85% degradation, measured by CO2 evolution, after 28 days.	
Alcohols, secondary C11-15, ethoxylated	The substance is readily biodegradable. 65% degradation in water, measured by O2 consumption, after 28 days.	

Bioaccumulative Potential

Product Data: No data available.

Substance Data:

Name	Result
Disodium metasilicate	Low potential for bioaccumulation.
1-Propanaminium, 3-amino-N- (carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	
Orange, sweet, ext.	The substance has a low potential for bioaccumulation. BCF [QSAR]: 32 L/kg - 395 L/kg
Alcohols, secondary C11-15, ethoxylated	The substance is bioaccumulative (B) but not very bioaccumulative (vB). Calculated (QSAR) BCF: >= $181 - \langle = 3 010 \text{ dimensionless}$

Mobility in Soil

Product Data: No data available.

Substance Data:

Name	Result
	Substance is mobile to moderately mobile (experimental log Koc: 1.812 dimensionless; calculated Koc: 648 L/kg); therefore, moderate adsorption to soil can be expected.
D-Glucopyranose, oligomers, decyl octyl glycosides	Substance is expected to be mobile (log Koc: 1.7); therefore, adsorption to soil is not expected.
Alcohols, secondary C11-15, ethoxylated	The substance is hardly mobile to immobile in soil with a high potential for adsorption to soil and sediment. Koc: $>= 14\ 000 - <= 420\ 000$ dimensionless

Results of PBT and vPvB assessment

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 01.24.2023

Bugsaw Bug Remover

Product Data:

PBT assessment: This product does not contain any substances that are assessed to be a PBT. **vPvB assessment:** This product does not contain any substances that are assessed to be a vPvB.

Substance Data: PBT assessment:

D-Glucopyranose, oligomers, Substance is not PBT. decyl octyl glycosides Disodium metasilicate PBT assessment does not apply to this substance as it is inorganic. 1-Propanaminium, 3-amino-N-Substance is not PBT. (carboxymethyl)-N,Ndimethyl-, N-coco acyl derivs., hydroxides, inner salts Orange, sweet, ext. The substance is not PBT. Alcohols, C12-15, ethoxylated The substance is not PBT. Sodium Xylenesulfonate The substance is not PBT. Alcohols, secondary C11-15, The substance is not PBT. ethoxylated vPvB assessment: D-Glucopyranose, oligomers, Substance is not vPvB. decyl octyl glycosides 1-Propanaminium, 3-amino-N-Substance is not vPvB. (carboxymethyl)-N,Ndimethyl-, N-coco acyl derivs., hydroxides, inner salts Orange, sweet, ext. The substance is not vPvB. Alcohols, C12-15, ethoxylated The substance is not vPvB. Disodium metasilicate vPvB assessment does not apply to this substance as it is inorganic. Sodium Xylenesulfonate The substance is not vPvB. Alcohols, secondary C11-15, The substance is not vPvB. ethoxylated

Other Adverse Effects: No data available.

SECTION 13: Disposal Considerations

Disposal Methods:

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities.

Contaminated packages:

Not determined or not applicable.

SECTION 14: Transport Information

United States Transportation of Dangerous Goods (49 CFR DOT)

UN Number	1760
UN Proper Shipping Name	Corrosive Liquids, N.O.S. (Sodium Metasilicate)
UN Transport Hazard Class(es)	8
Packing Group	П

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 01.24.2023

Bugsaw Bug Remover

Environmental Hazards	None
Special Precautions for User	None

International Maritime Dangerous Goods (IMDG)

UN Number	Not regulated
UN Proper Shipping Name	Not regulated
UN Transport Hazard Class(es)	None
Packing Group	None
Environmental Hazards	None
Special Precautions for User	None

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN Number	Not regulated
UN Proper Shipping Name	Not regulated
UN Transport Hazard Class(es)	None
Packing Group	None
Environmental Hazards	None
Special Precautions for User	None

SECTION 15: Regulatory Information

United States Regulations

Inventory Listing (TSCA): All ingredients are listed-active or exempt.

Significant New Use Rule (TSCA Section 5): None of the ingredients are listed.

Export Notification under TSCA Section 12(b): None of the ingredients are listed.

SARA Section 302 Extremely Hazardous Substances: None of the ingredients are listed.

SARA Section 313 Toxic Chemicals: None of the ingredients are listed.

CERCLA: None of the ingredients are listed.

RCRA: None of the ingredients are listed.

Section 112(r) of the Clean Air Act (CAA): None of the ingredients are listed.

Massachusetts Right to Know: None of the ingredients are listed.

New Jersey Right to Know: None of the ingredients are listed.

New York Right to Know: None of the ingredients are listed.

Pennsylvania Right to Know: None of the ingredients are listed.

California Proposition 65:

WARNING: This product can expose you to chemicals including Formaldehyde. and Nitrilotriacetic acid, trisodium salt which are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

WARNING: This product can expose you to chemicals including Ethylene oxide., Dichloroacetic acid. and Dichloroacetic acid; which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Additional information: Not determined.

SECTION 16: Other Information

Abbreviations and Acronyms: None

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 01.24.2023

Bugsaw Bug Remover

Page 13 of 13

Disclaimer:

This product has been classified in accordance with OSHA HCS 2012 guidelines. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

NFPA: 0-0-0 HMIS: 0-0-0

Initial Preparation Date: 01.24.2023

End of Safety Data Sheet