

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 01.25.2023

**Carolina Blue RTU** 

#### **SECTION 1: Identification**

Product Identifier Product Name: Carolina Blue RTU Product code: ST-225

#### **Recommended Use of the Product and Restriction on Use**

Relevant Identified Uses: Glass Cleaner Uses Advised Against: NA Reasons Why Uses Advised Against: Not determined or not applicable.

#### **Manufacturer or Supplier Details**

Manufacturer: United States JBS Industries 2726 Henkle Drive Lebanon, Ohio 45036 513-228-2800 SBAETEN@JBSINDUSTRIES.COM

## **Emergency Telephone Number:**

North America CHEMTREC 800-424-9300 (24 hours)

## SECTION 2: Hazard(s) Identification

## **GHS** Classification:

Eye irritation, category 2B Specific target organ toxicity - single exposure, category 1

## Label elements

## Hazard Pictograms:



Signal Word: Danger

#### Hazard statements:

H370 Causes damage to organs.

H320 Causes eye irritation

## **Precautionary Statements:**

P260 Do not breathe dust/fume/gas/mist/vapors/spray P270 Do not eat, drink or smoke when using this product P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P337+P313 If eye irritation persists: Get medical advice/attention

Page 1 of 10

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 01.25.2023

## Carolina Blue RTU

P405 Store locked up

P501 It is the responsibility of the waste generator to characterize all waste material according to regulatory entities.

## Hazards Not Otherwise Classified: None

## **SECTION 3: Composition/Information on Ingredients**

Identification	Name	Weight %
CAS Number: 67-56-1	Methanol	<100
CAS Number: N/A	Proprietary ingredient 1 (EGM)	<100
CAS Number: N/A	Proprietary ingredient 3 (EGM)	<100

# SECTION 4: First Aid Measures

Additional Information: None

## **Description of First Aid Measures**

## **General Notes:**

Not determined or not applicable.

#### After Inhalation:

If inhaled, remove person to fresh air and place in a position comfortable for breathing. Keep person at rest. If breathing is difficult, administer oxygen. If breathing has stopped, provide artificial respiration. If experiencing respiratory symptoms, seek medical advice/attention.

## After Skin Contact:

Remove contaminated clothing and shoes. Rinse skin with copious amounts of water [shower] for several minutes. Launder contaminated clothing before reuse. If symptoms develop or persist, seek medical advice/attention.

## After Eye Contact:

Rinse eyes with plenty of water for several minutes. Remove contact lenses if present and easy to do so. Protect unexposed eye. If symptoms develop or persist, seek medical advice/attention.

## After Swallowing:

If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. If symptoms develop or persist, seek medical advice/attention.

## Most Important Symptoms and Effects, Both Acute and Delayed

## Acute Symptoms and Effects:

Causes damage to organs. Effects are dependent on exposure (dose, concentration, contact time). Eye contact may result in irritation, redness, pain, inflammation, itching, burning and tearing.

## **Delayed Symptoms and Effects:**

Effects are dependent on exposure (dose, concentration, contact time).

## Immediate Medical Attention and Special Treatment

## Specific Treatment:

If exhibiting symptoms of exposure, seek prompt medical attention.

## Notes for the Doctor:

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 01.25.2023

#### **Carolina Blue RTU**

Not determined or not applicable.

#### **SECTION 5: Firefighting Measures**

### Extinguishing Media

### Suitable Extinguishing Media:

Water mist/fog, carbon dioxide, dry chemical or alcohol resistant foam.

#### **Unsuitable Extinguishing Media:**

Do not use water jet.

#### Specific Hazards During Fire-Fighting:

Thermal decomposition may produce irritating/toxic fumes/gases.

#### **Special Protective Equipment for Firefighters:**

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full-face piece operated in positive pressure mode.

#### **Special precautions:**

Avoid contact with skin, eyes, hair and clothing. Do not breathe fumes/gas/mists/aerosols/vapors/dusts. Move containers from fire area if safe to do so. Use water spray/fog for cooling fire exposed containers. Avoid unnecessary run-off of extinguishing media which may cause pollution.

#### **SECTION 6: Accidental Release Measures**

#### Personal Precautions, Protective Equipment, and Emergency Procedures:

Evacuate unnecessary personnel. Ventilate area. Extinguish any sources of ignition. Wear recommended personal protective equipment (see Section 8). Avoid contact with skin, eyes and clothing. Avoid breathing mist, vapor, dust, fume and spray. Do not walk through spilled material. Wash thoroughly after handling.

#### **Environmental Precautions:**

Prevent further leakage or spillage if safe to do so. Prevent from reaching drains, sewers and waterways. Discharge into the environment must be avoided.

#### Methods and Material for Containment and Cleaning Up:

Do not touch damaged containers or spilled material unless wearing appropriate personal protective clothing. Stop leak if you can do it without risk. Contain and collect spillage and place in suitable container for future disposal. Dispose of in accordance with all applicable regulations (see Section 13).

#### **Reference to Other Sections:**

For personal protective equipment see Section 8. For disposal see Section 13.

#### **SECTION 7: Handling and Storage**

#### **Precautions for Safe Handling:**

Use appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Avoid contact with skin, eyes and clothing. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use.

#### Conditions for Safe Storage, Including Any Incompatibilities:

Store in cool, dry, well-ventilated location out of direct sunlight. Keep away from food and beverages. Protect from freezing and physical damage. Store away from heat, open flames and other sources of ignition. Keep container tightly sealed. Store away from incompatible materials (See Section 10).

#### **SECTION 8: Exposure Controls/Personal Protection**

Only those substances with limit values have been included below.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 01.25.2023

## Carolina Blue RTU

## **Occupational Exposure Limit Values:**

Country (Legal Basis)	Substance	Identifier	Permissible concentration
ACGIH	Methanol	67-56-1	8-Hour TWA: 200 ppm
	Methanol	67-56-1	15-Minute STEL: 250 ppm
OSHA	Methanol	67-56-1	8-Hour TWA-PEL: 260 mg/m <sup>3</sup> (200 ppm)
	Methanol	67-56-1	15-Minute STEL: 325 mg/m <sup>3</sup> (250 ppm)
United States(California)	Methanol	67-56-1	15-Minute STEL: 325 mg/m <sup>3</sup> (250 ppm)
	Methanol	67-56-1	PEL Ceiling: 1000 ppm
	Methanol	67-56-1	8-Hour TWA: 260 mg/m³ (200 ppm)
NIOSH	Methanol	67-56-1	REL-TWA: 260 mg/m <sup>3</sup> (200 ppm [for up to a 10-hour workday during a 40-hour workweek])
	Methanol	67-56-1	15-Minute STEL: 325 mg/m <sup>3</sup> (250 ppm)
	Methanol	67-56-1	IDLH: 6000 ppm

#### **Biological Limit Values:**

Country (Legal Basis)		ldentifi er	Determin ant	Specimen		Permissibl e limits
ACGIH	Methanol	67-56-1	Methanol	Urine	End of Shift	15 mg/L
	Methanol	67-56-1	Methanol		End of shift.	15 mg/L

## Information on Monitoring Procedures:

Not determined or not applicable.

## Appropriate Engineering Controls:

Emergency eye wash stations and safety showers should be available in the immediate vicinity of use or handling. Provide adequate ventilation to maintain the airborne concentrations of vapor, mists, and/or dusts below the applicable workplace exposure limits, while observing recognized national standards (or equivalent).

## **Personal Protection Equipment**

#### Eye and Face Protection:

Safety glasses or goggles. Use eye protection equipment that has been tested and approved by recognized national standards (or equivalent).

#### **Skin and Body Protection:**

Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected prior to use. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).

#### **Respiratory Protection:**

If engineering controls do not maintain airborne concentrations below the applicable workplace exposure limits, or to an acceptable level (if exposure limits have not been established), a respirator approved by recognized national standards (or equivalent) must be worn.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 01.25.2023

## **Carolina Blue RTU**

### **General Hygienic Measures:**

When handling chemical products, do not eat, drink or smoke. Wash hands after handling, before breaks, and at the end of the workday. Avoid contact with skin, eyes and clothing. Wash contaminated clothing before reuse. Perform routine housekeeping.

### SECTION 9: Physical and Chemical Properties

#### Information on Basic Physical and Chemical Properties

Appearance	Liquid
Odor	Std.
Odor threshold	Not determined or not available.
	7
pH Molting point/freezing point	/ Not determined or not available.
Melting point/freezing point	
Initial boiling point/range	Not determined or not available.
Flash point (closed cup)	Not determined or not available.
Evaporation rate	Not determined or not available.
Flammability (solid, gas)	Not determined or not available.
Upper flammability/explosive limit	Not determined or not available.
Lower flammability/explosive limit	Not determined or not available.
Vapor pressure	Not determined or not available.
Vapor density	Not determined or not available.
Density	Not determined or not available.
Relative density	Not determined or not available.
Solubilities	Not determined or not available.
Partition coefficient (n-octanol/water)	Not determined or not available.
Auto/Self-ignition temperature	Not determined or not available.
Decomposition temperature	Not determined or not available.
Dynamic viscosity	Not determined or not available.
Kinematic viscosity	Not determined or not available.
Explosive properties	Not determined or not available.
Oxidizing properties	Not determined or not available.

#### **SECTION 10: Stability and Reactivity**

#### **Reactivity:**

Not reactive under recommended handling and storage conditions.

### **Chemical Stability:**

Stable under recommended handling and storage conditions.

#### **Possibility of Hazardous Reactions:**

Hazardous reactions are not anticipated under recommended conditions of handling and storage.

## Conditions to Avoid:

Extreme heat, open flames, hot surfaces, sparks, ignition sources and incompatible materials.

#### Incompatible Materials:

None known.

#### **Hazardous Decomposition Products:**

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 01.25.2023

#### **Carolina Blue RTU**

#### **SECTION 11: Toxicological Information**

#### Acute Toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available.

### Substance Data:

Name	Route	Result
Proprietary ingredient 1 (EGM)	oral	LD50 Rat: >5000 mg/kg
Methanol	Oral ATE	LD50 Rat: 100 mg/kg
	Dermal ATE	LD50 Rabbit: 300 mg/kg
	Inhalation ATE	LC50 Rat: 3 mg/L (4 hr [vapor])

#### Skin Corrosion/Irritation

Assessment: Based on available data, the classification criteria are not met.

#### Product Data:

No data available.

Substance Data: No data available.

## Serious Eye Damage/Irritation

## Assessment:

Causes eye irritation.

Product Data:

No data available.

Substance Data: No data available.

#### Respiratory or Skin Sensitization

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data: No data available.

#### Carcinogenicity

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available.

Substance Data: No data available.

#### International Agency for Research on Cancer (IARC):

Name	Classification
Methanol	Not Applicable

#### National Toxicology Program (NTP):

Name	Classification
Methanol	Not Applicable

#### **OSHA Carcinogens:** Not applicable

#### Germ Cell Mutagenicity

Assessment: Based on available data, the classification criteria are not met.

#### **Product Data:**

No data available.

Substance Data: No data available.

#### **Reproductive Toxicity**

Assessment: Based on available data, the classification criteria are not met.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 01.25.2023

#### **Carolina Blue RTU**

Product Data:

No data available.

Substance Data: No data available.

## Specific Target Organ Toxicity (Single Exposure)

#### Assessment:

Causes damage to organs.

#### Product Data:

No data available.

#### Substance Data:

Name	Result
Methanol	Causes damage to Optic nerve (nervus opticus), central nervous system.

### Specific Target Organ Toxicity (Repeated Exposure)

**Assessment:** Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data: No data available.

#### Aspiration toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data: No data available.

#### Information on Likely Routes of Exposure:

No data available.

## Symptoms Related to the Physical, Chemical, and Toxicological Characteristics:

No data available.

#### Other Information:

No data available.

## **SECTION 12: Ecological Information**

## Acute (Short-Term) Toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available.

#### Substance Data:

Name	Result
Proprietary ingredient 1 (EGM)	Fish EC50 Fish: >100 mg/L (96 hours)

#### Chronic (Long-Term) Toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available.

Substance Data: No data available.

#### Persistence and Degradability

Product Data: No data available.

#### Substance Data:

Name	Result
Methanol	Readily biodegradable (97% degradation after 20 days).

## **Bioaccumulative Potential**

Product Data: No data available.

Substance Data:

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 01.25.2023

## **Carolina Blue RTU**

Name	Result
Methanol	This substance does not significantly bioaccumulate in fish. Experimental
	BCFs of $< 10$ in fish species.

## **Mobility in Soil**

Product Data: No data available.

#### Substance Data:

Name	Result
Methanol	Highly mobile (Koc: 0.13 - 0.61 dimensionless).

## **Results of PBT and vPvB assessment**

### Product Data:

**PBT assessment:** This product does not contain any substances that are assessed to be a PBT. **vPvB assessment:** This product does not contain any substances that are assessed to be a vPvB.

#### Substance Data:

PBT assessment: Methanol	This substance is not PBT.	
vPvB assessment:		
Methanol	This substance is not vPvB.	
er Adverse Effects: No	data available.	

## \_\_\_\_\_

## SECTION 13: Disposal Considerations

### **Disposal Methods:**

It is the responsibility of the waste generator to characterize all waste material according to regulatory entities.

#### Contaminated packages:

Not determined or not applicable.

## **SECTION 14: Transport Information**

## United States Transportation of Dangerous Goods (49 CFR DOT)

UN Number	1230	
UN Proper Shipping Name	Methanol	
UN Transport Hazard Class(es)	3	
Packing Group	11	
Environmental Hazards	None	
Special Precautions for User	None	

## International Maritime Dangerous Goods (IMDG)

UN Number	Not regulated
UN Proper Shipping Name	Not regulated
UN Transport Hazard Class(es)	None
Packing Group	None
Environmental Hazards	None
Special Precautions for User	None

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 01.25.2023

#### **Carolina Blue RTU**

### International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN Number	Not regulated
UN Proper Shipping Name	Not regulated
UN Transport Hazard Class(es)	None
Packing Group	None
Environmental Hazards	None
Special Precautions for User	None

#### SECTION 15: Regulatory Information

#### United States Regulations

Inventory Listing (TSCA): All ingredients are listed-active or exempt.

Significant New Use Rule (TSCA Section 5): None of the ingredients are listed.

Export Notification under TSCA Section 12(b): None of the ingredients are listed.

SARA Section 302 Extremely Hazardous Substances: None of the ingredients are listed.

### SARA Section 313 Toxic Chemicals:

67-56-1	67-56-1 Methanol		Listed			
CERCLA:						
67-56-1	Methanol	Listed	5000 lbs			
RCRA:						
67-56-1	Methanol	Listed	U154			
Section 112(r)	Section 112(r) of the Clean Air Act (CAA): None of the ingredients are listed.					
Massachusetts	s Right to Know:					
67-56-1	67-56-1 Methanol		Listed			
New Jersey Rig	New Jersey Right to Know:					
67-56-1	67-56-1 Methanol		Listed			
New York Righ	New York Right to Know:					
67-56-1	67-56-1 Methanol		Listed			
Pennsylvania F	Right to Know:		•			
67-56-1	Methanol		Listed			
California Prop	oosition 65:		-			

#### California Proposition 65:

**AWARNING:** This product can expose you to Methanol; which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov. Additional information: Not determined.

#### **SECTION 16: Other Information**

## Abbreviations and Acronyms: None

#### **Disclaimer:**

This product has been classified in accordance with OSHA HCS 2012 guidelines. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

#### NFPA: 0-0-0

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 01.25.2023

Carolina Blue RTU

HMIS: 0-0-0 Initial Preparation Date: 01.25.2023

End of Safety Data Sheet