

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 04.29.2021 Page 1 of 14

Revision date: 03.08.2023

HB Rinse Aid PC

SECTION 1: Identification

Product Identifier

Product Name: HB Rinse Aid PC

Product code: PC-252

Recommended Use of the Product and Restriction on Use

Relevant Identified Uses: Drying Agent for Automatic Car Wash

Uses Advised Against: NA

Reasons Why Uses Advised Against: Not determined or not applicable.

Manufacturer or Supplier Details

Manufacturer: United States

JBS Industries 2726 Henkle Drive Lebanon, Ohio 45036 513-228-2800 SBAETEN@JBSINDUSTRIES.COM

Emergency Telephone Number:

North America

CHEMTREC 800-424-9300 (24 hours)

SECTION 2: Hazard(s) Identification

GHS Classification:

Skin corrosion, category 1B Eye irritation, category 2A

Label elements

Hazard Pictograms:





Signal Word: Danger

Hazard statements:

H314 Causes severe skin burns and eye damage

H319 Causes serious eye irritation

Precautionary Statements:

P260 Do not breathe dust/fume/gas/mist/vapors/spray

P264 Wash contaminated area thoroughly with soap and water after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 04.29.2021 Page

Revision date: 03.08.2023

HB Rinse Aid PC

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

P363 Wash contaminated clothing before reuse

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337+P313 If eye irritation persists: Get medical advice/attention

P405 Store locked up

P501 It is the responsibility of the waste generator to characterize all waste materials according to applicable regulatory entities.

Hazards Not Otherwise Classified: None

SECTION 3: Composition/Information on Ingredients

| Identification | Name | Weight % |
|------------------------|--|-----------|
| CAS Number: 61789-77-3 | Quaternary ammonium compounds, dicoco alkyldimethyl, chlorides | <63 |
| CAS Number: 64741-44-2 | Distillates (petroleum), straight-run middle | 1-50 |
| CAS Number: 111-76-2 | 2-Butoxyethanol | <29.84997 |
| CAS Number: 67-63-0 | Propan-2-ol | <21 |
| CAS Number: 74-87-3 | Methyl chloride | <0.063 |
| CAS Number: 107-21-1 | Ethane-1,2-diol | <0.027 |

Additional Information: None

SECTION 4: First Aid Measures

Description of First Aid Measures

General Notes:

Not determined or not applicable.

After Inhalation:

If inhaled, remove person to fresh air and place in a position comfortable for breathing. Keep person at rest. If breathing is difficult, administer oxygen. If breathing has stopped, provide artificial respiration. If experiencing respiratory symptoms, seek medical advice/attention.

After Skin Contact:

Treatment is urgent. Seek emergency medical treatment. Remove contaminated clothing and shoes. Rinse skin with copious amounts of water [shower] for several minutes. Launder contaminated clothing before reuse.

After Eye Contact:

Immediately rinse eyes with plenty of gently flowing lukewarm water for 15 minutes. Remove contact lenses if present and easy to do so. Protect unexposed eye. Seek immediate medical attention, preferably from an ophthalmologist.

Page 2 of 14

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 04.29.2021

Revision date: 03.08.2023

HB Rinse Aid PC

Rinse eyes with plenty of gently flowing lukewarm water for 15 minutes. Remove contact lenses if present and easy to do so. Protect unexposed eye. If symptoms develop or persist, seek medical advice/attention.

After Swallowing:

If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. If symptoms develop or persist, seek medical advice/attention.

Most Important Symptoms and Effects, Both Acute and Delayed

Acute Symptoms and Effects:

Exposure to skin may result in redness, pain, burning, inflammation and tissue damage. Exposure to eyes may result in irritation, redness, pain, inflammation, itching, burning, tearing, corneal damage and loss of vision. Exposure via inhalation may result in cough, sore throat, burning sensation and shortness of breath. Exposure via ingestion may result in burns of the mouth and throat, abdominal pain, burning sensation in the throat and chest, nausea, vomiting, shock or collapse.

Delayed Symptoms and Effects:

Effects are dependent on exposure (dose, concentration, contact time).

Immediate Medical Attention and Special Treatment

Specific Treatment:

In case of eye contact, seek prompt medical attention while rinsing is continued.

In case of skin contact, seek prompt medical attention while rinsing is continued.

In case of ingestion, seek prompt medical attention.

Notes for the Doctor:

Not determined or not applicable.

SECTION 5: Firefighting Measures

Extinguishing Media

Suitable Extinguishing Media:

Water mist/fog, carbon dioxide, dry chemical or alcohol resistant foam.

Unsuitable Extinguishing Media:

Do not use water jet.

Specific Hazards During Fire-Fighting:

Thermal decomposition may produce irritating/toxic fumes/gases.

Special Protective Equipment for Firefighters:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full-face piece operated in positive pressure mode.

Special precautions:

Avoid contact with skin, eyes, hair and clothing. Do not breathe fumes/gas/mists/aerosols/vapors/dusts. Move containers from fire area if safe to do so. Use water spray/fog for cooling fire exposed containers. Avoid unnecessary run-off of extinguishing media which may cause pollution.

SECTION 6: Accidental Release Measures

Personal Precautions, Protective Equipment, and Emergency Procedures:

Evacuate unnecessary personnel. Ventilate area. Extinguish any sources of ignition. Wear recommended personal protective equipment (see Section 8). Avoid contact with skin, eyes and clothing. Avoid breathing mist, vapor, dust, fume and spray. Do not walk through spilled material. Wash thoroughly after handling.

Page 3 of 14

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 04.29.2021

Revision date: 03.08.2023

HB Rinse Aid PC

Environmental Precautions:

Prevent further leakage or spillage if safe to do so. Prevent from reaching drains, sewers and waterways. Discharge into the environment must be avoided.

Methods and Material for Containment and Cleaning Up:

Do not touch damaged containers or spilled material unless wearing appropriate personal protective clothing. Stop leak if you can do it without risk. Contain and collect spillage and place in suitable container for future disposal. Dispose of in accordance with all applicable regulations (see Section 13).

Reference to Other Sections:

For personal protective equipment see Section 8. For disposal see Section 13.

SECTION 7: Handling and Storage

Precautions for Safe Handling:

Use appropriate personal protective equipment (see Section 8). Prevent skin contact. Do not get in eyes. Use only with adequate ventilation. Do not add water to the corrosive product. If it is necessary to mix a corrosive product with water, do so slowly adding the corrosive to cold water, in small amounts, and stir frequently. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use. Keep only in original packaging.

Conditions for Safe Storage, Including Any Incompatibilities:

Store in cool and dry location and out of direct sunlight. Store away from sources of heat or ignition. Store away from incompatible materials described in Section 10. Keep containers closed when not in use. Keep away from food and beverages. Protect from freezing and physical damage.

SECTION 8: Exposure Controls/Personal Protection

Only those substances with limit values have been included below.

Occupational Exposure Limit Values:

| Country (Legal Basis) | Substance | Identifier | Permissible concentration |
|--------------------------|-----------------|------------|---|
| ACGIH | Propan-2-ol | 67-63-0 | 15-Minute STEL: 400 ppm |
| | Propan-2-ol | 67-63-0 | 8-Hour TWA: 200 ppm |
| | 2-Butoxyethanol | 111-76-2 | 8-Hour TWA: 20 ppm |
| | Methyl chloride | 74-87-3 | 8-Hour TWA: 50 ppm |
| | Methyl chloride | 74-87-3 | 15-Minute STEL: 100 ppm |
| | Ethane-1,2-diol | 107-21-1 | 8-Hour TWA: 25 ppm (vapor fraction) |
| | Ethane-1,2-diol | 107-21-1 | 15-Minute STEL: 50 ppm (vapor fraction) |
| | Ethane-1,2-diol | 107-21-1 | 15-Minute STEL: 10 mg/m³ (aerosol only, inhalable fraction) |
| NIOSH | Propan-2-ol | 67-63-0 | IDLH: 2000 ppm |
| | Propan-2-ol | 67-63-0 | 15-Minute STEL: 500 ppm (1,225 mg/m³) |
| | Propan-2-ol | 67-63-0 | REL-TWA: 400 ppm (980 mg/m³ - up to 10 hrs.) |
| | 2-Butoxyethanol | 111-76-2 | IDLH: 700 ppm |
| | 2-Butoxyethanol | 111-76-2 | REL-TWA: 24 mg/m³ (5 ppm [up to 10 hr]) |

Page 4 of 14

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 04.29.2021 Pa

Revision date: 03.08.2023

HB Rinse Aid PC

| Country (Legal Basis) | Substance | Identifier | Permissible concentration |
|------------------------------|-----------------|------------|--|
| | Methyl chloride | 74-87-3 | IDLH: 2000 ppm |
| OSHA | Propan-2-ol | 67-63-0 | 8-Hour TWA-PEL: 980 mg/m ³ (400 ppm) |
| | 2-Butoxyethanol | 111-76-2 | 8-Hour TWA-PEL: 240 mg/m ³ (50 ppm) |
| | Methyl chloride | 74-87-3 | 8-Hour TWA-PEL: 210 mg/m ³ (100 ppm) |
| | Methyl chloride | 74-87-3 | PEL Ceiling: 200 ppm (300 ppm [Peak - 5 min in any 3 hrs]) |
| | Ethane-1,2-diol | 107-21-1 | Ceiling Limit: 125 mg/m³ (50 ppm) |
| United States(California) | Propan-2-ol | 67-63-0 | 8-Hour TWA-PEL: 980 mg/m ³ (400 ppm) |
| | 2-Butoxyethanol | 111-76-2 | 8-Hour TWA-PEL: 97 mg/m ³ (20 ppm) |
| | Methyl chloride | 74-87-3 | 8-Hour TWA-PEL: 105 mg/m ³ (50 ppm) |
| | Methyl chloride | 74-87-3 | 15-Minute STEL: 210 mg/m³ (100 ppm) |
| | Methyl chloride | 74-87-3 | PEL Ceiling: 300 ppm |
| | Ethane-1,2-diol | 107-21-1 | Ceiling Limit: 100 mg/m³ (40 ppm) |
| | Ethane-1,2-diol | 107-21-1 | REL: 400 ug/m³ (Chronic Inhalation) |

Biological Limit Values:

| Country (Legal Basis) | Substance | Identifi er | Determin ant | Specimen | | Permissibl e limits |
|-----------------------|-----------------|----------------|---|------------------------|--------------|------------------------|
| ACGIH | 2-Butoxyethanol | | Butoxyacet ic acid (with hydrolysis) | Creatinine in Urine | End of shift | 200 mg/g |
| | Propan-2-ol | 67-63-0 | Acetone | Urine | EOS/EOW | 40 mg/L |

Information on Monitoring Procedures:

Not determined or not applicable.

Appropriate Engineering Controls:

Emergency eye wash stations and safety showers should be available in the immediate vicinity of use or handling. Provide adequate ventilation to maintain the airborne concentrations of vapor, mists, and/or dusts below the applicable workplace exposure limits, while observing recognized national standards (or equivalent).

Personal Protection Equipment

Eve and Face Protection:

Use safety glasses with side shields or goggles. Consider the use of a face shield for splash protection. Use eye protection equipment that has been tested and approved by recognized national standards (or equivalent).

Skin and Body Protection:

Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected prior to use. Considering the parameters specified by the glove manufacturer, check during use that the

Page 5 of 14

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 04.29.2021

Revision date: 03.08.2023

HB Rinse Aid PC

gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. Full body protection should be worn. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).

Page 6 of 14

Respiratory Protection:

If engineering controls do not maintain airborne concentrations below the applicable workplace exposure limits, or to an acceptable level (if exposure limits have not been established), a respirator approved by recognized national standards (or equivalent) must be worn.

General Hygienic Measures:

When handling chemical products, do not eat, drink or smoke. Wash hands after handling, before breaks, and at the end of the workday. Avoid contact with skin, eyes and clothing. Wash contaminated clothing before reuse. Perform routine housekeeping.

SECTION 9: Physical and Chemical Properties

Information on Basic Physical and Chemical Properties

| Appearance | Liquid |
|---|----------------------------------|
| Odor | Std. |
| Odor threshold | Not determined or not available. |
| рН | 6 |
| Melting point/freezing point | Not determined or not available. |
| Initial boiling point/range | Not determined or not available. |
| Flash point (closed cup) | Not determined or not available. |
| Evaporation rate | Not determined or not available. |
| Flammability (solid, gas) | Not determined or not available. |
| Upper flammability/explosive limit | Not determined or not available. |
| Lower flammability/explosive limit | Not determined or not available. |
| Vapor pressure | Not determined or not available. |
| Vapor density | Not determined or not available. |
| Density | Not determined or not available. |
| Relative density | Not determined or not available. |
| Solubilities | Not determined or not available. |
| Partition coefficient (n-octanol/water) | Not determined or not available. |
| Auto/Self-ignition temperature | Not determined or not available. |
| Decomposition temperature | Not determined or not available. |
| Dynamic viscosity | Not determined or not available. |
| Kinematic viscosity | Not determined or not available. |
| Explosive properties | Not determined or not available. |
| Oxidizing properties | Not determined or not available. |

SECTION 10: Stability and Reactivity

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 04.29.2021

Revision date: 03.08.2023

HB Rinse Aid PC

Reactivity:

Not reactive under recommended handling and storage conditions.

Chemical Stability:

Stable under recommended handling and storage conditions.

Possibility of Hazardous Reactions:

Hazardous reactions are not anticipated under recommended conditions of handling and storage.

Conditions to Avoid:

Avoid generation of aerosols and mists, extreme heat, open flames, hot surfaces, sparks, ignition sources and incompatible materials.

Incompatible Materials:

None known.

Hazardous Decomposition Products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological Information

Acute Toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available.

Substance Data:

| Name | Route | Result | |
|--|----------------|---|--|
| Distillates (petroleum), | inhalation | LC50 Rat: 1.72 mg/L (4 hr [aerosol]) | |
| straight-run middle | oral | LD50 Rat: > 5000 mg/m ³ | |
| | dermal | LD50 Rabbit: > 2000 mg/kg | |
| Propan-2-ol | oral | LD50 Rat: 5840 mg/kg | |
| | dermal | LD50 Rabbit: 12,800 mg/kg | |
| | inhalation | LC50 Rat: 72.6 mg/L (4 hr - Vapor) | |
| 2-Butoxyethanol | dermal | LD50 Rabbit: 1060 mg/kg | |
| | Oral ATE | LD50 Rat: 1200 mg/kg (Annex VI to the CLP) | |
| | oral | LD50 Rat: 470 mg/kg | |
| | Inhalation ATE | LC50 Rat: 11 mg/L (4 hr [Vapor]) | |
| Methyl chloride | inhalation | LC50 Rat: 2566 ppmV (4 hr - Gas) | |
| | oral | LD50 Rat: 1800 mg/kg | |
| Ethane-1,2-diol | dermal | LD50 Mouse: > 3500 mg/kg | |
| | Oral ATE | LD50 Rat: 500 mg/kg (Converted acute toxicity point estimate) | |
| Quaternary ammonium compounds, dicoco alkyldimethyl, chlorides | Oral ATE | LD50 Rat: 500 mg/L | |

Skin Corrosion/Irritation

Assessment:

Causes severe skin burns and eye damage.

Product Data:

No data available.

Substance Data:

Page 7 of 14

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 04.29.2021

Revision date: 03.08.2023

HB Rinse Aid PC

| Name | Result |
|--|---------------------------|
| Quaternary ammonium compounds, dicoco alkyldimethyl, chlorides | Causes severe skin burns. |
| 2-Butoxyethanol | Causes skin irritation. |

Serious Eye Damage/Irritation

Assessment:

Causes serious eye irritation.

Product Data:No data available.

Substance Data:

| Name | Result |
|--|--------------------------------|
| Propan-2-ol | Causes serious eye irritation. |
| Quaternary ammonium compounds, dicoco alkyldimethyl, chlorides | Causes serious eye damage. |
| 2-Butoxyethanol | Causes serious eye irritation. |

Respiratory or Skin Sensitization

Assessment: Based on available data, the classification criteria are not met.

Product Data:No data available.

Substance Data: No data available.

Carcinogenicity

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available.

Substance Data:

| Name | Species | Result |
|-----------------|---------|---|
| Methyl chloride | Rat | Suspected of causing cancer via inhalation. |

International Agency for Research on Cancer (IARC):

| Name | Classification |
|--|----------------|
| Propan-2-ol | Group 3 |
| Methyl chloride | Group 3 |
| Ethane-1,2-diol | Not Applicable |
| | Not Applicable |
| Quaternary ammonium compounds, dicoco alkyldimethyl, chlorides | Not Applicable |
| 2-Butoxyethanol | Group 3 |

National Toxicology Program (NTP):

| Name | Classification |
|-----------------|----------------|
| Propan-2-ol | Not Applicable |
| Methyl chloride | Not Applicable |

Page 8 of 14

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 04.29.2021

Revision date: 03.08.2023

HB Rinse Aid PC

| Name | Classification |
|--|----------------|
| Ethane-1,2-diol | Not Applicable |
| | Not Applicable |
| Quaternary ammonium compounds, dicoco alkyldimethyl, chlorides | Not Applicable |
| 2-Butoxyethanol | Not Applicable |

OSHA Carcinogens: Not applicable

Germ Cell Mutagenicity

Assessment: Based on available data, the classification criteria are not met.

Product Data:No data available.

Substance Data: No data available.

Reproductive Toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data:No data available.

Substance Data: No data available.

Specific Target Organ Toxicity (Single Exposure)

Assessment: Based on available data, the classification criteria are not met.

Product Data:No data available. **Substance Data:**

| Name | Result |
|-------------|------------------------------------|
| Propan-2-ol | May cause drowsiness or dizziness. |

Specific Target Organ Toxicity (Repeated Exposure)

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available. Substance Data:

| Name | Result |
|-----------------|--|
| 1 | May cause damage to spleen, liver, and bone marrow through prolonged or repeated exposure. |
| Methyl chloride | May causes damage to organs through prolonged or repeated exposure. |
| Ethane-1,2-diol | May cause damage to Kidneys through prolonged or repeated Oral exposure. |

Aspiration toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available. Substance Data:

| Name | Result |
|---|---|
| Distillates (petroleum), straight-run middle | May be fatal if swallowed and enters airways. |

Page 9 of 14

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 04.29.2021

Revision date: 03.08.2023

HB Rinse Aid PC

Information on Likely Routes of Exposure:

No data available.

Symptoms Related to the Physical, Chemical, and Toxicological Characteristics:

No data available. **Other Information:**No data available.

SECTION 12: Ecological Information

Acute (Short-Term) Toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available.

Substance Data:

| Name | Result |
|--------------------------|--|
| 2-Butoxyethanol | Aquatic Invertebrates EC50 Daphnia magna: 1550 mg/L (48 hr [mobility]) |
| | Fish LC50 Oncorhynchus mykiss: 1474 mg/L (96 hr) |
| | Aquatic Plants EC50 Freshwater algae: 1840 mg/L (72 hr [growth rate]) |
| Ethane-1,2-diol | Aquatic Plants EC50 Raphidocelis subcapitata: 6500 - 13,000 mg/L (96 hr [growth rate]) |
| | Aquatic Invertebrates EC50 Daphnia magna: > 100 mg/L (48 hr) |
| | Fish LC50 Pimephales promelas: 72,860 mg/L (96 hr) |
| Distillates (petroleum), | Aquatic Invertebrates EC50 Daphnia magna: 2 mg/L (48 hr [read across]) |
| straight-run middle | Aquatic Plants EC50 Pseudokirchneriella subcapitata: 1.8 mg/L (72 hr [read across]) |
| Methyl chloride | Aquatic Plants EC50 Algae: 231 mg/L (96 hr [growth rate]) |
| | Fish LC50 Lepomis macrochirus: 550 mg/L (96 hr) |
| | Aquatic Invertebrates EC50 Daphnia magna: 200 mg/L (48 hr [mobility]) |
| Propan-2-ol | Fish LC50 Pimephales promelas: 10,000 mg/L (96 hr) |
| | Aquatic Invertebrates EC50 Daphnia magna: >10,000 mg/L (48 hr [immobilization]) |

Chronic (Long-Term) Toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available.

Substance Data:

| substance buta. | | |
|-----------------|--|--|
| Name | Result | |
| 2-Butoxyethanol | Fish LC50 Poecilia reticulata: 983 mg/L (7 d) | |
| | Aquatic Invertebrates EC50 Daphnia magna: 297 mg/L (21 d [reproduction]) | |
| Ethane-1,2-diol | Fish NOEC Menidia peninsulae: > 40 mg/L (28 d [mortality]) | |
| | Aquatic Invertebrates NOEC Daphnia magna: > 15,000 mg/L mg/L (21 d [reproduction]) | |
| Propan-2-ol | Aquatic Invertebrates NOEC Daphnia magna: 141 mg/L (16 d [growth]) | |

Persistence and Degradability

Product Data: No data available.

Substance Data:

Page 10 of 14

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 04.29.2021 Pag

Revision date: 03.08.2023

HB Rinse Aid PC

| Name | Result |
|---|---|
| Distillates (petroleum), straight-run middle | This substance is readily biodegradable in water (57.5% degradation after 28 days, O2 consumption). |
| 2-Butoxyethanol | Readily biodegradable (90.4% degradation after 28 days, measured by CO2 evolution). |
| Methyl chloride | This substance is readily biodegradable. 77% degradation after 28 days in closed bottle test. |
| Ethane-1,2-diol | Substance is readily biodegradable (90-100% degradation after 10 days in water by DOC removal). |
| Propan-2-ol | The substance has a BOD5/ThOD ratio of 0.50, and is therefore considered to be readily degradable. |

Bioaccumulative Potential

Product Data: No data available.

Substance Data:

| Name | Result |
|---|---|
| 2-Butoxyethanol | Not expected to bioaccumulate (log Kow = 0.83). |
| Ethane-1,2-diol | Bioaccumulation in organisms is not to be expected (log Kow: -1.36). |
| Distillates (petroleum), straight-run middle | Standard bioaccumulation studies are not applicable to petroleum UVCB substances. |
| Methyl chloride | Bioaccumulation is not expected based on log Kow of 0.91. |
| Propan-2-ol | Bioaccumulation is not expected. BCF (aquatic species): 1.015 L/kg ww [QSAR] |

Mobility in Soil

Product Data: No data available.

Substance Data:

| Name | Result |
|---|---|
| Ethane-1,2-diol | Adsorption to the solid soil phase is not expected. |
| Distillates (petroleum), straight-run middle | Standard adsorption/desorption studies are not applicable to petroleum UVCB substances. |
| Methyl chloride | Adsorption to soil and sediment is expected to be low due to the log Koc value of 1.12 and the gaseous form of the substance. |
| Propan-2-ol | The substance is highly mobile in soil with a low potential for adsorption to soil and sediment. Koc at 20 °C: 3.478 |

Results of PBT and vPvB assessment

Product Data:

PBT assessment: This product does not contain any substances that are assessed to be a PBT. **vPvB assessment:** This product does not contain any substances that are assessed to be a vPvB.

Substance Data:

PBT assessment:

| i bi assessinenti | D1 d35C55mCnd | | |
|---|----------------------------|--|--|
| Distillates (petroleum), straight-run middle | This substance is not PBT. | | |
| Propan-2-ol | This substance is not PBT. | | |
| 2-Butoxyethanol | The substance is not PBT. | | |
| Methyl chloride | The substance is not PBT. | | |
| Ethane-1,2-diol | The substance is not PBT. | | |

vPvB assessment:

Page 11 of 14

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 04.29.2021

Revision date: 03.08.2023

HB Rinse Aid PC

| Distillates (petroleum), straight-run middle | This substance is not vPvB. |
|---|-----------------------------|
| Propan-2-ol | This substance is not vPvB. |
| 2-Butoxyethanol | The substance is not vPvB. |
| Methyl chloride | The substance is not vPvB. |
| Ethane-1,2-diol | The substance is not vPvB. |

Other Adverse Effects: No data available.

SECTION 13: Disposal Considerations

Disposal Methods:

It is the responsibility of the waste generator to characterize all waste materials according to applicable regulatory entities.

Contaminated packages:

Not determined or not applicable.

SECTION 14: Transport Information

United States Transportation of Dangerous Goods (49 CFR DOT)

| UN Number | Not Regulated |
|-------------------------------|---------------|
| UN Proper Shipping Name | Not regulated |
| UN Transport Hazard Class(es) | None |
| Packing Group | None |
| Environmental Hazards | None |
| Special Precautions for User | None |

International Maritime Dangerous Goods (IMDG)

| UN Number | Not regulated |
|-------------------------------|---------------|
| UN Proper Shipping Name | Not regulated |
| UN Transport Hazard Class(es) | None |
| Packing Group | None |
| Environmental Hazards | None |
| Special Precautions for User | None |

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

| UN Number | Not regulated |
|-------------------------------|---------------|
| UN Proper Shipping Name | Not regulated |
| UN Transport Hazard Class(es) | None |
| Packing Group | None |
| Environmental Hazards | None |
| Special Precautions for User | None |

SECTION 15: Regulatory Information

United States Regulations

Page 12 of 14

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 04.29.2021

Revision date: 03.08.2023

HB Rinse Aid PC

Inventory Listing (TSCA): All ingredients are listed-active or exempt.

Significant New Use Rule (TSCA Section 5): None of the ingredients are listed. **Export Notification under TSCA Section 12(b):** None of the ingredients are listed.

SARA Section 302 Extremely Hazardous Substances: None of the ingredients are listed.

SARA Section 313 Toxic Chemicals:

| 67-63-0 | Propan-2-ol | Listed |
|----------|-----------------|--------|
| 111-76-2 | 2-Butoxyethanol | Listed |
| 74-87-3 | Methyl chloride | Listed |
| 107-21-1 | Ethane-1,2-diol | Listed |

CERCLA:

| 111 | 1-76-2 | 2-Butoxyethanol | Listed | N/A |
|-----|--------|-----------------|--------|----------|
| 74 | -87-3 | Methyl chloride | Listed | 100 Lbs. |
| 10 | 7-21-1 | Ethane-1,2-diol | Listed | 5000 lb |

RCRA:

| 74-87 | -3 | Methyl chloride | Listed | U045 |
|-------|----|-----------------|--------|------|
|-------|----|-----------------|--------|------|

Section 112(r) of the Clean Air Act (CAA):

| 74-87-3 | Methyl chloride | Listed |
|---------|-----------------|--------|
|---------|-----------------|--------|

Massachusetts Right to Know:

| 67-63-0 | Propan-2-ol | Listed | |
|----------|-----------------|--------|--|
| 74-87-3 | Methyl chloride | Listed | |
| 107-21-1 | Ethane-1,2-diol | Listed | |
| 111-76-2 | 2-Butoxyethanol | Listed | |

New Jersey Right to Know:

| <u> </u> | | |
|----------|-----------------|--------|
| 67-63-0 | Propan-2-ol | Listed |
| 74-87-3 | Methyl chloride | Listed |
| 107-21-1 | Ethane-1,2-diol | Listed |
| 111-76-2 | 2-Butoxyethanol | Listed |

New York Right to Know:

| 64741-44-2 | Distillates (petroleum), straight-run middle | Listed |
|------------|--|--------|
| 67-63-0 | Propan-2-ol | Listed |
| 74-87-3 | Methyl chloride | Listed |
| 107-21-1 | Ethane-1,2-diol | Listed |
| 111-76-2 | 2-Butoxyethanol | Listed |

Pennsylvania Right to Know:

| 67-63-0 | Propan-2-ol | Listed |
|----------|-----------------|--------|
| 74-87-3 | Methyl chloride | Listed |
| 107-21-1 | Ethane-1,2-diol | Listed |
| 111-76-2 | 2-Butoxyethanol | Listed |

California Proposition 65: None of the ingredients are listed.

Additional information: Not determined.

SECTION 16: Other Information

Abbreviations and Acronyms: None

Page 13 of 14

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 04.29.2021 Page 14 of 14

Revision date: 03.08.2023

HB Rinse Aid PC

Disclaimer:

This product has been classified in accordance with OSHA HCS 2012 guidelines. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

NFPA: 0-0-0 **HMIS:** 0-0-0

Initial Preparation Date: 04.29.2021

Revision date: 03.08.2023

End of Safety Data Sheet