

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 06.20.2019

Revision date: 03.08.2023

# **Red Storm F/B**

## **SECTION 1: Identification**

Product Identifier Product Name: Red Storm F/B Product code: PR-160

### **Recommended Use of the Product and Restriction on Use**

Relevant Identified Uses: High pH Presoak, Foaming Detergent Uses Advised Against: NA Reasons Why Uses Advised Against: Not determined or not applicable.

### **Manufacturer or Supplier Details**

Manufacturer: United States JBS Industries 2726 Henkle Drive Lebanon, Ohio 45036 513-228-2800 SBAETEN@JBSINDUSTRIES.COM

# **Emergency Telephone Number:**

North America CHEMTREC 800-424-9300 (24 hours)

### SECTION 2: Hazard(s) Identification

### **GHS Classification:**

Skin corrosion, category 1A Serious eye damage, category 1 Carcinogenicity, category 2 Specific target organ toxicity - repeated exposure, category 2

# Label elements

### **Hazard Pictograms:**



### Signal Word: Danger

#### Hazard statements:

H314 Causes severe skin burns and eye damage

H318 Causes serious eye damage

H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure.

### Precautionary Statements:

Page 1 of 24

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 06.20.2019

**Revision date:** 03.08.2023

# **Red Storm F/B**

P260 Do not breathe dust/fume/gas/mist/vapors/spray P264 Wash contaminated area thoroughly after handling. P280 Wear protective gloves/protective clothing/eye protection/face protection P202 Do not handle until all safety precautions have been read and understood P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower P363 Wash contaminated clothing before reuse P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P308+P313 IF exposed or concerned: Get medical advice/attention

P405 Store locked up

P501 It is the responsibility of the waste generator to characterize all waste materials according to applicable regulatory entities.

Hazards Not Otherwise Classified: None

# **SECTION 3: Composition/Information on Ingredients**

| Identification            | Name   | Weight % |
|---------------------------|--|----------|
| CAS Number:<br>68515-73-1 | D-Glucopyranose, oligomers, decyl octyl glycosides   |          |
| CAS Number:<br>1310-73-2  | Sodium hydroxide   | <25      |
| CAS Number:<br>1310-58-3  | Potassium hydroxide  | <45      |
| CAS Number:<br>5064-31-3  | Trisodium nitrilotriacetate  | 0.1-25   |
| CAS Number:<br>9004-82-4  | 2-dodecoxyethyl hydrogen sulfate   | <20      |
| CAS Number:<br>7758-29-4  | Pentasodium triphosphate   | <25      |
| CAS Number:<br>111-76-2   | 2-Butoxyethanol  | <25      |
| CAS Number:<br>1300-72-7  | Sodium Xylenesulfonate   | <15      |
| CAS Number:<br>64-17-5    | Ethanol  |          |
| CAS Number:<br>61789-40-0 | 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts |          |
| CAS Number:<br>68131-39-5 | Alcohols, C12-15, ethoxylated  |          |
| CAS Number:<br>7722-88-5  | Tetrasodium pyrophosphate  |          |

# According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 06.20.2019

**Revision date:** 03.08.2023

#### **Red Storm F/B**

| CAS Number:<br>56-81-5   | Glycerol            | <0.9    |
|--------------------------|---------------------|---------|
| CAS Number:<br>7757-82-6 | Sodium sulphate     | <0.6    |
| CAS Number:<br>75-21-8   | Ethylene oxide      | <0.054  |
| CAS Number:<br>123-91-1  | 1,4-dioxane         | <0.054  |
| CAS Number:<br>50-00-0   | Formaldehyde        | <0.027  |
| CAS Number:<br>79-43-6   | Dichloroacetic acid | <0.027  |
| CAS Number:<br>107-21-1  | Ethane-1,2-diol     | <0.0135 |

#### Additional Information: None

## **SECTION 4: First Aid Measures**

# **Description of First Aid Measures**

#### **General Notes:**

Show this Safety Data Sheet to attending Medical Professional.

#### After Inhalation:

If inhaled, remove person to fresh air and place in a position comfortable for breathing. Keep person at rest. If breathing is difficult, administer oxygen. If breathing has stopped, provide artificial respiration. If experiencing respiratory symptoms, seek medical advice/attention.

If inhaled, remove person to fresh air and place in a position comfortable for breathing. Keep person at rest. If breathing is difficult, administer oxygen. If breathing has stopped, provide artificial respiration. If symptoms develop or persist, seek medical advice/attention.

#### After Skin Contact:

Treatment is urgent. Seek emergency medical treatment. Remove contaminated clothing and shoes. Rinse skin with copious amounts of water [shower] for several minutes. Launder contaminated clothing before reuse.

Remove contaminated clothing and shoes. Rinse skin with copious amounts of water [shower] for several minutes. Launder contaminated clothing before reuse. If symptoms develop or persist, seek medical advice/attention.

### After Eye Contact:

Immediately rinse eyes with plenty of gently flowing lukewarm water for 15 minutes. Remove contact lenses if present and easy to do so. Protect unexposed eye. Seek immediate medical attention, preferably from an ophthalmologist.

Rinse eyes with plenty of water for several minutes. Remove contact lenses if present and easy to do so. Protect unexposed eye. If symptoms develop or persist, seek medical advice/attention.

# After Swallowing:

If Swallowed, DO NOT induce vomiting unless directed otherwise by a medical professional. Rinse mouth with water. Never give anything to an unconscious person. Seek medical attention.

If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200 Initial Preparation Date: 06.20.2019

Revision date: 03.08.2023

#### **Red Storm F/B**

occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. Seek immediate medical attention.

If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. If symptoms develop or persist, seek medical advice/attention.

#### Most Important Symptoms and Effects, Both Acute and Delayed Acute Symptoms and Effects:

Exposure to skin may result in redness, pain, burning, inflammation and tissue damage. Exposure to eyes may result in irritation, redness, pain, inflammation, itching, burning, tearing, corneal damage and loss of vision. Exposure via inhalation may result in cough, sore throat, burning sensation and shortness of breath. Exposure via ingestion may result in burns of the mouth and throat, abdominal pain, burning sensation in the throat and chest, nausea, vomiting, shock or collapse.

Eye contact may result in irritation, redness, pain, inflammation, itching, burning, tearing, corneal damage and loss of vision.

#### **Delayed Symptoms and Effects:**

Effects are dependent on exposure (dose, concentration, contact time).

Suspected of causing cancer. Effects are dependent on exposure (dose, concentration, contact time). May cause damage to organs through prolonged or repeated exposure. Effects are dependent on exposure (dose, concentration, contact time).

#### **Immediate Medical Attention and Special Treatment**

#### **Specific Treatment:**

In case of eye contact, seek prompt medical attention while rinsing is continued.

In case of skin contact, seek prompt medical attention while rinsing is continued.

In case of ingestion, seek prompt medical attention.

#### Notes for the Doctor:

Not determined or not applicable.

#### **SECTION 5: Firefighting Measures**

#### **Extinguishing Media**

#### Suitable Extinguishing Media:

Water mist/fog, carbon dioxide, dry chemical or alcohol resistant foam.

#### Unsuitable Extinguishing Media:

Do not use water jet.

#### **Specific Hazards During Fire-Fighting:**

Thermal decomposition may produce irritating/toxic fumes/gases.

#### **Special Protective Equipment for Firefighters:**

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full-face piece operated in positive pressure mode.

#### Special precautions:

Avoid contact with skin, eyes, hair and clothing. Do not breathe fumes/gas/mists/aerosols/vapors/dusts. Move containers from fire area if safe to do so. Use water spray/fog for cooling fire exposed containers. Avoid unnecessary run-off of extinguishing media which may cause pollution.

#### **SECTION 6: Accidental Release Measures**

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200 Initial Preparation Date: 06.20.2019

Revision date: 03.08.2023

#### **Red Storm F/B**

#### Personal Precautions, Protective Equipment, and Emergency Procedures:

Evacuate unnecessary personnel. Ventilate area. Extinguish any sources of ignition. Wear recommended personal protective equipment (see Section 8). Avoid contact with skin, eyes and clothing. Avoid breathing mist, vapor, dust, fume and spray. Do not walk through spilled material. Wash thoroughly after handling. Evacuate unnecessary personnel. Ventilate area. Extinguish any sources of ignition. Wear recommended personal protective equipment (see Section 8). Do not get on skin, eyes or on clothing. Avoid breathing mist, vapor, dust, fume and spray. Do not walk through spilled material. Wash thoroughly after handling. Remove contaminated clothing and launder before reuse.

#### **Environmental Precautions:**

Prevent further leakage or spillage if safe to do so. Prevent from reaching drains, sewers and waterways. Discharge into the environment must be avoided.

#### Methods and Material for Containment and Cleaning Up:

Do not touch damaged containers or spilled material unless wearing appropriate personal protective clothing. Stop leak if you can do it without risk. Contain and collect spillage and place in suitable container for future disposal. Dispose of in accordance with all applicable regulations (see Section 13).

Do not touch damaged containers or spilled material unless wearing appropriate personal protective clothing. Avoid breathing dust, mist, fumes, vapors or spray. Stop leak if you can do it without risk. Contain and collect spillage and place in suitable container for future disposal. Dispose of in accordance with all applicable regulations (see Section 13).

#### **Reference to Other Sections:**

For personal protective equipment see Section 8. For disposal see Section 13.

#### **SECTION 7: Handling and Storage**

#### Precautions for Safe Handling:

Use appropriate personal protective equipment (see Section 8). Prevent skin contact. Do not get in eyes. Use only with adequate ventilation. Do not add water to the corrosive product. If it is necessary to mix a corrosive product with water, do so slowly adding the corrosive to cold water, in small amounts, and stir frequently. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use. Keep only in original packaging. Use appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Do not get in eyes. Avoid contact with skin and clothing. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use.

Use appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Avoid contact with skin, eyes and clothing. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use.

#### Conditions for Safe Storage, Including Any Incompatibilities:

Store in cool, dry, well-ventilated location out of direct sunlight and away from exit paths. Store in a corrosion-resistant container with a resistant inner liner. Inspect containers and storage area regularly for signs of leak and damage. Store containers at a convenient height for handling, below eye level if possible. High shelving increases the risk of dropping containers, personal injury and exposure. Ensure that appropriate fire fighting and spill-clean up equipment is readily available. Keep away from food and beverages. Protect from freezing and physical damage. Store away from heat, open flames and other sources of ignition. Store separately. Keep container tightly sealed. Store away from incompatible materials (See Section 10).

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200 Initial Preparation Date: 06.20.2019

**Revision date:** 03.08.2023

## **Red Storm F/B**

Store in cool, dry, well-ventilated location out of direct sunlight. Keep away from food and beverages. Protect from freezing and physical damage. Store away from heat, open flames and other sources of ignition. Keep container tightly sealed. Store away from incompatible materials (See Section 10). Store in cool and dry location and out of direct sunlight. Store away from sources of heat or ignition. Store away from incompatible materials described in Section 10. Keep containers closed when not in use. Keep away from food and beverages. Protect from freezing and physical damage.

#### **SECTION 8: Exposure Controls/Personal Protection**

Only those substances with limit values have been included below.

#### **Occupational Exposure Limit Values:**

| Country (Legal<br>Basis) | Substance           | Identifier | Permissible concentration  |
|--------------------------|---------------------|------------|--|
| ACGIH                    | Potassium hydroxide | 1310-58-3  | Ceiling Limit: 2 mg/m <sup>3</sup>   |
|                          | Sodium hydroxide    | 1310-73-2  | Ceiling Limit: 2 mg/m <sup>3</sup>   |
|                          | 2-Butoxyethanol     | 111-76-2   | 8-Hour TWA: 20 ppm   |
|                          | Ethanol             | 64-17-5    | 15-Minute STEL: 1000 ppm   |
|                          | Ethane-1,2-diol     | 107-21-1   | 8-Hour TWA: 25 ppm (vapor<br>fraction)   |
|                          | Ethane-1,2-diol     | 107-21-1   | 15-Minute STEL: 50 ppm<br>(vapor fraction)   |
|                          | Ethane-1,2-diol     | 107-21-1   | 15-Minute STEL: 10 mg/m <sup>3</sup><br>(aerosol only, inhalable<br>fraction)  |
|                          | Ethylene oxide      | 75-21-8    | TWA: 1 ppm   |
|                          | 1,4-dioxane         | 123-91-1   | TLV-TWA: 20 ppm (8 hr)   |
|                          | Formaldehyde        | 50-00-0    | 15-Minute STEL: 0.3 ppm  |
|                          | Formaldehyde        | 50-00-0    | 8-Hour TWA: 0.1 ppm  |
|                          | Dichloroacetic acid | 79-43-6    | 8-Hour TWA: 0.5 ppm  |
|                          | Glycerol            | 56-81-5    | 8-Hour TWA: 10 mg/m <sup>3</sup><br>(Particles, insoluble or poorly<br>soluble, not otherwise<br>specified, inhalable) |
|                          | Glycerol            | 56-81-5    | 8-Hour TWA: 5 mg/m <sup>3</sup><br>(Particles, insoluble or poorly<br>soluble, not otherwise<br>specified, respirable) |
| NIOSH                    | Potassium hydroxide | 1310-58-3  | Ceiling Limit: 2 mg/m <sup>3</sup>   |
|                          | Sodium hydroxide    | 1310-73-2  | IDLH: 10 mg/m <sup>3</sup>   |
|                          | 2-Butoxyethanol     | 111-76-2   | IDLH: 700 ppm  |
|                          | 2-Butoxyethanol     | 111-76-2   | REL-TWA: 24 mg/m <sup>3</sup> (5 ppm<br>[up to 10 hr])   |
|                          | Ethanol             | 64-17-5    | REL-TWA: 1900 mg/m <sup>3</sup> (1000 ppm [up to 10 hr.])  |
|                          | Sodium hydroxide    | 1310-73-2  | Ceiling Limit: 2 mg/m <sup>3</sup>   |
|                          | Ethanol             | 64-17-5    | IDLH: 3300 ppm   |
|                          | Ethylene oxide      | 75-21-8    | IDLH: 800 ppm  |
|                          | Ethylene oxide      | 75-21-8    | Ceiling Limit: 9 mg/m <sup>3</sup> (5 ppm<br>[10-min/day])   |
|                          | Ethylene oxide      | 75-21-8    | REL: 0.18 mg/m <sup>3</sup> (0.1 ppm)  |

# According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 06.20.2019

Revision date: 03.08.2023

# Red Storm F/B

| Country (Legal<br>Basis)     | Substance                 | Identifier | Permissible concentration  |
|------------------------------|---------------------------|------------|--|
|                              | 1,4-dioxane               | 123-91-1   | Ceiling Limit: 3.6 mg/m <sup>3</sup> (1<br>ppm [30-min])           |
|                              | 1,4-dioxane               | 123-91-1   | IDLH: 500 ppm  |
|                              | Formaldehyde              | 50-00-0    | REL-TWA: 0.016 ppm (up to 10<br>hr)                                |
|                              | Formaldehyde              | 50-00-0    | Ceiling Limit: 0.1 ppm (15 min)                                    |
|                              | Formaldehyde              | 50-00-0    | IDLH: 20 ppm   |
|                              | Tetrasodium pyrophosphate | 7722-88-5  | REL-TWA: 5 mg/m³ (up to 10<br>hr)                                  |
| OSHA                         | Sodium hydroxide          | 1310-73-2  | 8-Hour TWA-PEL: 2 mg/m <sup>3</sup>                                |
|                              | 2-Butoxyethanol           | 111-76-2   | 8-Hour TWA-PEL: 240 mg/m <sup>3</sup><br>(50 ppm)                  |
|                              | Ethanol                   | 64-17-5    | 8-Hour TWA-PEL: 1900 mg/m <sup>3</sup><br>([1000 ppm])             |
|                              | Ethylene oxide            | 75-21-8    | TWA: 1 ppm   |
|                              | Ethylene oxide            | 75-21-8    | STEL: 5 ppm  |
|                              | 1,4-dioxane               | 123-91-1   | 8-Hour TWA-PEL: 360 mg/m <sup>3</sup><br>(100 ppm [Table Z-1])     |
|                              | 1,4-dioxane               | 123-91-1   | TWA: 90 mg/m³ (25 ppm<br>[Table Z-1-A])                            |
|                              | Formaldehyde              | 50-00-0    | 8-Hour TWA-PEL: 0.75 ppm   |
|                              | Formaldehyde              | 50-00-0    | 15-Minute STEL: 2 ppm  |
|                              | Formaldehyde              | 50-00-0    | 8-Hour TWA-PEL: 0.5 ppm<br>(Action level)                          |
|                              | Glycerol                  | 56-81-5    | 8-Hour TWA-PEL: 15 mg/m³<br>(Mist, total)                          |
|                              | Glycerol                  | 56-81-5    | 8-Hour TWA-PEL: 5 mg/m <sup>3</sup><br>(Mist, respirable fraction) |
|                              | Tetrasodium pyrophosphate | 7722-88-5  | 8-Hour TWA-PEL: 5 mg/m <sup>3</sup>                                |
|                              | Ethane-1,2-diol           | 107-21-1   | Ceiling Limit: 125 mg/m <sup>3</sup> (50 ppm)                      |
| United<br>States(California) | Potassium hydroxide       | 1310-58-3  | Ceiling Limit: 2 mg/m <sup>3</sup>                                 |
|                              | Sodium hydroxide          | 1310-73-2  | Ceiling Limit: 2 mg/m <sup>3</sup>                                 |
|                              | Sodium hydroxide          | 1310-73-2  | REL: 8 ug/m <sup>3</sup> (Acute<br>Inhalation)                     |
|                              | 2-Butoxyethanol           | 111-76-2   | 8-Hour TWA-PEL: 97 mg/m³<br>(20 ppm)                               |
|                              | Ethanol                   | 64-17-5    | 8-Hour TWA-PEL: 1900 mg/m <sup>3</sup><br>([1000 ppm])             |
|                              | Ethylene oxide            | 75-21-8    | STEL: 5 ppm  |
|                              | Ethylene oxide            | 75-21-8    | PEL: 2 mg/m <sup>3</sup> (1 ppm)                                   |
|                              | Ethylene oxide            | 75-21-8    | REL: 0.03 mg/m³ (Chronic inhalation)                               |
|                              | 1,4-dioxane               | 123-91-1   | 8-Hour TWA-PEL: 1 mg/m <sup>3</sup><br>(0.28 ppm)                  |
|                              | 1,4-dioxane               | 123-91-1   | REL: 3000 ug/m³ ([8 hr]; Acute inhalation)                         |
|                              | 1,4-dioxane               | 123-91-1   | REL: 3000 ug/m³ ([8 hr];<br>Chronic inhalation)                    |

### According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 06.20.2019

Revision date: 03.08.2023

#### **Red Storm F/B**

| Country (Legal<br>Basis) | Substance                 | Identifier | Permissible concentration   |
|--------------------------|---------------------------|------------|---|
|                          | Formaldehyde              | 50-00-0    | 15-Minute STEL: 2 ppm   |
|                          | Formaldehyde              | 50-00-0    | 8-Hour TWA-PEL: 0.75 ppm  |
|                          | Formaldehyde              | 50-00-0    | 8-Hour TWA: 0.5 ppm (Action<br>level)   |
|                          | Glycerol                  | 56-81-5    | 8-Hour TWA-PEL: 10 mg/m <sup>3</sup><br>(Particulates not otherwise<br>regulated, total dust)         |
|                          | Glycerol                  | 56-81-5    | 8-Hour TWA-PEL: 5 mg/m <sup>3</sup><br>(Particulates not otherwise<br>regulated, respirable fraction) |
|                          | Tetrasodium pyrophosphate | 7722-88-5  | 8-Hour TWA-PEL: 5 mg/m <sup>3</sup>   |
|                          | Ethane-1,2-diol           | 107-21-1   | Ceiling Limit: 100 mg/m <sup>3</sup> (40 ppm)   |
|                          | Ethane-1,2-diol           | 107-21-1   | REL: 400 ug/m <sup>3</sup> (Chronic<br>Inhalation)  |

#### **Biological Limit Values:**

| Country (Legal Basis) | Substance       | ldentifi<br>er | Determinant                            | Specimen               | Sampling<br>time | Permissible<br>limits |
|-----------------------|-----------------|----------------|--|------------------------|------------------|-----------------------|
| ACGIH                 | 2-Butoxyethanol | 111-76-<br>2   | Butoxyacetic acid<br>(with hydrolysis) | Creatinine in<br>Urine | End of shift     | 200 mg/g              |
|                       | Ethylene oxide  | 75-21-8        |  | Hemoglobin<br>adducts  | Not critical     | 5000 pmol/g           |
|                       | Ethylene oxide  | 75-21-8        | · · ·                                  | Creatinine in<br>urine | End of shift     | 5 μg/g                |

### Information on Monitoring Procedures:

Not determined or not applicable.

### **Appropriate Engineering Controls:**

Emergency eye wash stations and safety showers should be available in the immediate vicinity of use or handling. Provide adequate ventilation to maintain the airborne concentrations of vapor, mists, and/or dusts below the applicable workplace exposure limits, while observing recognized national standards (or equivalent).

### **Personal Protection Equipment**

#### **Eye and Face Protection:**

Use safety glasses with side shields or goggles. Consider the use of a face shield for splash protection. Use eye protection equipment that has been tested and approved by recognized national standards (or equivalent).

Safety glasses or goggles. Use eye protection equipment that has been tested and approved by recognized national standards (or equivalent).

#### **Skin and Body Protection:**

Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected prior to use. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. Avoid skin

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200 Initial Preparation Date: 06.20.2019

**Revision date:** 03.08.2023

#### **Red Storm F/B**

contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. Full body protection should be worn. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).

Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected prior to use. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).

#### **Respiratory Protection:**

If engineering controls do not maintain airborne concentrations below the applicable workplace exposure limits, or to an acceptable level (if exposure limits have not been established), a respirator approved by recognized national standards (or equivalent) must be worn.

If engineering controls do not maintain airborne concentrations below the applicable workplace exposure limits, or to an acceptable level (if exposure limits have not been established), a respirator approved by recognized national standards (or equivalent) must be worn. Use a positive pressure air supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air purifying respirators may not provide adequate protection.

#### **General Hygienic Measures:**

When handling chemical products, do not eat, drink or smoke. Wash hands after handling, before breaks, and at the end of the workday. Avoid contact with skin, eyes and clothing. Wash contaminated clothing before reuse. Perform routine housekeeping.

### **SECTION 9: Physical and Chemical Properties**

#### Information on Basic Physical and Chemical Properties

| Appearance                              | Liquid                           |
|---|----------------------------------|
| Odor                                    | Std.                             |
| Odor threshold                          | Not determined or not available. |
| рН                                      | 14                               |
| Melting point/freezing point            | Not determined or not available. |
| Initial boiling point/range             | Not determined or not available. |
| Flash point (closed cup)                | Not determined or not available. |
| Evaporation rate                        | Not determined or not available. |
| Flammability (solid, gas)               | Not determined or not available. |
| Upper flammability/explosive limit      | Not determined or not available. |
| Lower flammability/explosive limit      | Not determined or not available. |
| Vapor pressure                          | Not determined or not available. |
| Vapor density                           | Not determined or not available. |
| Density                                 | Not determined or not available. |
| Relative density                        | Not determined or not available. |
| Solubilities                            | Not determined or not available. |
| Partition coefficient (n-octanol/water) | Not determined or not available. |
| Auto/Self-ignition temperature          | Not determined or not available. |

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 06.20.2019

**Revision date:** 03.08.2023

**Red Storm F/B** 

| Decomposition temperature | Not determined or not available. |
|---------------------------|----------------------------------|
| Dynamic viscosity         | Not determined or not available. |
| Kinematic viscosity       | Not determined or not available. |
| Explosive properties      | Not determined or not available. |
| Oxidizing properties      | Not determined or not available. |

### **SECTION 10: Stability and Reactivity**

#### Reactivity:

Not reactive under recommended handling and storage conditions.

#### **Chemical Stability:**

Stable under recommended handling and storage conditions.

#### Possibility of Hazardous Reactions:

Hazardous reactions are not anticipated under recommended conditions of handling and storage.

### **Conditions to Avoid:**

Avoid generation of aerosols and mists, extreme heat, open flames, hot surfaces, sparks, ignition sources and incompatible materials.

Extreme heat, open flames, hot surfaces, sparks, ignition sources and incompatible materials.

## Incompatible Materials:

None known.

#### **Hazardous Decomposition Products:**

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

#### **SECTION 11: Toxicological Information**

#### **Acute Toxicity**

Assessment: Based on available data, the classification criteria are not met.

### Product Data: No data available.

| Name                        | Route          | Result                                     |
|-----------------------------|----------------|--|
| Potassium hydroxide         | oral           | LD50 Rat: 333 mg/kg                        |
| Trisodium nitrilotriacetate | oral           | LD50 Rat: 1100 mg/kg                       |
|                             | dermal         | LD50 Rabbit: >2000 mg/kg                   |
|                             | inhalation     | LC50 Rat: >5 mg/L (4 hr - Aerosol)         |
| 2-Butoxyethanol             | dermal         | LD50 Rabbit: 1060 mg/kg                    |
|                             | Oral ATE       | LD50 Rat: 1200 mg/kg (Annex VI to the CLP) |
|                             | oral           | LD50 Rat: 470 mg/kg                        |
|                             | Inhalation ATE | LC50 Rat: 11 mg/L (4 hr [Vapor])           |
| Ethanol                     | oral           | LD50 Rat: 10,470 mg/kg                     |
|                             | inhalation     | LC50 Rat: 116.9 mg/L (4 hr [vapor])        |
|                             | dermal         | LD50 Rabbit: 17,100 mg/kg                  |
| D-Glucopyranose, oligomers, | oral           | LD50 Rat: > 2000 mg/kg                     |
| decyl octyl glycosides      | dermal         | LD50 Rabbit: > 2000 mg/kg                  |
| Sodium hydroxide            | oral           | LD50 Rat: 140-340 mg/kg                    |
|                             | dermal         | LD50 Rabbit: 1350 mg/kg                    |

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 06.20.2019

**Revision date:** 03.08.2023

# **Red Storm F/B**

| Name  | Route          | Result  |
|---|----------------|---|
| Tetrasodium pyrophosphate                                     | oral           | LD50 Rat: 300 - 2000 mg/kg  |
|   | dermal         | LD50 Rabbit: >2000 mg/kg  |
|   | inhalation     | LC50 Rat: >0.58 mg/L (4 hr - Dust)                                      |
| 2-dodecoxyethyl hydrogen<br>sulfate                           | oral           | LD50 Rat: 1600 mg/kg  |
| Alcohols, C12-15, ethoxylated                                 | oral           | LD50 Rat: > 5000 mg/kg  |
|   | dermal         | LD50 Rat: > 2000 mg/kg  |
| 1-Propanaminium, 3-amino-N-<br>(carboxymethyl)-N,N-dimethyl-, |                | LD50 Rat: 4900 mg/kg  |
| N-coco acyl derivs., hydroxides,<br>inner salts               | dermal         | LD50 Rat: > 2000 mg/kg  |
| Sodium sulphate   | oral           | LD50 Rat: > 2000 mg/kg  |
|   | inhalation     | LC50 Rat: > 2.4 mg/L (4 hr - Dust)                                      |
| Ethane-1,2-diol   | dermal         | LD50 Mouse: > 3500 mg/kg  |
|   | Oral ATE       | LD50 Rat: 500 mg/kg (Converted acute toxicity point estimate)           |
| Ethylene oxide  | Inhalation ATE | LC50 Rat: 700 ppmV ((Gases))  |
|   | Oral ATE       | LD50 Rat: 100 mg/kg   |
| 1,4-dioxane   | oral           | LD50 Rat: 5150 mg/kg  |
|   | dermal         | LD50 Rabbit: 7600 mg/kg   |
|   | inhalation     | LC50 Rat: 9158 ppmV (4 hr [vapor])                                      |
| Formaldehyde  | oral           | LD50 Rat: 100 mg/kg   |
|   | inhalation     | LC50 Rat: <463 ppmV (4 hr (vapor))                                      |
|   | dermal         | LD50 Rabbit: 270 mg/kg  |
| Dichloroacetic acid   | dermal         | LD50 Rabbit: 797 mg/kg  |
|   | oral           | LD50 Rat: 2820 mg/kg  |
| Sodium Xylenesulfonate  | dermal         | LD50 Rabbit: >= 2000 mg/kg  |
|   | oral           | LD50 Rat: >= 3346 mg/kg   |
| Glycerol  | oral           | LD50 Rat: 27,200 mg/kg  |
|   | dermal         | LD50 Guinea Pig: 56,750 mg/kg   |
|   | inhalation     | LC50 Rat: > 5850 mg/m <sup>3</sup> (4 hr [Aerosol])                     |
| Pentasodium triphosphate                                      | oral           | LD50 Rat: >2000 mg/kg   |
|   | dermal         | LD50 Rabbit: > 4640 mg/kg   |
|   | inhalation     | LC50 Rat: 0.39 mg/L (4 hr - Aerosol [highest achievable concentration]) |

### **Skin Corrosion/Irritation**

### Assessment:

Causes severe skin burns and eye damage.

#### Product Data:

No data available.

| Name                | Result                    |
|---------------------|---------------------------|
| Potassium hydroxide | Causes severe skin burns. |

# According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 06.20.2019

Revision date: 03.08.2023

# **Red Storm F/B**

| Name   | Result                    |
|--|---------------------------|
| Sodium hydroxide   | Causes severe skin burns. |
| Pentasodium triphosphate   | Causes skin irritation.   |
| 2-Butoxyethanol  | Causes skin irritation.   |
| 2-dodecoxyethyl hydrogen sulfate   | Causes skin irritation.   |
| 1-Propanaminium, 3-amino-N-<br>(carboxymethyl)-N,N-dimethyl-,<br>N-coco acyl derivs., hydroxides,<br>inner salts |                           |
| Alcohols, C12-15, ethoxylated  | Causes skin irritation.   |
| Ethylene oxide   | Causes severe skin burns. |
| Formaldehyde   | Causes severe skin burns. |
| Dichloroacetic acid  | Causes severe skin burns. |

# Serious Eye Damage/Irritation

## Assessment:

Causes serious eye damage.

# Product Data:

No data available.

# Substance Data:

| Name   | Result                         |
|--|--------------------------------|
| Potassium hydroxide  | Causes serious eye damage.     |
| D-Glucopyranose, oligomers,<br>decyl octyl glycosides  | Causes serious eye damage.     |
| Sodium hydroxide   | Causes serious eye damage.     |
| Pentasodium triphosphate   | Causes serious eye irritation. |
| Tetrasodium pyrophosphate  | Causes serious eye damage.     |
| Trisodium nitrilotriacetate  | Causes serious eye irritation. |
| 2-Butoxyethanol  | Causes serious eye irritation. |
| 2-dodecoxyethyl hydrogen<br>sulfate  | Causes serious eye irritation. |
| 1-Propanaminium, 3-amino-N-<br>(carboxymethyl)-N,N-dimethyl-,<br>N-coco acyl derivs., hydroxides,<br>inner salts | Causes serious eye irritation. |
| Sodium Xylenesulfonate   | Causes serious eye irritation. |
| Ethanol  | Causes serious eye irritation. |
| Alcohols, C12-15, ethoxylated  | Causes serious eye damage.     |
| Ethylene oxide   | Causes serious eye damage.     |
| 1,4-dioxane  | Causes serious eye irritation. |
| Formaldehyde   | Causes serious eye damage.     |
| Dichloroacetic acid  | Causes serious eye damage.     |

# **Respiratory or Skin Sensitization**

Assessment: Based on available data, the classification criteria are not met.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 06.20.2019

**Revision date:** 03.08.2023

# **Red Storm F/B**

# **Product Data:**

No data available.

### Substance Data:

| Name         | Result                               |
|--------------|--------------------------------------|
| Formaldehyde | May cause an allergic skin reaction. |

# Carcinogenicity

# Assessment:

Suspected of causing cancer.

Product Data: No data available.

#### Substance Data:

| Name S                      | Species | Result  |
|-----------------------------|---------|---|
| Ethylene oxide              |         | May cause cancer.   |
| 1,4-dioxane                 |         | May cause cancer. This substance is characterized as "likely to<br>be carcinogenic to humans." This characterization is based on<br>the following findings: (1) inadequate evidence of carcinogenicity<br>in humans, and (2) sufficient evidence in animals (i.e., hepatic<br>tumors in multiple species [three strains of rats, two strains of<br>mouse, and in guinea pigs] mesotheliomas of the peritoneum,<br>mammary, and nasal tumors have also been observed in rats<br>following 2 years of oral exposure to this substance). U.S.<br>Environmental Protection Agency's Integrated Risk Information<br>System (IRIS). |
| Formaldehyde                |         | May cause cancer.   |
| Trisodium nitrilotriacetate |         | Suspected of causing cancer.  |

# International Agency for Research on Cancer (IARC):

| Name   | Classification |
|--|----------------|
| Ethanol  | Not Applicable |
| Potassium hydroxide  | Not Applicable |
| D-Glucopyranose, oligomers,<br>decyl octyl glycosides  | Not Applicable |
| Sodium hydroxide   | Not Applicable |
| 2-dodecoxyethyl hydrogen<br>sulfate  | Not Applicable |
| Alcohols, C12-15, ethoxylated  | Not Applicable |
| 1-Propanaminium, 3-amino-N-<br>(carboxymethyl)-N,N-dimethyl-,<br>N-coco acyl derivs., hydroxides,<br>inner salts |                |
| Sodium sulphate  | Not Applicable |
| Ethane-1,2-diol  | Not Applicable |
|  | Not Applicable |
| Ethylene oxide   | Group 1        |
| 1,4-dioxane  | Group 2B       |
| Formaldehyde   | Group 1        |
| Dichloroacetic acid  | Group 2B       |

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200 Initial Preparation Date: 06.20.2019

Revision date: 03.08.2023

# **Red Storm F/B**

| Name                        | Classification |
|-----------------------------|----------------|
| Sodium Xylenesulfonate      | Not Applicable |
| Glycerol                    | Not Applicable |
| Trisodium nitrilotriacetate | Group 2B       |
| Pentasodium triphosphate    | Not Applicable |
| 2-Butoxyethanol             | Group 3        |
| Tetrasodium pyrophosphate   | Not Applicable |

### National Toxicology Program (NTP):

| Name   | Classification                                 |
|--|--|
| Potassium hydroxide  | Not Applicable                                 |
| D-Glucopyranose, oligomers,<br>decyl octyl glycosides  | Not Applicable                                 |
| Sodium hydroxide   | Not Applicable                                 |
| Ethanol  | Not Applicable                                 |
| 2-dodecoxyethyl hydrogen<br>sulfate  | Not Applicable                                 |
| Alcohols, C12-15, ethoxylated  | Not Applicable                                 |
| 1-Propanaminium, 3-amino-N-<br>(carboxymethyl)-N,N-dimethyl-,<br>N-coco acyl derivs., hydroxides,<br>inner salts | Not Applicable                                 |
| Sodium sulphate  | Not Applicable                                 |
| Ethane-1,2-diol  | Not Applicable                                 |
|  | Not Applicable                                 |
| Ethylene oxide   | Known to be human carcinogens                  |
| 1,4-dioxane  | Reasonably anticipated to be human carcinogens |
| Formaldehyde   | Known to be human carcinogens                  |
| Dichloroacetic acid  | Reasonably anticipated to be human carcinogens |
| Sodium Xylenesulfonate   | Not Applicable                                 |
| Glycerol   | Not Applicable                                 |
| Trisodium nitrilotriacetate  | Not Applicable                                 |
| Pentasodium triphosphate   | Not Applicable                                 |
| 2-Butoxyethanol  | Not Applicable                                 |
| Tetrasodium pyrophosphate  | Not Applicable                                 |

#### **OSHA Carcinogens:**

| Ingredient Name | CAS     | OSHA Carcinogens Status |
|-----------------|---------|-------------------------|
| Formaldehyde    | 50-00-0 | Yes                     |

### Germ Cell Mutagenicity

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

# According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 06.20.2019

**Revision date:** 03.08.2023

#### **Red Storm F/B**

| Name           | Result                                |
|----------------|---------------------------------------|
| Ethylene oxide | May cause genetic defects.            |
| Formaldehyde   | Suspected of causing genetic defects. |

### Reproductive Toxicity

Assessment: Based on available data, the classification criteria are not met.

#### Product Data:

No data available.

### Substance Data:

| Name           | Result  |
|----------------|---|
| Ethylene oxide | May damage fertility. Suspected of damaging the unborn child. |

#### Specific Target Organ Toxicity (Single Exposure)

**Assessment:** Based on available data, the classification criteria are not met.

#### **Product Data:**

No data available.

Substance Data:

| Name                     | Result                             |
|--------------------------|------------------------------------|
| Pentasodium triphosphate | May cause respiratory irritation.  |
| Ethylene oxide           | May cause respiratory irritation.  |
|                          | May cause drowsiness or dizziness. |
| 1,4-dioxane              | May cause respiratory irritation.  |
| Formaldehyde             | May cause respiratory irritation.  |

### Specific Target Organ Toxicity (Repeated Exposure)

#### Assessment:

May cause damage to organs through prolonged or repeated exposure.

#### **Product Data:**

#### No data available.

### Substance Data:

| Name | Result  |
|------|---|
|      | May cause damage to Kidneys through prolonged or repeated Oral exposure.  |
|      | Studies on the effects of Ethylene oxide have concluded not only<br>neurotoxic symptoms in humans, but also measured effects on nerve<br>conduction velocities indicative of sensorimotor neuropathy, and axonal<br>degeneration observed in nerve biopsies of exposed workers. |

### Aspiration toxicity

Assessment: Based on available data, the classification criteria are not met.

#### Product Data:

No data available.

Substance Data: No data available.

#### Information on Likely Routes of Exposure:

No data available.

# Symptoms Related to the Physical, Chemical, and Toxicological Characteristics:

No data available.

#### **Other Information:**

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 06.20.2019

Revision date: 03.08.2023

# **Red Storm F/B**

No data available.

# **SECTION 12: Ecological Information**

### Acute (Short-Term) Toxicity

**Assessment:** Based on available data, the classification criteria are not met. **Product Data:** No data available.

| Name  | Result   |
|---|--|
| 2-Butoxyethanol   | Aquatic Invertebrates EC50 Daphnia magna: 1550 mg/L (48 hr [mobility])                           |
|   | Fish LC50 Oncorhynchus mykiss: 1474 mg/L (96 hr)   |
|   | Aquatic Plants EC50 Freshwater algae: 1840 mg/L (72 hr [growth rate])                            |
| D-Glucopyranose, oligomers,                                   | Fish LC50 Danio rerio: 100.81 mg/L (96 hr)   |
| decyl octyl glycosides  | Aquatic Invertebrates EC50 Acartia tonsa: 31.62 mg/L (48 hr)                                     |
|   | Aquatic Plants EC50 Desmodesmus subspicatus: 27.22 mg/L (72 hr)                                  |
| Sodium hydroxide  | Fish LC50 Gambusia affinis: 125 mg/L (96 hr)   |
|   | Aquatic Invertebrates EC50 Ceriodaphnia sp.: 40.4 mg/L (48 hr<br>[immobilization])               |
| Ethanol   | Fish LC50 Pimephales promelas: 15,300 mg/L (96 hr)   |
|   | Aquatic Invertebrates LC50 Ceriodaphnia dubia: 5012 mg/L (48 hr)                                 |
|   | Aquatic Plants EC50 Chlorella vulgaris: 275 mg/L (72 hr [growth rate])                           |
|   | Bacteria LC50 Paramaecium caudatum: 5,800 mg/L (4 hr)  |
| Alcohols, C12-15, ethoxylated                                 | Aquatic Invertebrates EC50 Daphnia magna: 0.14 mg/L (48 hr)                                      |
|   | Aquatic Plants EC50 Pseudokirchneriella subcapitata: 0.75 mg/L (72 hr)                           |
| 1-Propanaminium, 3-amino-N-<br>(carboxymethyl)-N,N-dimethyl-, | Fish LC50 Danio rerio: 2 mg/L (96 hr)  |
| N-coco acyl derivs., hydroxides,<br>inner salts               | Aquatic Invertebrates EC50 Daphnia magna: 6.4 mg/L (48 hr [mobility])                            |
| Sodium sulphate   | Fish LC50 Pimephales promelas: 7960 mg/L (96 hr)   |
|   | Aquatic Invertebrates LC50 Daphnia magna: 1766 mg/L (48 hr)                                      |
| Ethane-1,2-diol   | Aquatic Plants EC50 Raphidocelis subcapitata: 6500 - 13,000 mg/L (96 hr<br>[growth rate])        |
|   | Aquatic Invertebrates EC50 Daphnia magna: > 100 mg/L (48 hr)                                     |
|   | Fish LC50 Pimephales promelas: 72,860 mg/L (96 hr)   |
| Ethylene oxide  | Aquatic Plants EC50 Pseudokirchneriella subcapitata: 240 mg/L (96 h, read-across substance data) |
|   | Aquatic Invertebrates LC50 Daphnia magna: 212 mg/L (48 h)  |
|   | Fish LC50 Pimephales promelas: 84 mg/L (96 h)  |
| 1,4-dioxane   | Fish LC50 Pimephales promelas: 9850 mg/L (96 hr)   |
|   | Aquatic Invertebrates EC50 Daphnia magna: >1000 mg/L (48 hr)                                     |
|   | Aquatic Plants EC50 Pseudokirchneriella subcapitata: >1000 mg/L (72 hr)                          |
| Dichloroacetic acid   | Aquatic Invertebrates EC50 Daphnia magna: 106 mg/L (24 hr)                                       |
|   | Fish LC50 Marine water fish: >2000 mg/L (96 hr)  |
|   | Aquatic Plants EC50 Marine water algae: 148.2 mg/L (72 hr)                                       |

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 06.20.2019

**Revision date:** 03.08.2023

## **Red Storm F/B**

| Name                        | Result  |
|-----------------------------|---|
| Sodium Xylenesulfonate      | Aquatic Plants EC50 Selenastrum capricornutum: >=758 mg/L (96 hr<br>[growth rate; read-across]) |
|                             | Fish LC50 Oncorhynchus mykiss: >=1580 mg/L (96 hr [read-across])                                |
|                             | Aquatic Invertebrates EC50 Daphnia magna: >1020 mg/L (48 hr [mobility; read-across])            |
| Tetrasodium pyrophosphate   | Aquatic Plants EC50 Desmodesmus subspicatus: >100 mg/L (72 hr [growth rate])                    |
|                             | Fish LC50 Oncorhynchus mykiss: >100 mg/L (96 hr)  |
|                             | Aquatic Invertebrates EC50 Daphnla magna: >100 mg/L (48 hr<br>[Immobilization])                 |
| Glycerol                    | Fish LC50 Pimephales promelas: 885 mg/L (96 hr)   |
|                             | Aquatic Invertebrates LC50 Daphnia magna: 1955 mg/L (48 hr)                                     |
| Trisodium nitrilotriacetate | Fish LC50 Pimephales promelas: 114 mg/L (96 hr)   |
|                             | Aquatic Plants EC50 Desmodesmus subspicatus: >100 mg/L (72 hr [growth rate])                    |
|                             | Aquatic Invertebrates EC50 Daphnia magna: 560 mg/L (96 hr [mortality])                          |
| Pentasodium triphosphate    | Fish LC50 Oryzias latipes: >1000 mg/L (48 hr)   |
|                             | Aquatic Invertebrates EC50 Daphnia magna: >100 mg/L (48 hr)                                     |

# Chronic (Long-Term) Toxicity

**Assessment:** Based on available data, the classification criteria are not met.

## Product Data: No data available.

| Name   | Result  |
|--|---|
| Alcohols, C12-15, ethoxylated  | Fish NOEC Fathead minnow: 0.16 mg/L (10 days)   |
|  | Aquatic Invertebrates NOEC Daphnia magna: 0.77 mg/L (21 days)                         |
| D-Glucopyranose, oligomers,  | Fish NOEC Danio rerio: 1 mg/L (28 d [read-across])                                    |
| decyl octyl glycosides   | Aquatic Invertebrates NOEC Daphnia magna: 1 mg/L (21 d [read-across])                 |
| 2-Butoxyethanol  | Fish LC50 Poecilia reticulata: 983 mg/L (7 d)   |
|  | Aquatic Invertebrates EC50 Daphnia magna: 297 mg/L (21 d<br>[reproduction])           |
| 1-Propanaminium, 3-amino-N-<br>(carboxymethyl)-N,N-dimethyl-,<br>N-coco acyl derivs., hydroxides,<br>inner salts |   |
| Sodium sulphate  | Aquatic Invertebrates EC50 Ceriodaphnia dubia: 1698 mg/L (7 d<br>[reproduction])      |
| Ethane-1,2-diol  | Fish NOEC Menidia peninsulae: > 40 mg/L (28 d [mortality])                            |
|  | Aquatic Invertebrates NOEC Daphnia magna: > 15,000 mg/L mg/L (21 d<br>[reproduction]) |
| 1,4-dioxane  | Aquatic Plants NOEC Pseudokirchneriella subcapitata: 580 mg/L (72 hr)                 |
|  | Fish NOEC Pimephales promelas: 145 mg/L (32 d)  |
|  | Aquatic Invertebrates NOEC Daphnia magna: 1000 mg/L (21 d)                            |
| Glycerol   | Aquatic Plants EC50 Freshwater algae: 2900 mg/L (8 d)                                 |
| Trisodium nitrilotriacetate  | Aquatic Invertebrates LC50 Pagurus longicarpus: 1875 mg/L (7 d)                       |

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 06.20.2019

**Revision date:** 03.08.2023

# **Red Storm F/B**

| Name                     | Result  |
|--------------------------|---|
| Pentasodium triphosphate | Aquatic Plants EC50 Skeletonema costatum: >900 mg/L (7 d [growth rate])     |
|                          | Aquatic Invertebrates NOEC Daphnia Magna: 9.6 mg/L (10 d<br>[reproduction]) |

# Persistence and Degradability

# Product Data: No data available.

| Substance | Data: |
|-----------|-------|
|-----------|-------|

| Name   | Result  |
|--|---|
| D-Glucopyranose, oligomers,<br>decyl octyl glycosides  | Readily biodegradable in water (100% degradation [DOC removal] after 28 days).                          |
| Ethanol  | This substance is readily biodegradable in water (84% degradation after 20 days, O2 consumption).       |
| Alcohols, C12-15, ethoxylated  | Readily biodegradable (61% degradation after 28 days).  |
| 1-Propanaminium, 3-amino-N-<br>(carboxymethyl)-N,N-dimethyl-,<br>N-coco acyl derivs., hydroxides,<br>inner salts | Readily biodegradable in water (50% degradation after 1 day; >90% degradation after 5 days).            |
| Potassium hydroxide  | The study on degradability does not need to be conducted as the substance is inorganic.                 |
| 2-Butoxyethanol  | Readily biodegradable (90.4% degradation after 28 days, measured by CO2 evolution).                     |
| Ethane-1,2-diol  | Substance is readily biodegradable (90-100% degradation after 10 days in water by DOC removal).         |
| Ethylene oxide   | Readily biodegradable (96% degradation after 28 days, measured by TOC removal).                         |
| 1,4-dioxane  | Not readily biodegradable (< 10 % degradation after 29 days).   |
| Formaldehyde   | Readily biodegradable (99% degradation after 28 days).  |
| Dichloroacetic acid  | This substance is readily biodegradable.  |
| Sodium hydroxide   | Persistence and degradability studies do not apply to inorganic substances.                             |
| Sodium Xylenesulfonate   | The substance is readily biodegradable. 83 - 85% degradation, measured by CO2 evolution, after 28 days. |
| Glycerol   | The substance is readily biodegradable. 94% degradation, measured by DOC removal, after 28 days.        |
| Trisodium nitrilotriacetate  | Substance is readily biodegradable. >95% degradation in water, measured by DOC removal, after 28 days.  |
| Pentasodium triphosphate   | Biodegradation studies are not applicable to inorganic substances.                                      |
| Tetrasodium pyrophosphate  | Biodegradation studies are not applicable to inorganic substances.                                      |

# **Bioaccumulative Potential**

# Product Data: No data available.

| Name   | Result  |
|--|---|
| Ethanol  | Accumulation in organisms is not to be expected (estimated BCF: 3). |
| 1-Propanaminium, 3-amino-N-<br>(carboxymethyl)-N,N-dimethyl-,<br>N-coco acyl derivs., hydroxides,<br>inner salts |   |

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200 Initial Preparation Date: 06.20.2019

**Revision date:** 03.08.2023

# Red Storm F/B

| Name                        | Result  |  |
|-----------------------------|---|--|
| Potassium hydroxide         | Not expected to bioaccumulate, as it completely dissociates in water.   |  |
| 2-Butoxyethanol             | Not expected to bioaccumulate (log Kow $= 0.83$ ).  |  |
| Sodium sulphate             | This substance is not expected to bioaccumulate. It dissociates in water<br>and the sulfate ion is easily reduced in the sulfur cycle.  |  |
| Ethane-1,2-diol             | Bioaccumulation in organisms is not to be expected (log Kow: -1.36).  |  |
| Ethylene oxide              | Low potential for bioaccumulation ( $logKow = -0.3$ ).  |  |
| 1,4-dioxane                 | Does not accumulate in aquatic organisms (mean BCF: 0.45).  |  |
| Formaldehyde                | Accumulation in aquatic organisms is not to be expected.  |  |
| Dichloroacetic acid         | This substance has low potential for bioaccumulation.   |  |
| Sodium hydroxide            | Bioaccumulation is not expected based on the substance's high water<br>solubility. In addition, sodium is a naturally-occurring element that is<br>prevalent in the environment and to which organisms are exposed<br>regularly, for which they have some capacity to regulate the concentration<br>in the organism.  |  |
| Glycerol                    | The substance is not expected to bioaccumulate (log Kow = $-1.76$ ).  |  |
| Trisodium nitrilotriacetate | Bioaccumulation is not expected. BCF (aquatic species): 3 L/kg ww   |  |
| Pentasodium triphosphate    | This substance hydrolysed to orthophosphate in aqueous and biological<br>systems. The degradation products of sodium tripolyphosphate are<br>essential nutrients (food element) for plants, and stimulate the growth of<br>water plants (macrophytes) and/or algae (phytoplankton). The potential for<br>bioaccumulation is therefore considered to be minimal.   |  |
| Tetrasodium pyrophosphate   | Tetrasodium pyrophosphate is hydrolysed to orthophosphate and sodium<br>ions in aqueous and biological systems. The degradation products of<br>tetrasodium pyrophosphate are essential nutrients (food elements) for<br>plants, and stimulate the growth of water plants (macrophytes) and/or<br>algae (phytoplankton) and are ubiquitous in the environment. The<br>potential for bioaccumulation is therefore considered to be minimal. |  |

# Mobility in Soil

**Product Data:** No data available.

| Name  | Result   |
|---|--|
| Ethanol   | This substance is highly mobile; therefore, adsorption to soil is not expected (log Koc: 0.2).   |
|   | Substance is mobile to moderately mobile (experimental log Koc: 1.812 dimensionless; calculated Koc: 648 L/kg); therefore, moderate adsorption to soil can be expected.                          |
| Potassium hydroxide                                   | Low potential for adsorption. If emitted to surface water, sorption to sediment will be negligible.  |
| D-Glucopyranose, oligomers,<br>decyl octyl glycosides | Substance is expected to be mobile (log Koc: 1.7); therefore, adsorption to soil is not expected.  |
| Sodium hydroxide                                      | The substance has a high water solubility. As the dilution of the substance increases, its speed of movement through soil increases. During movement through soil, some ion exchange will occur. |
| Sodium sulphate                                       | This substance is not expected to adsorb onto soil or sediment. It dissociates in water and the sulfate ion is easily reduced in the sulfur cycle.   |

# According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 06.20.2019

**Revision date:** 03.08.2023

# **Red Storm F/B**

| Name                        | Result   |  |
|-----------------------------|--|--|
| Ethane-1,2-diol             | Adsorption to the solid soil phase is not expected.  |  |
| 1,4-dioxane                 | Significant adsorption to solid soil phase is not expected (calculated log Koc: 0.51 at 25 °C).  |  |
| Formaldehyde                | Adsorption to solid soil phase is possible.  |  |
| Dichloroacetic acid         | This substance will not adsorb at all to soils or sediments should these environmental compartments be exposed to it.  |  |
| Glycerol                    | Given that this substance is a common biochemical present in most if no<br>all species, there is no reason to believe that it wouldn't be rapidly<br>degraded in soil. |  |
| Trisodium nitrilotriacetate | The substance has a low potential for adsorption to soil and sediment. log Kp (sediment-water): 1.6 L/kg   |  |
| Pentasodium triphosphate    | The substance has a high potential for adsorption to soil and sediment.  |  |

# **Results of PBT and vPvB assessment**

# **Product Data:**

**PBT assessment:** This product does not contain any substances that are assessed to be a PBT. **vPvB assessment:** This product does not contain any substances that are assessed to be a vPvB.

# Substance Data:

# **PBT** assessment:

| Potassium hydroxide   | The substance is not PBT.                              |  |
|---|--|--|
| D-Glucopyranose, oligomers,<br>decyl octyl glycosides   | Substance is not PBT.                                  |  |
| Trisodium nitrilotriacetate   | The substance is not PBT.                              |  |
| Alcohols, C12-15, ethoxylated   | The substance is not PBT.                              |  |
| 1-Propanaminium, 3-amino-N-<br>(carboxymethyl)-N,N-<br>dimethyl-, N-coco acyl derivs.,<br>hydroxides, inner salts | The substance is not PBT.                              |  |
| Sodium sulphate   | PBT assessment does not apply to inorganic substances. |  |
| 2-Butoxyethanol   | The substance is not PBT.                              |  |
| Ethanol   | This substance is not PBT.                             |  |
| Ethane-1,2-diol   | The substance is not PBT.                              |  |
| Ethylene oxide  | This substance is not PBT.                             |  |
| 1,4-dioxane   | This substance is not PBT.                             |  |
| Formaldehyde  | Not a PBT substance.                                   |  |
| Dichloroacetic acid   | This substance is not PBT.                             |  |
| Sodium hydroxide  | PBT assessment does not apply to inorganic substances. |  |
| Sodium Xylenesulfonate  | The substance is not PBT.                              |  |
| Tetrasodium pyrophosphate   | PBT Assessment does not apply to inorganic substances. |  |
| Glycerol  | The substance is not PBT.                              |  |
| Pentasodium triphosphate  | PBT assessment does not apply to inorganic substances. |  |
| vPvB assessment:  |  |  |
| Potassium hydroxide   | The substance is not vPvB.                             |  |
| D-Glucopyranose, oligomers,<br>decyl octyl glycosides   | Substance is not vPvB.                                 |  |

# According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 06.20.2019

Revision date: 03.08.2023

# **Red Storm F/B**

| Trisodium nitrilotriacetate   | The substance is not vPvB.                              |
|---|---|
| Alcohols, C12-15, ethoxylated   | The substance is not vPvB.                              |
| 1-Propanaminium, 3-amino-N-<br>(carboxymethyl)-N,N-<br>dimethyl-, N-coco acyl derivs.,<br>hydroxides, inner salts | The substance is not vPvB.                              |
| Sodium sulphate   | vPvB assessment does not apply to inorganic substances. |
| 2-Butoxyethanol   | The substance is not vPvB.                              |
| Ethanol   | This substance is not vPvB.                             |
| Ethane-1,2-diol   | The substance is not vPvB.                              |
| Ethylene oxide  | This substance is not vPvB.                             |
| 1,4-dioxane   | This substance is not vPvB.                             |
| Formaldehyde  | Not a vPvB substance.                                   |
| Dichloroacetic acid   | This substance is not vPvB.                             |
| Sodium hydroxide  | vPvB assessment does not apply to inorganic substances. |
| Sodium Xylenesulfonate  | The substance is not vPvB.                              |
| Tetrasodium pyrophosphate   | vPvB Assessment does not apply to inorganic substances. |
| Glycerol  | The substance is not vPvB.                              |
| Pentasodium triphosphate  | vPvB assessment does not apply to inorganic substances. |

Other Adverse Effects: No data available.

# SECTION 13: Disposal Considerations

#### **Disposal Methods:**

It is the responsibility of the waste generator to characterize all waste materials according to applicable regulatory entities.

#### **Contaminated packages:**

Not determined or not applicable.

#### **SECTION 14: Transport Information**

#### United States Transportation of Dangerous Goods (49 CFR DOT)

| UN Number                     | 1760  |
|-------------------------------|---|
| UN Proper Shipping Name       | CORROSIVE LIQUID, N.O.S. POTASSIUM HYDROXIDE, SODIUM<br>HYDROXIDE |
| UN Transport Hazard Class(es) | 8   |
| Packing Group                 | 11  |
| Environmental Hazards         | None  |
| Special Precautions for User  | None  |

### International Maritime Dangerous Goods (IMDG)

| UN Number                     | Not regulated |
|-------------------------------|---------------|
| UN Proper Shipping Name       | Not regulated |
| UN Transport Hazard Class(es) | None          |

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

**Revision date:** 03.08.2023

#### **Red Storm F/B**

| Packing Group                | None |
|------------------------------|------|
| Environmental Hazards        | None |
| Special Precautions for User | None |

### International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

| UN Number                     | Not regulated |
|-------------------------------|---------------|
| UN Proper Shipping Name       | Not regulated |
| UN Transport Hazard Class(es) | None          |
| Packing Group                 | None          |
| Environmental Hazards         | None          |
| Special Precautions for User  | None          |

#### SECTION 15: Regulatory Information

# **United States Regulations**

Inventory Listing (TSCA): All ingredients are listed-active or exempt.

Significant New Use Rule (TSCA Section 5): None of the ingredients are listed.

Export Notification under TSCA Section 12(b): None of the ingredients are listed.

### SARA Section 302 Extremely Hazardous Substances:

|    |                    | •                           |        |         |
|----|--------------------|-----------------------------|--------|---------|
|    | 75-21-8            | Ethylene oxide              |        | Listed  |
|    | 50-00-0            | Formaldehyde                |        | Listed  |
| SA | RA Section 313 Tox | tic Chemicals:              |        |         |
|    | 111-76-2           | 2-Butoxyethanol             |        | Listed  |
|    | 107-21-1           | Ethane-1,2-diol             |        | Listed  |
|    | 75-21-8            | Ethylene oxide              |        | Listed  |
|    | 123-91-1           | 1,4-dioxane                 |        | Listed  |
|    | 50-00-0            | Formaldehyde                |        | Listed  |
|    | 5064-31-3          | Trisodium nitrilotriacetate |        | Listed  |
| CE | RCLA:              |                             |        |         |
|    | 1310-58-3          | Potassium hydroxide         | Listed | 1000 lb |
|    | 1310-73-2          | Sodium hydroxide            | Listed | 1000 lb |
|    | 111-76-2           | 2-Butoxyethanol             | Listed | N/A     |
|    | 64-17-5            | Ethanol                     | Listed | 100 lb  |

| 64-17-5  | Ethanol         | Listed | 100 lb  |
|----------|-----------------|--------|---------|
| 107-21-1 | Ethane-1,2-diol | Listed | 5000 lb |
| 75-21-8  | Ethylene oxide  | Listed | 10 lbs  |
| 123-91-1 | 1,4-dioxane     | Listed | 100 lbs |
| 50-00-0  | Formaldehyde    | Listed | 100 lb  |

#### **RCRA:**

| 64-17-5  | Ethanol        | Listed | D001 |
|----------|----------------|--------|------|
| 75-21-8  | Ethylene oxide | Listed | U115 |
| 123-91-1 | 1,4-dioxane    | Listed | U108 |
| 50-00-0  | Formaldehyde   | Listed | U122 |

Section 112(r) of the Clean Air Act (CAA):

# According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 06.20.2019

**Revision date:** 03.08.2023

# **Red Storm F/B**

| 75.01.0         |                             |        |
|-----------------|-----------------------------|--------|
| 75-21-8         | Ethylene oxide              | Listed |
| 50-00-0         | Formaldehyde                | Listed |
| assachusetts Ri | -                           | i      |
| 1310-58-3       | Potassium hydroxide         | Listed |
| 64-17-5         | Ethanol                     | Listed |
| 7757-82-6       | Sodium sulphate             | Listed |
| 1310-73-2       | Sodium hydroxide            | Listed |
| 107-21-1        | Ethane-1,2-diol             | Listed |
| 75-21-8         | Ethylene oxide              | Listed |
| 123-91-1        | 1,4-dioxane                 | Listed |
| 50-00-0         | Formaldehyde                | Listed |
| 56-81-5         | Glycerol                    | Listed |
| 5064-31-3       | Trisodium nitrilotriacetate | Listed |
| 7758-29-4       | Pentasodium triphosphate    | Listed |
| 111-76-2        | 2-Butoxyethanol             | Listed |
| 7722-88-5       | Tetrasodium pyrophosphate   | Listed |
| w Jersey Right  | to Know:                    |        |
| 1310-58-3       | Potassium hydroxide         | Listed |
| 64-17-5         | Ethanol                     | Listed |
| 1310-73-2       | Sodium hydroxide            | Listed |
| 107-21-1        | Ethane-1,2-diol             | Listed |
| 75-21-8         | Ethylene oxide              | Listed |
| 123-91-1        | 1,4-dioxane                 | Listed |
| 50-00-0         | Formaldehyde                | Listed |
| 79-43-6         | Dichloroacetic acid         | Listed |
| 56-81-5         | Glycerol                    | Listed |
| 111-76-2        | 2-Butoxyethanol             | Listed |
| 7722-88-5       | Tetrasodium pyrophosphate   | Listed |
| w York Right t  | o Know:                     |        |
| 1310-58-3       | Potassium hydroxide         | Listed |
| 64-17-5         | Ethanol                     | Listed |
| 7757-82-6       | Sodium sulphate             | Listed |
| 1310-73-2       | Sodium hydroxide            | Listed |
| 107-21-1        | Ethane-1,2-diol             | Listed |
| 75-21-8         | Ethylene oxide              | Listed |
|                 |                             |        |

Page 23 of 24

Listed

Listed

Listed

Listed

Listed

Listed

Pennsylvania Right to Know:

1,4-dioxane

Formaldehyde

Dichloroacetic acid

2-Butoxyethanol

Pentasodium triphosphate

Tetrasodium pyrophosphate

123-91-1

50-00-0

79-43-6

7758-29-4

111-76-2

7722-88-5

#### According to OSHA Hazard Communication Standard, 29 CFR 1910.1200 Initial Preparation Date: 06.20.2019

**Revision date:** 03.08.2023

**Red Storm F/B** 

| 1310-58-3 | Potassium hydroxide       | Listed |
|-----------|---------------------------|--------|
| 64-17-5   | Ethanol                   | Listed |
| 7757-82-6 | Sodium sulphate           | Listed |
| 1310-73-2 | Sodium hydroxide          | Listed |
| 107-21-1  | Ethane-1,2-diol           | Listed |
| 75-21-8   | Ethylene oxide            | Listed |
| 123-91-1  | 1,4-dioxane               | Listed |
| 50-00-0   | Formaldehyde              | Listed |
| 56-81-5   | Glycerol                  | Listed |
| 7758-29-4 | Pentasodium triphosphate  | Listed |
| 111-76-2  | 2-Butoxyethanol           | Listed |
| 7722-88-5 | Tetrasodium pyrophosphate | Listed |

# California Proposition 65:

**WARNING:** This product can expose you to chemicals including 1,4-dioxane and Formaldehyde; which are known to the State of California to cause cancer; and Ethane-1,2-diol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

**WARNING:** This product can expose you to chemicals including Ethylene oxide and Dichloroacetic acid; which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Additional information: Not determined.

### **SECTION 16: Other Information**

# Abbreviations and Acronyms: None

#### Disclaimer:

This product has been classified in accordance with OSHA HCS 2012 guidelines. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

#### **NFPA:** 0-0-0 **HMIS:** 0-0-0

Initial Preparation Date: 06.20.2019 Revision date: 03.08.2023

### **End of Safety Data Sheet**

Page 24 of 24